CATALOGUE OF PLANTS

IN THE

ROYAL BOTANIC GARDENS,

CALCUTTA.

BY

GEO. HENDERSON, M.D.,

Offg. Superintendent, Royal Botanic Gardens.

Calcutta:

1873.

CATALOGUE OF PLANTS

IN THE

ROYAL BOTANIC GARDENS,

CALCUTTA.

WHEN re-planting the old herbaceous ground in the Calcutta Botanic Gardens, in autumn last, it was thought better to include a specimen of every tree in the garden, instead of as formerly, only herbaceous plants. The arrangement of this collection necessitated the drawing up of the following list, the old Catalogue being out of print and out of date.

To render the present list more useful to residents at a distance, and who may wish plants or seeds, it has been thought advisable to indicate by letters prefixed to the name of each plant whether it is multiplied by " S" seeds, " C" cuttings, " R" roots or L" layers. When none of these letters is prefixed, the plant is not easily multiplied, or is too scarce to be distributed.

CALCUTTA; *September* 18*th*, 1873. } GEO. HENDERSON, M. D., *Offg. Supdt., Royal Botanic Gardens.*

Ranunculaceæ.

1	S. C.	Clematis	Gouriana, Rox. Tropical India, Malayan Peninsula, and Islands.
2	S. C.	„	flammula, L. Southern Europe.
3	S. C.	„	brachiata, Ker. Cape of Good Hope.
4	S. C.	„	reticulata, Wats. Europe.
5	S. C.	„	grata, Wall. Himalaya.
6	S. C.	„	integrifolia, L. Europe, Siberia.
7	S. C.	„	latifolia.
8	S. C.	„	lanceolata.
9	S. C.	„	smilacifolia, Wall. Himalaya, Java, &c.
10	S. C.	„	acuminata, D. C. Himalaya, Assam.
11	S. C.	„	parvifolia, Edg. Himalaya.
12	S. C.	„	hybrida.
13	S. C.	„	verticella. North America.
14	S. C.	„	grewiæfolia, D. C. Himalaya.
15	S. C.	„	buchanani, H. Himalaya.
16	S. C.	„	connata, D. C. Himalaya.
17	S. C.	„	nutans, Royle. Himalaya, Behar.
18	S. C.	„	rubella.

19 S. C. Naravelia zeylanica, D. C. India, Ceylon, Burmah.
20 R. S. Anemone Japonica, S. Z. Japan, Yunan.
21 R. S. „ sp.
22 S. Ranunculus lætus, Wall. Himalaya.
23 S. „ muricatus, L. Upper India, Europe.
24 S. „ sceleratus, L. India, Europe.
25 S. „ diffusus, D. C. Java.
26 S. „ flammula, L. Europe.
27 S. „ repens, L. Europe.
28 S. „ sp. Australia.
29 S. Nigella sativa, L. India, Southern Europe.
30 S. Delphinium ajacis, L. India, Persia.

Dilleniaceæ.

31 S. L. Delima sarmentosa, L. Assam, Sylhet, Ceylon, Eastern Islands.
32 S. L. Dillenia speciosa, Thunb. Tropical India, Ceylon.
33 S. L. „ scabrella, Roxb. Assam, Sylhet.
34 S. L. „ pentagyna, Roxb. Tropical India, Burmah.
35 S. L „ retusa, Thunb. Ceylon.
36 S. L. „ aurea, Sm. Assam, Burmah.

Calycanthaceæ

37 L. Calycanthus florida, L. Carolina.
38 L. Chionanthus fragrans, Lindl. Japan.

Magnoliaceæ.

39 S. L. Talauma, Hodgsonii Hf. et T. Tropical Sikkim.
40 S. L. „ Rabaniana, Hf. et T. Khasia Hills.
41 S. L. „ pumila, Andr. Amboyna.
42 L. „ mutabilis, Bl. Eastern Peninsula.
43 S. L. Magnolia grandiflora, L. North America.
44 L. „ sphenocarpa, Roxb. Eastern Bengal.
45 L. „ purpurea, Curt. China.
46 S. L. Michelia, Champaca, L. Tropical India.
47 L. „ fuscata, Blume. Java.
48 L. Liriodendron orientale, Roxb. Assam.
49 C. Kadsura Roxburghii, Arnott. Sylhet, Tropical Eastern Himalaya

Anonaceæ.

50 S. L Uvaria, macrophylla, Roxb. Eastern Bengal, Burmah, Java.
51 S. L. „ macropoda, Hf. et T. Ceylon.
52 S. L. „ microcarpa, Champ. Hongkong.
53 S. L. „ purpurea, Blume. Malayan Peninsula and Islands of Java.
54 S. L. „ sphenocarpa, Hf. et Th. Ceylon.
55 S. L. „ concava, T. et B. Indian Archipelago.
56 S. L. Guatteria longifolia, Wall. Southern India. Ceylon.
57 S. L. „ suberosa, Dunal. India, Ceylon, Phillippines.
58 S. L. „ Simiarum, Ham. Sylhet, Assam, Burmah.
59 S. L. „ cerasioides, Dun. Hindoostan, Burmah.
60 S. L. „ littoralis, Bl. Java.
61 S. L. Cyathocalyx Zeylanicus, Champ. Ceylon.
62 S. Artabotrys odoratissimus, R Br. Ceylon, Java.

63 S. L. Cananga odorata, Hf. et T. Tenasserim, Java.
64 L. Unona dumosa, Roxb. Sylhet Malacca.
65 S. L. „ discolor, Vahl. Tropical India, Ceylon, Java, China.
66 L. „ Desmos, Dunal Burmah, Malayan Peninsula.
67 L. „ Dasymaschala, Blume. Burmah, Malayan Peninsula, and Java
68 S. L. „ lævigata, Wall. Mss. non cat. China.
69 S L. „ penduliflora, Wall. Amherst.
70 L. Polyalthia korinti, Bth. Hindostan, Ceylon.
71 S. L. „ penniæfolia.
72 S. L. Trivalvari (Polyalthia) macrophylla, Miq. Indian Archipelago.
73 C. Anaxagorea zeylanica, Hf, et Th. Ceylon, Burmah, Malacca, Indian Archipelago.
74 L. Goniothalamus sesquipedalis, Hf. et T. Khasia Hills, Tenasserim.
75 L. „ macrophyllus, Hf et Th. Malacca, Java.
76 Monodora grandiflora Tropical America.
77 Phœanthus Sumatranus, Miq. Sumatra.
78 S. C. Miliusia montana, Gardner. Southern India, Ceylon.
79 S. C. „ velutina, Hf. et T. Tropical Himalayas.
80 S. C. Anona cherimolia, Hill. South America.
81 S. C. „ muricata, L. West Indies.
82 S. „ reticulata, L. Tropical Asia and America.
83 S. C. „ squamosa, L. Tropical Asia and America.
84 S. L. Melodorum, n. sp. Andaman Islands
85 S. L. Succopetalum longiflorum, Hf. et T. Tropical Himalayas.
86 S. L. Orophea enneandra, Bl. Java.
87 S. L. Alphonsea ventricosa, Hf. et T. Chittagong.
88 S. L. „ sp. Andaman Islands.

Menispermaceæ.

89 S. C. Tinospora cordifolia, Miers. Tropical India.
90 S. C. „ crispa, Miers. Sylhet, Burmah, Malayan Islands.
91 S. C. „ tomentosa, Miers. Bengal, Ava.
92 S. C. „ malabarica, Miers. Hindostan, Khasia Hills, Chittagong.
93 C. Anamirta cocculus, W. et T. India, Ceylon, and Mayalan Islands.
94 C. Tiliacora acuminata, Miers. Tropical India, Ceylon, Java.
95 C. „ racemosa, Lobb. Tropical India.
96 C. Limacia triandra, Miers. Burmah, Malacca.
97 C. L. Cocculus angustifolius, Hassk. Java
98 S. C. „ nephroia, D. C. Cochin China.
99 S. C. „ laurifolius, D. C. Tropical Himalayas, Japan.
100 S. C. „ villosus, D. C. Tropical India.
101 S. R. Stephania rotunda, Lour. Tropical India, Siam, Cochin China.
102 S. R. „ hernandifolia, Walp. Nepal to Singapore, Malayan
102 A Archipelago.
103 S. R. Clypea Burmanni, Miers. Concan, Ceylon.
104 C. Cissampelos Pareira, L. Tropical Asia, Africa, and America.
105 C. „ convulvulacea, Willd. Tropical Asia.
106 S. C. Pachygone ovata, Miers. Hindostan, Ceylon.

Berberideæ

107 C. Akebia quinata Decain. Japan.
108 C. Berberis fortunii, Lindl. China.
109 C. Nandina domestica, Thbg. Japan.

Nymphæaceæ

110 S. Nymphæa lotus, L. Tropical Asia, Africa, Hungary.
111 S. „ stellata, Willd. Tropical India and North Africa.
112 S. „ cyanea, Roxb. Tropical India.
113 S. „ alba, L. Europe, Kashmir.
114 S. „ rubra, Roxb. Tropical India.
115 S. „ pubescens, Willd. Tropical India.
116 S. Euryale ferox, Salisb. Bengal, North West India, China
117 S. Victoria regia, Lindl. South America.
118 S. Nelumbium speciosum, Willd. Asia and Tropical Australia.

Papaveraceæ.

119 S. Papaver Argemone, L. Europe.
120 S. „ floribundum, Desf. Armenia.
121 S. Papaver Rhœas, L. Europe, Kashmir.
122 S. „ somniferum, L. Southern Europe & W. Asia.
123 S. Argemone Mexicana, L. Tropical Asia and America.
124 S. „ sulphurea.
125 S. Fumaria parviflora, Lamk. India, Hindoostan.

Cruciferæ.

126 S. Mathiola incana, R. Br. Mediterranean.
127 S. Nasturtium Bengalensis, D. C. Bengal, Hindoostan, Burmah.
128 S. „ montana, Wall. India, Burmah.
129 S. Brassica oleracea, L. Cult.
130 S. „ Juncea, Roxb. India
131 S. „ campestris, L. India.
132 Capsella bursa pastoris, Linn. Britain.
133 S. Lepidium Sativum, Linn. Europe, Temperate Asia.
134 S. Raphanus sativus, L. Europe, India.

Capparideæ.

135 S. Cleome pentaphylla, L. India, Ceylon, Asia.
136 S. „ rufa, Camb. North Western India.
137 S. „ viscosa L. Tropical India.
138 S. „ Chelidonii L. India.
139 S. Steriphoma elliptica.
140 S. Niebuhria linearis, D. C. Southern India.
141 S. „ oblongifolia, D. C. Southern India.
142 S. Capparis brevispina, Wall. Malabar & Coromandel Coast, Ceylon
143 S. L. „ sepiaria, L. India, Ceylon.
144 S. C. „ tylophylla, Spr. Java.
145 S. „ horrida, L. India, Ceylon.
146 L. „ Roxburghii, D. C. Hindoostan.
147 L. „ aphylla, Roth. Punjab, Sindh, Carnatic, &c.
148 C. „ sp. Java.
149 C. „ sp. Java.
150 S. „ Cratæva Roxburghii, Roxb. Sylhet.

Resedaceæ.

151 S. Reseda odorata, L. Shores of the Mediterranean.
12 S. „ alba, L. Europe.

Violaceæ

153 S. Viola odorata, L. Europe.
154 S. „ Roxburghiana, Voigt. Bengal.
155 S. „ tricolor, L. Europe.
156 „ serpens, Wall. India.
157 S. Alsodeia Roxburghii, Wall. Amboyna, India.
158 C. „ Bengalensis, Wall. Khasia Hills.
159 C. Schuurmansia elegans, Bl. Moluccas.

Canellaceæ.

160 L. Canella alba, Murr. West Indies.

Bixineæ.

161 S. Cochlospermum Gossypium, D. C. Southern & Central India, Behar.
162 S. „ orinocense, Steudel. Banks of Orinoco.
163 Bixa orellana, L. Southern India, Ceylon.
164 S. „ purpurea.
165 Oncoba spinosa, Forsk. Arabia.
166 L. Scolopia acuminatus crenata, Choisy. Hindostan, Ceylon.
167 S. „ (Phoberos) chinensis. China.
168 S. Flacourtia cataphracta, Roxb. Bengal to Malaya.
169 S. „ sepiaria, Roxb. Tropical India, Ceylon.
170 S. „ sapida, Roxb. Tropical India, Ceylon.
171 S. „ ferox, Wall. Assam.
172 S. „ spinosa.
173 S. „ Jangomas, Miq. Java.
174 C. Doryalis rotundifolia, Thbg. Cape of Good Hope.
175 C. Aberia caffra, Hf. R., Harvey. Cape of Good Hope.
176 S. Gynocardia odorata, Roxb. Assam, Sylhet.
177 L. Hydnocarpus inebrians, Vahl. Southern India, Ceylon.

Pittosporaceæ

178 C. Pittosporum Tobira, Ait. Japan.
179 C. „ variegatum, Japan.
180 L. „ ferrugineum, Ait. Japan, Penang,
181 C. „ Nepalense, Hf. et. S. Himalayas Sylhet.
182 C. „ densiflorum, Putterl. New Holland.
183 C. „ undulatum, Vent. Australia.
184 C. „ eugenioides.
185 C. Hymenosporum pittosporoides, F. Muell. Australia.

Polygaleæ.

186 S. Securidaca scandens, Buch. Assam.
187 S. „ Brownii, Gr. ? West Indies.

Caryophyllaceæ

188 S. Dianthus chinensis, L. Germany, France.
189 S. „ Heddewigii.
190 S. „ barbatus, L. Germany, France.
191 S. „ caryophyllus, L. France.

192 S Saponaria officinalis, L. Britain, Europe, West Indies.
193 S. „ vaccaria, Linn. North Western India, Europe.
194 S. „ calabrica, Juss. Italy.
195 S. „ Africana R. Br. North Africa.
196 S. Silene rosea.
197 S. „ fuscata, Link. Hispania.
198 S. „ ambigua, Camb. Hispania.
199 S. Lychnis sp.
200 S. Eudianthe pusilla.
201 S. Stellaria dubia, Bart. Europe, Siberia.
202 S. „ media Linn. Europe, Asia.
203 S. Drymaria cordata, Willb. Himalaya, Eastern India.

Portulaceæ.

204 S. Portulaca oleracea, L. Europe, India, America, etc.
205 S. „ pilosa, L. South America.
206 S. „ grandiflora, Camb. Brasil.
207 S. „ dimidiata.
208 C. Portulacaria affra, Jacq. Cape of Good Hope.

Tamariscineæ.

209 C. Tamarix gallica, L. Europe, North Africa, India.
210 C. „ dioica, Roxb. Bengal, Deccan, North Western India.

Hypericineæ.

211 S. Hypericum cernuum, Roxb. Tropical Himalayas.
212 S. „ patulum, Thunb. Himalayas, Assam.
213 S. „ floribundum, Ait. Canaries.
214 S. Cratoxylon Hornschuchii, Bl. Java.
215 S. „ carneus, Wall. India.
216 S. „ prunifolium. Wall. Burmah.
217 C. Tridesmus formosus, Korth. Indian Archipelago, Andaman Islands.

Guttiferæ.

218 S. Clusia flava, L. Jamaica.
219 S. „ rosea, L. West Indies.
220 S. „ sp. Brazil.
221 S. Garcinia Cambogia, Desrous. Southern India, Ceylon.
222 S. „ Mangostana, L. Malayan Peninsula and Islands.
223 S. „ cornea, L. Malayan Peninsula, Moluccas.
224 S. „ Roxburghii, W. and A. Southern India.
225 S. „ lanceolata, Roxb. Southern India.
226 S. „ Cochin Chinensis, Chois. India, China.
227 S. „ Livingstonei, T. Andaman, Tropical Africa.
228 S. „ sp. Java.
229 S. Xanthochymus ovalifolius, Roxb. Ceylon.
230 S. „ pictorius, Roxb. Southern India, Penang.
231 S. „ dulcis, Roxb. Malayan Peninsula and Islands.
232 S. Calophyllum Inophyllum, L. India, Ceylon, Java.
232 L. S. „ tomentosum, Wight. Ceylon.
234 L. „ Burmanni, Wight. Ceylon.
235 L. „ sp. Java.
236 L. „ sp. Burmah.

237 S. Mesua ferrea, L. Southern India, Ceylon.
238 L. Mammea Americana, L. West Indies, Surinam.
339 L. „ sp. Kew.
240 S. Calysaccion longifolium, Wight Hindostan.

Ternstromiaceæ.

241 Caryocar nuciferum, Linn. Guiana.
242 S. Marcgravia paradoxa, Juss. Brazil.
243 L. Saurauja Nepalensis, Wall. Himalaya.
244 L. „ fasciculata, Wall. Himalaya.
245 L. Gordonia Wallichii, D. C. Nepal Java.
246 C. Camellia Japonica, Thunb. China, Japan.

Dipterocarpeæ.

247 S. Dipterocarpus alatus, Ham. Eastern Bengal, Burmah.
248 S. Anisoptera Bentamensis, Hapk. Java.
249 S. Vatica robusta, W. & A. India.
250 S. Hopea odorata, Roxb. Eastern Bengal, Burmah.
251 S. „ fagineа, Wall. Penang.

Malvaceæ.

252 S. Althæa rosea, L. Shores of the Mediterranean.
253 S. Malva polystachya, Cav. Peru.
254 S. Callirhoe digitata, Gray. North America.
255 S. Anoda parviflora, Cav. Mexico
256 S. Sida mollis Ortega. Peru.
257 S. „ nudiflora, L'Her. West Indies.
258 S. „ aurita, Wall. Bengal.
259 S. „ humilis, Cav. India.
260 S. „ frutescens, Cav. Mauritius.
261 S. Sida acuta, Burm. India, China.
262 S. „ rhombifolia, L. India, America.
263 S. Kydia calycina, Roxb. India.
264 S. Wissadula periplocifolia, Presl. Ceylon.
265 C. Abutilon streatum, Dicks. Brazil.
266 S „ Indicum, W. and A. Tropical India, Ceylon, Africa, West Indies.
267 S. „ Marmoratum, Hort, Hab. ?
268 S. „ Bedfordianum.
269 S. „ graveolens, Wight. India.
270 S. Malachra capitata, L. West Indies.
271 S. Urena lobata, L. India, China.
272 S. „ sinuata, L. India, China.
273 S. Gœthea strictiflora.
274 S. Malvaviscus arboreus, Cav. Jamaica, Mexico.
275 S. Hibiscus Lampas, Cav. India, Ceylon, Phillippines.
276 S. „ Lindleyi, Wall. Tavoy.
277 S. „ Jerroldianus, Paxt. Southern America.
278 S. „ Rosa Sinensis, L. Tropical Asia.
279 S. „ Syriacus, L. Levant.
280 S. „ vitifolius, L. Tropical India.
281 S. „ collinus, Roxb. Southern India.
282 S. „ Sabdariffa, L West Indies.
283 S. „ elatus, Sw. Java.
284 S. „ mutabilis, L. . Java.

285 S. „ pentaphyllus, Roxb. India.
286 S. „ liliflorus, Cav. Bourbon.
287 S. „ abelmoschus, Linn. India, Southern America.
288 L. „ Zollingerianus.
289 S. „ Chinensis, Dc. China.
290 C. „ Cooperii.
291 S. „ Beali, Wall. Japan.
292 S. „ giganteus, Hort. Call.
293 S. „ Macrophyllus, Roxb. Burmah, Malaya.
294 S. „ tricuspis, Cav. Society Islands.
295 S. „ manihot, Cav., India.
296 S. Lagunaria Patersonii, Don. Norfolk Islands.
297 S. Thespesia populnea, Corr. Society Islands.
298 S. Gossypium acuminatum, Roxb. Bengal, Malacca.
299 S. „ Religiosum, Sw. China.
300 S. „ Barbadense, L. Western India.
301 S. Adansonia digitata, L. Tropical Africa.
302 S. „ Gregorii, F. Muell. Melbourne.
303 L. Pachira aquatica, Aubl. Guinea.
304 L. „ Portoricensis. Porto Rico.
305 L. „ sp. Java.
306 L. „ sp. Java.
307 S. Bombax sp. Kew.
308 S. „ Malabarica, Sch. et End. India, Ceylon, Java.
309 S. Eriodendron orientale, Steud. Southern India, Ceylon.
310 S. Ochroma Lagopus, Swartz. West Indies.
311 Durio Zibethinus, L. Malaya, Indian Archipelago.

Sterculiaceæ.

312 S. Sterculia fœtida, L. India, Ceylon, Malayan Islands.
313 S. „ urens, Roxb. India, Ceylon.
314 S. „ villosa, Wall. Tropical North West Himalayas.
315 S. „ ornata Wall. Burmah.
316 S. „ pallens, Wall. Nepal.
317 S. „ guttata, Roxb. India, Ceylon.
318 S. „ coccinea, Roxb. Sylhet, Malayan Peninsula.
319 L. „ macrophylla, Vent. Java.
320 S. „ comosa, Wall. Amboyna.
321 S. „ nobilis, R. Br. China.
322 L. „ parviflora, Roxb. Eastern Bengal, Malayan Peninsula.
323 S. „ campanulata, Wall. Khasia Hills.
324 S. „ olida.
325 L. „ cordata, Bl. Java.
326 L. „ Blumei, G. Don. Java.
327 S. „ heterophylla, P. B. Owaree Island.
328 S. „ tricosiflora.
329 L. „ (Brachichiton) acerifolium, F. Muell. Australia.
330 S. „ sp. Kew.
331 S. Firmiana colorata, R. Br. India, Ceylon.
332 L. „ grandiflora.
333 S. Pterygota alata, R. Br. Sylhet, Eastern Bengal, Ceylon.
334 S. Hildegardia populifolia, Sch. et End. China, Japan.
335 S. Tarrietia Javanica, Bl. Java.
336 S. Heritiera minor, Lam. Bengal.
337 S. „ littoralis, Ait. India, Ceylon, Java.
338 S. „ macrophylla, Wall. East Bengal.
339 S. Kleinhovia Hospita, L. India, Ceylon, Java.

340 S. Helicteres isora, L. India, Ceylon, Java.
341 S. „ hirsuta, Lam. Malayan Islands, Cochin, China.
342 S. „ angustifolia, L. China.
343 S. „ elongata, Wall. Burmah.
344 S. „ viscida, Bl. Java.
345 S. „ virgata, Wall. China.
346 S. „ pulchella, Wall. Burmah.
347 S. „ spicata, Colebr. India.
348 S. Pterospermum lanceæfolium, Roxb. Assam.
349 S. „ semisagittatum, Ham. Assam.
350 S. „ acuminatum, Wall. Sylhet.
351 S. „ acerifolium, Wild. India.
352 S. „ accroides, Wall. Burmah.
353 S. „ suberifolium, Lam. India, Ceylon.
354 S. Eriolæna Hookeriana, W. & A. Southern India, Parasnath.
355 L. „ Wallichii, D. C. Nepal.
356 S. „ spectabilis, T. Anderson. Nepal.
357 S. „ De Candollii, Wall. Burmah.
358 S. „ sp. Burmah.
359 L. Dombeya palmata, Cav. Bourbon.
360 L. „ acutangula, Cav. Bourbon.
361 L. „ viburnifolia, Boj. Bourbon.
362 L. „ Wallichii, Lindl. Madagascar.
363 L. „ cuspidata, Boj. Bourbon.
364 L. „ Burridgesii.
365 L „ tiliaefolia, Cav. Bourbon.
366 S. Pentapetes phœniceus, L. India, Ceylon, Java.
367 S. Melochia tiliæfolia, T. Anderson. India.
368 S. „ Guazumæfolia, T Anderson. Mauritius.
369 S. „ (Viscania) velutina, Voigt. Burmah, Malaya.
370 S. „ Bourbonica, Cav. Bourbon.
371 S. „ pyramidata, Linn. West Indies. Brazil.
372 S. Abroma augustum, L. fil. India, Moluccas.
373 S. Theobroma Cacao, L. South America.
274 S. Guazuma tomentosa, H. B. K. West Indies, South America.
375 S. Byttneria pilosa, L.
„ Catalpifolia.
376 S. Commersonia platyphylla, Anderson. Java.

Tiliaceæ.

377 L. Brownlowia elata, Roxb. Eastern Bengal.
378 L. Pityranthe verrucosa, Thw. Ceylon.
379 S. Berya Ammonilla, Roxb. Southern India, Ceylon.
380 L. „ quinquelocularis, T. et. B. Java.
381 S. Grewia sclerophylla, Roxb. India.
382 S. „ denticulata, Wall. Nepal.
383 S. „ Asiatica, L. India, Ceylon.
384 S. „ floribunda, Wall. Burmah.
385 S. „ sepiaria, Roxb. Bengal.
386 S. „ humilis, Wall. Burmah.
387 S. „ abutilifolia, Juss. Southern India.
388 S. „ ulmifolia, Roxb. China, Assam.
389 S. „ oppositifolia. Himalayas, Parasnath.
390 S. „ adenophylla
391 S. „ sp. China.
392 S. „ microcos, Linn. Burmah, Malacca, Malayan Archipelago.
393 S. „ lævigata, Val. Burmah, Java, etc

394 L. Columbia Javanica, Bl. Java.
395 S. Erinocarpus nimmoana, Dalz. Hindoostan.
396 S. Triumfetta sp.
397 S. „ angulata, Lam. India.
398 S. Corchorus olitorius, L. India and Indian Archipelago.
399 S. „ capsularis, L. India, China, Moluccas.
399 A „ acutangulus, Lam.
400 C. Rhopalocarpus lucidus.
401 S. Elæocarpus prinoides W. & A. Tropical Himalayas, Assam.
402 S. longifolius, Blume. Burmah.
403 S. floribundus, Bl. Java.
404 S. robustus, Roxb. India.

Lineæ.

405 S. Linum grandiflorum, Desf. Algiers.
406 S. „ corymbiflorum.
407 S. „ usitatisimum, Linn. Europe.
408 S. Reinwardtia, trigyna Planch. Himalayas.
409 S. „ tetragyna, Planch. Himalayas.

Malphigiaceæ.

410 L. Byrsonima lucida, Rich. West Indies.
411 L. „ pulcherrima, Wall. South America.
412 S. Malphighia glabra, L. West Indies.
413 S. „ punicifolia, L. West Indies.
414 S. „ urens, L. West Indies.
415 S. „ coccifera, L. West Indies.
416 S. Thryallis brachystachys, Lindl. Rio Janeiro.
417 C. Galphinia nitida.
418 S. Acridocarpus Natalitius, Juss. Cape of Good Hope.
419 S. „ combretifolium.
420 C. Stigmaphyllon periplocifolium, Juss. West Indies, S. America.
421 L. Banisteria argentea, Spr. New Granada.
422 L. „ laurifolia, L. West Indies.
423 L. „ sp. Hab. ignot.
424 L. „ chrysophylla, Lamk. South America.
425 L. Tristellateia macrophylla.
426 S. Hiptage madablota, Gaertn. Coromandel, The Ghauts, Bengal.
427 S. „ obtusifolia, D. C. China.
428 C. Aspidopterys hirsuta, Adr., Juss. Burmah.
429 S. „ Indica, Juss. India.
430 S. „ nutans, Juss. India.
431 S. Gaudichaudia guarantica, St. Hil. Brazil.

Zygophylleæ.

432 S. Tribulus lanuginosus, L. Ceylon.
433 C. Guiaicum officinale, L. Tropical America.
434 C. „ Sp. Brazil.

Geraniaceæ.

435 C. Geranium var. scarlet.
436 C. Pelargonium sp. Cape of Good Hope.
437 Tropœolum majus, Linn. Peru.
438 R. Oxalis cernua, Thunb. Cape of Good Hope.
439 R. „ variabilis, Lindl. Cape of Good Hope.
440 R. „ Deppii, B. Cab. Mexico.
441 R. „ caprina, L. Cape of Good Hope.

442 S. Oxalis corniculata, L. India.
443 R. „ Boweana, Lodd. Cape of Good Hope
444 S. Averrhoa Carambola, L. Moluccas.
445 S. „ Bilimbi, L. Moluccas.
446 S. Impatiens Balsamina, L. Himalayas, Bengal, S. India, Ceylon.
447 S. Hydrocera triflora, W. & A. India, Ceylon, Java

Rutaceæ.

448 L. Erythrochiton Brasiliensis. North-East Brazil.
449 S. Ravenia spectabilis, Lol. Cuba.
450 C. Ruta angustifolia, Pers. Southern Europe, Persia.
451 L. Xanthoxylon Budrunga, D. C. Assam.
452 L. Toddalia aculeata, Pers. Southern India, Ceylon..
453 L. „ floribunda, Wall. Nepal.
454 L. „ capparidea, Wall. Himalaya.
455 L. Glycosmis pentaphylla, D. C. India, Ceylon, Java.
456 S. Triphasia aurantiola, Lour. India, China.
457 S. „ trifoliata, D. C. China.
458 S. Limonia acidissima, L. Coromandel, Tropical Himalayas, Assam.
459 L. „ alternans, Wall. Burmah.
460 S. Murraya exotica, L. India, Ceylon.
461 S. „ Sumatrana, Roxb China, Eastern Islands.
462 S. Bergera Kœnigii, Sprg. Southern India, Ceylon, Himalayas.
463 S. Clausena heptaphylla, W. A. Bengal.
464 S. „ pentaphylla, Corr. India.
465 S. „ punctata, W. A. India, China.
466 L. Paramignya monophylla, Oliv. Ceylon, Himalaya, &c.
467 L. Atalantia monophylla, D. C. Southern India, Ceylon.
468 S. Citrus decumana, L. Moluccas.
469 S. „ Aurantium, Linn. India, Moluccas.
470 S. „ Bergamia, Risso. India.
471 S. „ acida.
472 S. „ limetta, Risso. India.
473 S. Feronia elephantum, Corr.
474 S. Ægle Marmelos, Corr. India, Ceylon, Java.

Simarubeæ.

475 C. Quassia amara, L. fil. Surinam.
476 C. Simaruba amara, Aubl. West Indies.
477 Ailanthus excelsus, Roxb. Southern and Central India, Oude.
478 S Brucea mollis, Wall. Himalaya, Burmah.
479 S. Brucea Sumatrana, Roxb. Malayan Archipelago.
480 S Harrisonia Browniana, Juss. Timor.
481 S Balanites Ægyptiaca, Delile. Africa.

Ochnaceæ.

482 G. Ochna stricta.
483 S. Ochna squarrosa, L. Southern India, Burmah, Ceylon.
484 „ Moonu, Thw Ceylon.
485 S. „ atropurpurea, D C. Southern Africa.
486 L. „ laurifolia. Jamaica.
487 S. „ macrophylla.

Burseraceæ.

488 C. Boswellia thurifera, Colebr. India.
489 C. „ sp. Aden
490 S. Garuga pinnata, Roxb. India.

491 C. Balsamodendron Agallocha. W & A. Sylhet, Assam.
492 C. Protium acuminatum, Roxb. Sylhet.
493 C. „ sp. Aden.
494 C. Bursera serrata, Wall. India.
495 S. Canarium commune. Linn. Southern India, Malayan Islands.
496 S. „ Bengalense, Roxb. Assam.
497 S. Filicium decipieus, Thw. Ceylon.

Meliaceæ.

498 S. Turræa heterophylla
499 S. Melia sempervireus, Sw. Tropical Asia, West Indies, South America.
500 S. „ composita, Willd. India.
501 S. „ Azadirachta, Adr. Juss. Australia.
502 S. „ Australasica, Juss. Australia.
503 C. Mallea Rothii, Adr. Juss.
504 S. „ (Cipudessa) Alame subscandens, T. et B. Indian Archipelago.
505 S Epicharis exarillata, Arn. Eastern Bengal.
506 S. „ mollis, Wall. Sylhet.
507 L. Sandoricum Indicum, Cav. Mysore, Ceylon.
508 L. Aglaia odorata, Lour. China.
509 S. „ Midnaporensis, Carey. Midnapore.
510 S. Milnea edulis, Roxb. Sylhet
511 S. Amoora Rohituka, W. & A. Southern India, Ceylon.
512 S. Walsura piscidia, Roxb. Southern India, Ceylon.
513 S. „ robusta, Wall. Sylhet.
514 S. Heynea affinis, Juss. Himalayas.
515 S. Owenia cerasifera, F. Muell. Australia.
516 S. Owenia sp. Australia.
517 S. Swietenia Mahogani, L. West Indies, Mexico.
518 S. Soymida febrifuga, Juss. India.
519 S. Chickrassia tabularis, Adr. Juss. Southern India, Eastern Bengal, Ceylon.
520 S. Cedrela Toona, Roxb. India, Java.
521 S. Chloroxylon Swietenia, D. C. Southern India, Ceylon.

Olacineæ

522 S. Olax scandens, Roxb. India.
523 S. Mackaya, Arnott. (Erythropalum, Blume,) Cella.
524 S. Lepionurus sylvestris, Bl. Himalaya, Eastern India, and Archipelago.
525 S. Apodytes dimidiata.
526 L. Phytocrene sp.
527 L. Natsiatum herpeticum, Ham. India.

Ilicineæ.

528 L. Ilex paraguayensis, St. Hil. Paraguay.

Celastrineæ.

529 S. Euonymus Hamiltonianus, Wall. India.
530 S. „ glabra, Roxb. Eastern India.
531 S. „ grossus, Wall. Nepal
532 L. „ variegatus
533 L. „ Javanicus, Bl. Malayan Archipelago.

534 S. Microtropis garcinifolius, Wall. Khasia Hills.
535 S. Pleurostylis garcinifolius, Wall. Khasia Hills.
536 S. Celastrus paniculata, Willd. Southern India, Ceylon.
537 S. „ montana, Roxb Coromandel.
538 S. „ trigyna, Lam. Mauritius.
539 S. „ stellata.
540 S. „ rufa, Wall. Himalayas.
541 S. „ fascicularis, Wall. Khasia Hills.
542 S „ pallida, Wall. Ava.
543 S. „ buxifolius, L. Cape of Good Hope.
544 S. „ stylosa, Wall. Himalaya.
545 S. „ spinosa, Don. North India.
546 S. Gymnosporia fruticosa.
547 L. Elœodendron orientale, Jacq. Mauritius, Madagascar.
548 S. „ glaucum, Pers. Ceylon
549 „ Australe, Vent. Australia.
550 L. Hippocratea obtusifolia, Roxb. Southern India, Ceylon.
551 L. „ viminea. Wall. Penang.
552 S. Salacia longifolia, Wall. India.
553 S. „ prinoides, D. C. India.

Rhamneæ

554 S Ventilago Maderaspatana, Gaertn. India.
555 L Zizyphus Hamiltonianus.
556 S. „ Jujuba, Lamk. India.
557 S. „ vulgaris, Lamk. Southern Europe, North Africa.
558 S. „ rugosa, Lam. India.
559 L. „ glabrata, Heyn. Mysore.
560 L. „ Œnoplia, Mill. India and Archipelago.
561 S Berchemia parviflora, Wall. India.
562 L. Rhamnus utilis, Dene. China, Japan.
563 L. „ chlorophorus, Dene. China, Japan.
564 L. „ Humboldtianus, Schultz. Southern America.
565 S. Ceanothus Asiaticus, Brongn India, Malayan Peninsula, Ceylon.
566 S. „ Nepalensis, G. Don Himalaya.
567 L. Scutia Indica, Brongn. Southern India, Ceylon.
568 „ Commersonii, Brongn. Northern India, Bengal.
569 L. Sageretia parviflora, Don. Hindostan, N. W. Himalaya.
570 „ Brandrethiana, Ait. Northern India.
571 S. Colubrina Asiatica, Brongn. India.
572 L. Gouanea leptostachya. D. C. Southern India.
573 S. „ Madagascariensis, Rich. Bourbon.

Ampelideæ.

574 C. Vitis vinifera, L. Orient.
575 C. „ edulis, Dalz. Tropical India, Ceylon
576 S. „ glauca, W. and A. Southern India, Ceylon.
577 S. „ pedata, Wall. India. Ceylon.
578 S. „ bracteolata, Wall. India.
579 C. „ quadrangularis, Wall. India
580 C. „ discolor. Bl. India and Archipelago.
581 C. „ argentea.
582 S. Leea sambucina, Willd. India and Archipelago.
583 S. „ sanguinea, Wall. Banks of the Irrawaddy.
584 S „ macrophylla, Roxb. Bengal.
585 S. „ crispa, L. India.
586 S „ rubra, Bl. Java.
587 S. „ hirta, Banks. Bengal.

Sapindaceæ.

588 S. Cardiospermum Halicacalum, L. Tropical Asia.
589 L. Paullinia Carthaginensis, Jacq. Brazil.
590 L. Cossignia pinnata
591 S. Cupania canescens, Pers. Southern India, Ceylon.
592 L „ Madagascariensis, G. Don. Madagascar.
593 S. „ sapida.
594 L. Melicocca bijuga, L. West Indies.
595 S. Schleichera trijuga, Willd. India, Ceylon.
596 Glennica bifoliata, Hf. Ceylon.
597 „ zeylanica, Hf. Ceylon.
598 S. Sapindus saponaria, L. West Indies.
599 S. „ emarginatus, Vahl. India, Ceylon.
600 S. „ rubiginosus, Roxb. Southern India.
601 S. „ fruticosus, Roxb. Moluccas.
602 „ sp. Sikkim.
603 S. Nephelium Longanum, Cambess. India, Ceylon, China.
604 S. „ Lichi, W. and A. China.
605 S. „ rimosum, W. and A. Sylhet.
606 S. „ verticillatum, Walf. India.
607 L. Harpullia cupanioides, Roxb. Eastern Bengal.
608 S. Acer oblongum, Wall. Sub-tropical Himalaya.
609 L. Negundo Fraxinifolium, Nutt. North America.
610 S. Dodonœa viscosa, L. India.
611 S. „ augustifolia, Blanco. Indian Archipelago.
612 S. „ attenuata, Cunn. New Holland.

Sabiaceæ.

613 S. Meliosma simplicifolia, Roxb. India and Archipelago.

Anacardiaceæ.

614 S. Rhus parviflora, Roxb. Himalaya.
615 L. „ Mysorensis, Heyne. Mysore.
616 L. „ Zanzibarensis, Bojer. Zanzibar.
617 L. „ lucidus, Gav. Mexico.
618 C. „ toxicaria.
619 L. „ paniculata, Wall. Burmah.
620 L. „ rhodanthema, Muell. Australia.
621 L. Sorindeja Madagascariensis, D. C. Madagascar.
622 S. Mangifera Indica, L. China.
623 S. Anacardium occidentale, L. West Indies.
624 L. Buchanania augustifolia, Roxb. Southern India, Ceylon.
625 G. „ latifolia, Roxb. India.
626 L. Melanorrhœa usitatissima, Wall. Burmah.
627 L. Schinus terebinthifolius, Raddi. Brazil.
628 C. Odina Wodier, Roxb. India, Ceylon.
629 S. Semecarpus Anacardium, L. India.
630 S. „ acuminata, Wall. Chittagong.
631 S. „ cuneifolia, Roxb. Himalaya.
632 L. „ Roxburghii, Blume. Malayan Islands.
633 L. Holigarna racemosa, Roxb. Sylhet, Assam, Chittagong.
634 S. Spondias dulcis, Forst. Friendly Islands, Otahiti.
635 S. „ Mangifera, Pers. India.
636 L. „ lutea, L. West Indies.
637 S. „ acuminata, Roxb. Malabar.
638 S. „ longifolia, Roxb. Mauritius.

639 L. Spondias pleiogyna.
640 L. Harpephyllum cafrum, Berab. Cape of Good Hope.

Connaraceæ.

641 L. Conarus nitidus, Roxb. Sylhet.
642 S. Cnestidion monodelphus, Roxb. Chittagong.
643 L. Cnestis platantha, Griff. Burmah, Malaya.

Leguminosæ.

Sub-order Papilionaceæ.

644 S. Anagyris fœtida, L. Southern Europe.
645 S. Templetonia retusa, R. Br. Australia.
646 S. Crotalaria juncea, L. India, Ceylon, Java.
647 S. „ Assamica, Benth? Nat-toung Mounts, Burmah.
648 S. „ alata, Buch. India.
649 S. „ verrucosa, L. India.
650 S. „ Capensis, Thbg. Cape of Good Hope, Mauritius.
651 S. „ tenuifolia, Wight. Southern India.
652 S. „ hirsuta, Willd. India.
653 S. „ laburnifolia, L. Java.
654 S. „ ramosissima, Roxb. India.
655 S. „ Priotropis cytrioides W. and A. Eastern India, Himalaya.
656 S. Lupinus sp.
657 S. Calycotome (Spartium) spinosa.
658 S. Cytisus Catjang.
659 S. Ononis macrophylla, Spreng. Europe.
660 S. Trigonella corriculata, L. Europe, Northern India.
661 S. Medicago sp.
662 S. Melilotus rugosa, Moendr. Europe.
663 S. Anthyllis tetraphylla, L. var. Dillenii. Southern Europe.
664 S. Lotus Jacobœus, L. Jacobi Islands.
665 S. „ Arabicus, L. Arabia.
666 S. Psoralea corylifolia, L. India.
667 S. „ bituminosa, L. Southern Europe.
668 S. Amorpha fruticosa, L. North America.
669 S. Indigofera atropurpurea, Buch. Nepal.
670 S. „ violacea, Roxb. Himalayas.
671 S. „ tinctoria, L. Tropical Asia, Africa, and West Indies.
672 „ hirsuta, L. India.
673 S. „ linifolia, Retz. India.
674 „ Roxburghii Tansch.
675 S. „ viscosa, Lam. India, West Indies.
676 S. Tephrosia candida, D. C. India.
677 S. „ fruticosa, D. C. Bengal.
678 L. „ urophylla, Wall. Khasia Hills.
679 S. „ macrophylla, Wall. Bengal
680 S. „ Apollinea, D. C. Arabia, Egypt, Scinde.
681 S. (Requinia, D. C.) amabilis.
682 S. „ purpurea, Pers. India.
683 L. Wisteria Sinensis, D. C. China.
984 S. Agati grandiflora, Desv. India and Archipelago.
685 S. Sesbania Egyptiaca, Pers. India.
686 S. „ pectinata.
687 S. Colutea arborescens, L. Southern Europe.
688 S. Ornithopus compressus, L. Orient.

689 S. Coronilla juncea, L. Southern France.
690 S. Hedysarum gyrans, Roxb. Desmodium gyrans, D. C. India.
691 S. Cenus pinnata, Desv. Barbary.
692 S. Alhagi alba.
693 S. Ormocarpum sennoides, D. C. Southern India, Ceylon.
694 S. „ glabrum, T. et B. Moluccas.
695 S. „ suberosum, T. et B. Java.
696 S. Eschynomene paludosa, Roxb. Sesbania paludosa, Jacq. Bengal.
697 S. „ spinulosa, Roxb. ditto aculeata, Pers. Bengal
698 S. „ cannabina, Roxb. ditto ditto India.
699 S. „ aspera, L. India.
700 S. Smithia sensitiva, Ait. India, Ceylon.
701 S. Arachis hypogaea, L. South America, cultivated in tropical countries.
702 L. Ougeinia dalbergioides, Benth. Central India, Parasnath.
703 S. Desmodium cephalotes, Wall. India, Burmah.
704 S. „ umbellatum, D. C. Southern India.
705 S. „ latifolium, D. C. Tropical Asia, Africa.
706 S. „ gangeticum, D. C. India, Burmah, Java, Sumatra.
707 S. „ triquetrum, D. C. India.
708 S. „ pulchellum, D. C. India.
709 S. „ cajanifolium, D C. South America.
710 S. „ ormocarpoides, D. C. Java.
711 S. Uvaria picta, Desv. Tropical Asia and Africa.
712 S. „ lagopodioides, D. C. India.
713 S. „ campanulata, Wall. India.
713*a* S. Lourea vespertilionis, Desv. India.
713*b* S. Alasicarpus vaginalis, D. C. India.
714 S. Ervum Lens, L. Europe, cultivated in India.
715 S. „ hirsutum, L.
716 S. Episcia pulchella, Mart. Trinidad.
717 S. Lathyrus sativus, L. Europe, cultivated in India.
718 S. „ Aphaca, L. Europe, India.
719 S. „ tingitanus, L. Mauritania.
720 S. Pisum sativum, L. Cultivated everywhere.
721 S. Abrus precatorius, L. Tropical Asia, West Indies.
722 S. Clitoria ternatea, L. Tropical Asia, Africa, West Indies.
723 S. „ erecta.
724 S. Erythrina herbacea, L. Southern United States.
725 S. „ Indica, Lam. Tropical Asia, Islands of Pacific.
726 L. „ stricta, Roxb. Southern India.
727 S. „ arborescens, Roxb. Himalayas, Khasia Hills.
728 S. „ ovalifolia, Roxb. Bengal, Burmah, Ceylon.
729 L. „ laurifolia, Jacq. Brazil.
730 S. „ suberosa, Roxb. Hindostan.
731 S. „ glauca, Willd. Caracas.
732 L. „ Baikei.
733 C. „ picta, L. Moluccas.
734 C. „ macrospermum.
735 S. „ sp. Australia.
736 S. Mucuna prurita, Hork. India and Archipelago.
737 S. „ rotundifolia.
738 S. Butea frondosa, Roxb. India, Burmah, Ceylon, Java.
739 S. „ superba, Roxb. Circars, Northern India.
740 S. „ parviflora, Roxb. Southern India, Assam.
741 S. „ Voigtii, Griff, mss. Himalaya, Jyntea Hills.
742 S. Pueraria tuberosa.
743 S. Dolichos lobl6b-Lablab vulgare, Savi. Cultivated in India.

744 S. „ rotundifolia.
745 S. „ Catjang, Roxb. Cultivated in India.
746 S. „ lignosus, Roxb. Ditto ditto.
747 S. Cylista scariosa, Ait. Southern and Western India.
748 S. Flemingia congesta, Roxb. India, Ceylon, Malayan Islands.
749 S. „ semialata, Roxb. India, Ceylon.
750 S. „ nana, Roxb. Northern India.
751 L. „ Chappar, Buch. Tropical Himalayas, Burmah.
752 S. „ strobilifera, R. Br. India and Archipelago.
753 S. Dalbergia rimosa, Roxb. India, Ceylon, Malayan Islands.
754 S. „ latifolia, Roxb. India, Andaman Islands.
755 L. „ sympathetica, Nimmo. Southern India, Bombay.
756 S. „ Sissoo, Roxb. India.
757 S. „ Melanoxylon, Guill. et Perr. Tropical Africa.
758 S. „ Zeylanica, Roxb. Ceylon.
759 L. „ Mooniana, Thw. Ceylon.
760 S. „ sp. Burmah.
761 S. „ robusta, Roxb. Hindostan, Burmah.
762 S. Pterocarpus Indicus, Willd. Malayan Islands.
763 S. „ Marsupium, Roxb. Southern India.
764 S. „ dalbergioides, Roxb. Andaman Islands.
765 S. Derris sinuata, Benth. Ceylon, Burmah.
766 S. „ (Brachypterum, Benth) microphylla.
767 S. Pongamia glabra, Vent. India, Ceylon, Malayan Islands.
768 S. „ heterocarpa, Wall. Mss. Burmah.
769 S. „ xerocarpa.
770 L. „ grandiflora.
771 S. Millettia crassifolia.
772 S. „ tetraptera, Kurz. Burmah.
773 S. „ pachycarpa, Bth. Assam, Burmah.
774 L. Geofroya inermis, Wight. Brazil, West Indies.
775 S. Inocarpus edulis, Forst. Society and Friendly Islands.
776 S. Virgilea aurea, Lam. Abyssinia.
777 S. Sophora tomentosa, L. India, Malayan Islands, Mauritius.
778 L. Castanospermum Australe, Cunn. Australia.
779 S. Ormosia dasycarpa, Jacks. West Indies.
780 S. „ (Macrotropis.) Sumatrana, Mey. Sumatra.
781 L. Myroxylon peruiferum, D. C. South America.
782 L. „ Pereira.
783 L. Barklaya syringæfolia, T. Muell. Australia.

Sub-order Cæsalpineæ.

784 S. Mezoneuron cucullatum, W. and A. Southern India, Ceylon.
785 S. Cæsalpinia punctata, Willd. Brazil.
786 S. „ Sappan, L. Java.
787 S. „ sepiaria, Roxb. India, Ceylon, Java.
788 S. „ tortuosa, Roxb. Sumatra.
789 S. „ mimosoides, Lam. Southern India, Ceylon.
790 S. „ Grahamii, Dalz. Western India.
791 S. „ paniculata, Roxb. Hindostan, Burmah.
792 S. „ cristata, L. West Indies.
793 S. „ ferruginea, Dene. Indian Archipelago.
794 S. Hæmatoxylon Campechianum, L. West Indies.
795 S. Gleditschia triacantha, L. North America.
796 S. „ sinensis, Lam. China.
797 S. Acrocarpus grandis, Miq. Sumatra.
798 S. Colvillea racemosa, Boj. Madagascar.

799 S. Poinciana regia, Boj. Madagascar.
800 S. „ pulcherrima, L. Java, Moluccas, America, Africa.
801 S. „ elata, L. Southern India.
802 S. Parkinsonia aculeata, L. Hindostan, Ava.
803 S. Cassia nodosa, Buch. Chittagong.
804 S. „ marginata, Roxb. Southern India, Ceylon.
805 S. „ grandis, L. West Indies, America.
806 S. „ bicapsularis, L. West Indies.
807 S. „ Tora, L. India, Ceylon, Java.
808 S. „ glauca, Lam. India, Ceylon, Java.
809 S. Cassia florida, Vahl. Tropical Asia and Islands.
810 S. „ alata, L. Tropical Asia and America.
811 S. „ auriculata, L. India, Ceylon.
812 S. „ palmata, Wall. Martaban.
813 S. „ dimidiata, Roxb. India.
814 S. „ Macraei.
815 S. „ baccillaris, Lf. Surinam.
816 S. „ Roxburghii, D. C. Coromandel.
817 S. „ fistula, L. Tropical Asia, Africa, and America.
818 S. „ (Cathartocarpus) Brewsterii, F. Muell. Australia.
819 S. Ceratonia siliqua, L. Northern Africa, Southern Europe, Levant.
820 S. Bauhinia tomentosa, L. India, Ceylon, Malayan Islands.
821 S. „ acuminata, L Burmah, Indian Archipelago.
822 S. „ purpurea, Benth. India, Ceylon, Java.
823 S. „ variegata, Benth. India, Malayan Islands.
824 S. „ retusa, Benth. Hindostan.
825 S. „ Vahlii, Benth. Southern and Central India, Himalayas.
826 S. „ corymbosa, Roxb. China, Sumatra, Java.
827 S. „ diphylla, Benth. Burmah.
828 S. „ Richardiana, Wall. Madagascar.
829 S. „ brachycarpa, Wall. Burmah.
830 L. „ Malabarica, Roxb. India, Burmah.
831 L. „ piperifolia, Roxb. Burmah.
832 S. „ glauca, Wall. Burmah.
833 S. Brownea coccinea, Jacq. West Indies.
834 S. „ ariza, Benth. Bogota.
835 S. „ grandiceps, Jacq. Cumana.
836 S. „ capitella, Jacq. Caracas.
837 S. Amherstia nobilis, Wall. Banks of the Irrawaddy.
838 S. Saraca Asoca, L. Assam, Burmah.
839 S. „ minor. India.
840 S. Macrolobium bijugum, Colebr. India.
841 S. Tamarindus Indicus, L. Tropical Asia and America.
842 L. Schotia latifolia, Jacq. South Africa.
843 L. Peltogyne sp. Trinidad.
844 S. Hymenœa Courbaril, L. West Indies.
845 L. Crudia orientalis, Hassk. Java.
846 L. Copaifera officinalis, L. West Indies.
847 S. Cynometra polyandra, Roxb. Southern India, Bengal.
848 L. „ cauliflora, L. Southern India, Java, Sumatra.

Sub-order Mimoseæ.

849 S. Parkia biglobosa, Benth. Tropical Asia and Africa.
850 S. „ intermedia, Hassk. Java.
851 S. „ Africana, R. Br. Java.
852 S. Entada Madagascariensis, Madagascar.

853 L. Entada polystachya, D. C. West Indies.
854 S. Adenanthera pavonina, L. Tropical Asia.
855 S. „ Gersoni.
856 S. Prosopis specigera, L. Tropical Asia.
857 S. Dichrostachys cinereus, W. and A. Tropical Asia.
858 S. Neptunia oleracea, Lour. Tropical Asia, Africa, and America.
859 S. Desmanthus punctatus, Willd. West Indies.
860 S. Mimosa pudica, L Tropical America and West Indies.
861 S. „ rubricaulis, Lam. India.
862 S. Acacia Farnesiana, Willd. Tropical Asia, Africa, and America.
863 S. „ Arabica, Willd. Central India, South Africa, Egypt.
864 S. „ tomentosa, Willd. India, Ceylon.
865 L. „ leucophlœa, Willd India, Burmah.
866 S. „ ferruginea, D. C. Central India, Ceylon.
867 S. „ hamulosa, Benth. Arabia.
868 S. „ diluta, Wall. Nagpore.
869 S. „ Catechu, Willd. India, Ceylon.
870 S. „ Sundra, D. C. Southern India, Ceylon.
871 S. „ Intsia, Willd. India, Ceylon.
872 S. „ pinnata, W. and A. India.
873 S. „ Houstonia, Willd. Mexico.
874 S. „ sp. Australia.
875 S Calliandra hæmatocephala, Hassk. Hab. ignot.
876 L. „ Portoricensis, Benth. South America, West Indies.
877 L. „ longipes.
878 S. Albizzia umbrosa, Benth. Sylhet.
879 S. Albizzia odoratissima, Benth. Tropical Asia, Africa.
880 S. „ stipulata, Boiv. India, Burmah, Ceylon.
881 S. „ paludosa, Benth. Mexico.
882 L. „ myriophylla, Benth. Eastern Bengal
883 L. „ procera, Benth. India, Burmah, Phillipine Islands.
884 S. „ saponaria, Bl. Moluccas.
885 S. „ Moluccana, Miq. Moluccas.
886 S. Pithecolobium dulce, Benth. Mexico.
887 S. „ bigeminum, Benth. Himalayas.
888 S. „ pruinosum, Benth. Australia.

Rosaceæ.

889 L. Chrysobalanus Icaco, L. Africa, West Indies, Brazil.
890 Parinarium, sp. Java.
891 C. Prunus, sp. Hab. ignot.
892 L. Spiræa corymbosa, Raf. North America.
893 C. „ nutans, Royle. North West India.
894 C. Kerria Japonica, D. C. Japan.
895 C. Rubus rosaefolius, Sm. Mauritius.
896 S. „ rugosus, Sm. India and Archipelago.
897 L. „ flavus, Ham. Himalaya.
898 S. Fragaria vesca, L. Europe.
899 S. Potentilla argentea, L. Europe.
900 S. „ sp. Hab. ignot.
901 C. Rosa multiflora, Thunb. Japan.
902 C. „ Chinensis, Jacq. China.
903 C. „ Banksiae, R. Br. China.
904 C. „ involucrata, Roxb. Bengal, China.
905 C. „ microphylla, Roxb. China.
906 C. „ centifolia, L. Culta. Hab. ignot.
907 C. „ giganteа, Hab. ignot.

908 C. Rosa rubiginosa, L. Europe, North Asia.
909 C. „ semperflorens, Curt. China.
910 C. „ procumbens, Sering. Europe.
911 C. „ ternata, Poir. China.
912 C. „ Edwardsii.
913 L. Pyrus sinensis, Lindl. China.
914 L. Cratægus crenulata, Roxb. Himalayas.
915 L. Cotoneaster affine, Lindl. Himalayas.
916 L. Photinia dubia, Lindl. Eastern Bengal, Assam, Nepal.
917 L. „ eugenifolia, Lindl. Sylhet.
918 S. „ Japonica, Lindl. Japan, China.
919 L. Rhaphiolepis Indica, Lindl. China.

Saxifragaceæ.

920 C. Saxifraga sarmentosa, L. China, Japan.
921 C. Hydrangea mutabilis.
922 C. „ hortensis, D. C. China, Japan.
923 C. Deutzia scabra, Thunb. Japan.
924 C. Philadelphus coronarius, L. Europe.
925 C. Carpenteria paniculata, Torr. California.

Crassulaceæ.

926 C. Crassula arborescens, Willd. Cape of Good Hope.
927 C. Bryophyllum calycinum, Salisb. Cape of Good Hope.
928 C. „ pyramidale. Hab. ignot.
929 C. Kalanchoe laciniata, D. C. Bengal, Southern India, Ceylon, Java, Moluccas.
930 C. Cotyledon (Echeveria D. C.) atropurpurea, D. C. Mexico.

Rhizophoreæ.

931 S. Rhizophora gymnorrhiza, Lam. Sea Shores of Tropical Asia.
932 S. Carallia lucida, Roxb. India, Indian Archipelago.
933 S. „ Zeylanica, Gardn. Ceylon.
934 S. „ lanceæfolia, Roxb. Sumatra.
935 S. Weihea zeylanica, Gardn. Ceylon.

Combretaceæ.

936 S Terminalia augustifolia, Jacq. Southern India, Malayan Islands.
937 S. „ Catappa, L. Malayan Islands. Cultivated in India.
938 S. „ bialata, Roxb. Burmah, Andamans.
939 S. Terminalia Bellerica, Roxb. India, Ceylon.
940 S. „ Chebula, Retz. India, Ceylon.
941 S. „ citrina, Roxb. Eastern Bengal.
942 S. „ procera, Roxb. Andaman Islands.
943 L. „ Patraea, D. C. Madagascar.
944 S. „ Berryi, W & A. Balaghaut.
945 S. „ Arjuna, W. & A. India.
946 L. „ Travancorensis, W. & A. Travancore.
947 S. „ tomentosa, W. & A. India.
948 S. „ paniculata, W. & A. Khasia Hills.
949 S. Calicopteris nutans, Roxb. India.
950 S. „ floribunda, Roxb. India.
951 S. „ sp. Hab. ignot.
952 S. Conocarpus latifolius, Roxb. Southern India, Ceylon.
953 S. „ acuminatus, Roxb. Southern India, Burmah.

954 L. Combretum Chinense, Roxb. China.
955 L. „ Wightianum, Wall. Southern India, Ceylon.
956 S. „ grandiflorum, G. Don. Sierra Leone.
957 S. „ acuminatum, Roxb. Sylhet.
958 S. „ costatum, Roxb Sylhet.
959 C. „ comosum, G. Don. Sierra Leone.
960 S. „ Pincianum. America.
961 S. „ densiflorum, Hab. ignot.
962 S. „ microphyllum, Roxb India.
963 C. „ Roxburghii, D. C. Southern and Central India, Behar.
964 C. „ coccinea, D. C. Madagascar.
965 C. „ pilosa, W. & A. Southern India.
966 S. Quisqualis Indica, L. Southern India, Pegu, Malayan Islands.
967 L. Gyrocarpus Asiaticus, Willd. India.

Myrtaceæ

968 S. Agonis flexuosa, Schau. Australia.
969 S. Callistemon lineare, D. C. Australia.
970 L. „ lanceolatum, D. C. Australia.
971 L. „ Australe.
972 S. Melaleuca Cajeputi, Roxb. Amboyna.
973 L. „ styphelioides, Smith. Southern Australia.
974 L. „ sp. Australia.
975 S. „ minor, Bl. Indian Archipelago.
976 S. Eucalyptus resinifera, Smith. Australia.
977 „ globulus, Lab. Australia.
978 „ maculata, Hook. Australia.
979 „ paniculata, Sm. Australia.
980 „ eugenioides, Lieb Australia.
981 „ sp. Australia.
982 „ rostrata, Schlecht. Australia.
983 „ tereticornis, Sm. Australia.
984 S. Tristania conferta, R. Br. New Cambria.
985 S. Metrosideros lineare.
986 S. „ vera, Rumph. Amboyna.
987 S. Psidium Guajava var Cujavillus.
988 S. „ var. pomiferum, Raddi. } Cultivated in the tro-
989 S. „ var. pyriferum, Raddi. } pics of Asia and America.
990 S. „ Guineense, Swartz. Caribean Islands.
991 L. „ Cattleianum, Sabine. China, Brazil.
992 S. Myrtus communis, L. Southern Europe.
993 L. Pimenta vulgaris, L. West Indian Islands.
994 L. „ Acris, W. West Indian Islands.
995 S. Eugenia Micheli, Lam. Brazil.
996 S. „ polypetala, Wall. Cat. Chittagong, Sylhet.
997 L. „ tenuiramis, Miq. Java.
998 S. „ frutescens, Rxb. India.
999 S. „ caryophyllæum, Roxb. India.
1000 S. „ Jambolana, Roxb. India.
1001 L. „ nervosa, D. C. India, Java.
1002 L. „ tetragonum, Wall. India.
1003 S. „ domestica, Rumph. Islands of the Indian Archipelago.
1004 L „ formosa, Wight. Southern India, Java, Borneo.
1005 L. Eugenia alba, Rumph. Islands of the Indian Archipelago.
1006 L. „ aquea, Rumph. India, Ceylon, Islands of the Indian Archipelago.
1007 S. „ pulchella, Miq. Moluccas.

1008 S. Eugenia vulgaris, D. C. Islands of the Indian Archipelago.
1009 S. „ decora, Wall. Cat. Chittagong.
1010 S. „ myrtifolia, Blume. Sumatra, Borneo.
1011 S. „ sp. Hab. ignot.
1012 S. Barringtonia speciosa, L. India, Ceylon, Java, Borneo.
1013 S. „ racemosa, Gaud. Java.
1014 S. „ acutangula, Gaertn. India.
1015 S. Careya herbacea, Roxb. Bengal.
1016 S. „ arborea, Roxb. Southern and Central India.
1017 S. „ sphærica, Roxb. Chittagong.
1018 S. Gustavia augusta, L. Surinam, New Granada.
1019 L. Couropita Guianeensis, Aubl. Cayenne.
1020 L. Napoleona imperialis, P. B. Guiana.
1021 L. Fœtidia Mauritiana, Lam. Mauritius.

Melastomaceæ.

1022 C. Centradenia floribunda, Planch. Mexico
1023 C. Arthrostemma lineatum, Don. Peru.
1024 C. Pleroma trinervia. South America.
1025 S. Melastoma Malabathricum, L. India, Ceylon, Malayan Islands, and Peninsula.
1026 C. Amphiblema cymosum, Naud. Sierra Leone.
1027 C. Medinella speciosa. Bl. Java.
1028 C. Miconia (Cyanophyllum, Naud.) Burmannii, Hook.
1029 S. Memecylon capitellatum, L. Ceylon.
1030 S. „ tinctorium, Kœn. Southern India, Ceylon.

Lythrariæ.

1031 S. Ammania rotundifolia, L. India.
1032 S. Grislea tomentosa, Roxb. Tropical Asia, Madagascar.
1033 S. Cuphea platycentra, Bth. Mexico.
1034 S. „ sp.
1035 S. Nesaea myrtifolia, Desf. Brazil.
1036 S. Ginoria Americana, Jacq. Cuba.
1037 S. Lafœnsia vandelliana, D. C. Brazil.
1038 S. Lawsonia alba, Lam. India, Ceylon, Islands of Indian Archipelago.
1039 L. Lagerstrœmia Indica, L. India, Java, Moluccas.
1040 S. „ Reginæ, Roxb. Malabar, Ceylon, Java.
1041 L. „ elegans, Wall. Cultivated in gardens near Calcutta.
1042 S. „ apetala, T. Anders. Mss. Burmah.
1043 „ Loudonii, T. et B. Siam.
1044 „ sp. Pegu.
1045 „ sp. Madras.
1046 L. Duabanga Sonneratoides, Ham. Eastern Bengal, Sikkim, Chittagong.
1047 S. Sonneratia apetala, L. India, Burmah.
1048 S. Punica Granatum, L. Tropical Asia and Africa.
1049 L. „ nana, L. Japan.

Onagrariæ.

1050 S. Jussiaea octofila, D. C. Caribean Islands.
1051 L. „ repens, L. India.
1052 S. „ suffruticosa, L. Tropical Asia.
1053 S. Œnothera odorata, Jacq. Patagonia.
1054 S. „ Whitneyi.

1055 S. Gaura biennis, l. Virginia Pennsylvania.
1056 S. „ Lindleyana.
1057 S. Trapa bispinosa, Roxb. India, Ceylon.

Samydaceæ.

1058 S. Casearia lanuginosa, Buch. Mss. Assam.
1059 L. „ Hamiltoniana, Wall. Behar.
1060 L. Homalium longifolium, Benth. Penang.
1061 L. „ tomentosum, Benth. Pegu, Java.

Turneraceæ.

1062 S. Turnera ulmifolia, L. Jamaica, Tropical America.
1063 S. „ trioniflora, Sims. Brazil, Trinidad, Mexico.

Passifloraceæ.

1064 C. Passiflora holosericea, L. Mexico, Cuba.
1065 S. „ minima, Jacq. West Indian Islands.
1066 C. „ rotundifolia, L. West Indian Islands, New Granada.
1067 S. „ adiantifolia, Kerr. South America.
1068 S. „ laurifolia, L. Antiqua, South America.
1069 S. „ quadrangularis, L. West Indian Islands, South America.
1070 C. „ racemosa, Brot. Brazil.
1071 C. „ cœruleo-racemosa, Sab. Hybrid.
1072 S. „ edulis, Sims. West Indian Islands, Tropical America.
1073 S. „ fœtida, Cav. West Indian Islands
1074 C. „ lunata, Juss. Peru.
1075 C. „ Buonapartia. Hab. ignot.
1076 C. „ —— Hartwigiana. Hab. ignot.
1077 C. „ —— Goutieri. Hab. ignot.
1078 C. „ Kermesina, Link and Otto. Brazil.
1079 C. „ serratifolia.
1080 S. „ suberosa, L. Tropical America.
1081 C. „ peltata, Cav. West Indies.
1082 C. „ trifasciata, Lemaire. Tropical America.
1083 C. „ ocellata, Pers. West Indian Islands.
1084 C. „ Banksii, Benth. Australia.
1085 C. Modecca extensa, Wall. Khasia Hills.
1086 S. Carica Papaya, L. South America.

Sucurbitaceæ.

1087 S. Hodgsonia, heteroclita, Hook. Sikkim.
1088 S. Trichosanthes palmata, Roxb. India.
1089 S. Lageuaria vulgaris, Ser. Cultivated in India.
1090 S. Luffa pentandra, Roxb. India and Archipelago.
1091 S. „ acutangula, Roxb. India and Archipelago.
1092 S. „ fœtida, Cav. India and Archipelago.
1093 S. Beninoasa cerifera, Savi. Cultivated in Tropical Asia.
1094 S. Momordica Charantia, L. India, Ceylon, Java, Moluccas.
1095 S. „ muricata, Willd. India and Archipelago.
1096 S. „ mixta, Roxb. India and Archipelago.
1097 S. Cucumis sativa, L. Cultivated in Asia, Africa, Europe, and America.
1098 S. „ utilissima, Roxb. India.
1099 S. „ turbinata, Roxb. India.
1100 S. Citrullus edulis spach. India and Archipelago.

1101 S Cucurbita Pepo, C. Cultivated in India.
1102 S. „ maxima, Duch. India.
1103 S. „ Melo-pepo, L. India.
1104 S. „ Melo, L. Cultivated in India.
1105 S. Citrullus edulis, Spach. India and Archipelago.
1106 S. Bryonia laciniosa, L. India, Ceylon, Islands of Indian Archipelago.
1107 S. „ scabrella, Arnt. India, Ceylon, Islands of Archipelago.
1108 S. Mukia Maderaspatana, W A. India.
1109 S. Zanonia clavigera, Wall. Khasia Hills.
1110 C. „ sarcophylla, Wall. Burmah, Siam.

Begoniaceæ

1111 C. Begonia Malabarica, Dryand. Southern India, Ceylon.
1112 C. „ nitida, Dryand. Jamaica.
1113 S. „ humilis, Dryand. Trinidad.
1114 C. „ platanifolia, Schott. Brazil.
1115 C. „ Rex, Inlz. Assam.
1116 C. „ reniformis, Dryand. Brazil.
1117 C. „ hydrocotylifolia, Link. Brazil.
1118 C. „ pettifolia, Schott. Brazil.
1119 C. „ nigricans.
1120 C. „ argyrostigma, Fish. Brazil.
1121 C. „ tomentosa, Schott. Brazil.
1122 C. „ Laperousii.
1123 C. „ argentea, Van Houtte. Brazil.
1124 C. „ hybrida.
1125 C. „ heracleaefolia, nigricans.
1126 C. „ sp. Assam.
1127 C. „ odorata, Willd. Brazil.
1128 C. „ splendens, Kl. Brazil.
1129 C. „ umbellata, H. B. New Granada.
1130 C. „ dipetala, Grab. India, Ceylon.
1131 C. „ rubro-nervia, Hork. Sikkim, Assam.

Datisceæ.

1132 C. Tetrameles nudiflora, R. Br. India and Archipelago.

Cacteæ.

1133 S. Melocactus erectus, D. C. Tropical America.
1134 S. Mamillaria elongata, D. C. Tropical America.
1135 S. „ longimamma, D. C. Tropical America.
1136 S. „ ruficeps, Lem. Tropical America.
1137 S. „ minima, Repb. Tropical America.
1138 S. „ tenuis minor. Tropical America.
1139 S. „ angularis, Pfeiff. Tropical America.
1140 S. „ fuscata, Pfeiff. Tropical America.
1141 S. „ decipiens, Scheidw. Tropical America.
1142 S. „ recurva, Lehm. Tropical America.
1143 S. „ gladiata, Mart. Tropical America.
1144 S. „ suberocea, D. C. Tropical America.
1145 S. „ anguinea, Otto. Tropical America.
1146 S. „ Haágeana, Pfeiff. Tropical America.
1147 S. „ Wildiana, Otto. Tropical America.
1148 S. „ Fischeri, Pfeiff. Tropical America.
1149 S. „ cœspilitia, D. C. Tropical America.
1150 S. „ spectabilis, Hort. Tropical America.

1151 S. Mamillaria Krameri, Muhlenpf. Tropical America.
1152 S. „ Pfeifferi, Booth. Tropical America.
1153 S. „ chrysacantha, Pfeiff. Tropical America.
1154 S. „ magnimamma, Haw. Tropical America.
1155 S. „ tentaculata, Pfeiff. Tropical America.
1156 S. „ conopsea, Scheidw. Tropical America.
1157 S. „ spinosissima, Lem. Tropical America.
1158 S. „ sp. Tropical America.
1159 S. „ polygona, Salm. Dyck. Tropical America.
1160 S. „ magnifica. Tropical America.
1161 S. „ Schlechtendahlii, Ehrenb. Tropical America.
1162 S. „ uberiformis, Zucc. Tropical America.
1163 S. „ eburnea. Tropical America.
1164 S. „ Karwinskianus, Mart. Tropical America.
1165 S. „ columnaris, Mart. Tropical America.
1166 S. „ Plaschnickii, Otto. Tropical America.
1167 S. „ Zuccariniana, Mart. Tropical America.
1168 S. „ Forestcri. Tropical America.
1169 S. „ Galleotti, Hort. Tropical America.
1170 S. „ Procesa, Ehrenb. Tropical America.
1171 S. „ beriformis. Tropical America.
1172 S. „ subpolvedra, Salm. Dyck. Tropical America.
1173 S. „ Hofferiana, Link. Tropical America.
1174 S. „ viridis, Salm. Dyck. Tropical America.
1175 S. „ multicarpa. Tropical America.
1176 S. „ ventila. Tropical America.
1177 S. „ aciculata, Otto. Tropical America.
1178 S. „ centricirrhiza goniadocantha? Tropical America.
1179 S. „ arietina, Lem. Tropical America.
1180 S. „ polyedra, Mart. Tropical America.
1181 S. „ subtetragona, Dietr. Tropical America.
1182 S. „ Aurantiaca, C. tenuis. Tropical America.
1183 S. „ Aurantiaca. Tropical America.
1184 S. „ uncinata, Zucc. Tropical America.
1185 S. „ pentacantha, Pfeiff. Tropical America.
1186 S. „ crocidata, Schm. Tropical America.
1187 S. „ Houttei. Tropical America.
1188 S. „ Decaisneana. Tropical America.
1189 S. „ lamprochlorus. Tropical America.
1190 S. „ albida, Pfeiff. Tropical America.
1191 S. „ aulacotho-flavispina. Tropical America.
1192 S. „ gladiata, Mart. fl. rosea. Tropical America.
1193 S. „ cirrhifera, Mart. Tropical America.
1194 S. „ mystax, Mart. Tropical America.
1195 S. „ triacantha, D. C. Tropical America.
1196 S. „ macracantha, D. C. Tropical America.
1197 S. „ gracilis, Pfeiff. laevevirens. Tropical America.
1198 S. „ electracantha. Tropical America.
1199 S. „ rhodhantha, Lk. et Otto, variegata. Tropical America.
1200 S. „ pusilla, D.C. Tropical America.
1201 S. Echinocactus, porrectus, Lem. Tropical America.
1202 S. „ Monvillii, Lem. Tropical America.
1203 S. „ tenuispinus, Lk. et Otto. Tropical America.
1204 S. „ corynoides. America.
1205 S. „ denudatus, Lk. et Otto. Tropical America.
1206 S. „ mammilosus, Lem. Tropical America.
1207 S. „ spiralis, Karw. Tropical America.
1208 S. „ longihamatus, Gal. Tropical America.

1209 S. Echinocactus hastatus. Tropical America.
1210 S. „ leucodictyus, Hart. Tropical America.
1211 S. „ erectus. Tropical America.
1212 S. „ multiplex, Zucc. Tropical America.
1213 C. Cereus McDonaldæ, Hook. Honduras.
1214 C. „ grandis, Haw. Tropical America.
1215 S. „ subrepandus, Haw. Tropical America.
1216 C. „ Tinei. Tropical America.
1217 C. „ validus, Haw. Tropical America.
1218 C. „ Poselgeri. Tropical America.
1219 C. „ nyticallus Lk. Tropical America.
1220 C. „ pleiagonus. Tropical America.
1221 C. „ Jamaicensis. Tropical America.
1222 C. „ oxygonus, Lk. et Otto. Tropical America.
1223 C. „ tortuosus, Forb. Tropical America.
1224 C. „ sp. Tropical America.
1225 C. „ sp. Tropical America.
1226 C. „ sp. Tropical America.
1227 C. „ grandiflorus, Haw.
1228 C. „ quadrangularis.
1229 C. „ Curtisii, Otto. Granada.
1230 C. „ niger, S. Dyck. Tropical America.
1231 C. „ albispinus, S. Dyck. Equatorial America.
1232 C. „ Chiliensis, Colla. Chili.
1233 C. „ regalis, Haw. Tropical America.
1234 S. „ subrepandus, Haw. Caribean Islands
1235 C. „ divergens, Otto. Island of Dominique.
1236 C. „ gemmatus, Zucc. Mexico.
1237 C. „ trigonus, Haw. Caribees.
1238 C. „ serpentinus, Lagasca, Mexico.
1239 C. „ Andersonii.
1240 C. „ variabilis, Pfeiff. Tropical America.
1241 C. „ pugioniferus, Lem. Tropical America.
1242 C. „ sp. Tropical America.
1243 S. „ Bonplandii, Parmt. Tropical America.
1244 C. „ obtusus, Haw. Tropical America.
1245 C. „ lamprochlorus, Lem. Tropical America.
1246 C. „ leptophis, D.C. Tropical America.
1247 C. „ Rockmannii. Tropical America.
1248 C. „ Martini. Tropical America.
1249 C. „ alacriportanus, Pfeiff. Tropical America.
1250 C. „ peruvianus, Sabern. Tropical America.
1251 C. „ triangularis, Haw. Tropical America.
1252 C. „ pruinosum, Salms. Dyck. Tropical America.
1253 C. „ Jamacaru Salms. Dyck. Tropical America.
1254 C. „ formosus, Hort. Tropical America.
1255 C. „ acutangalus, Hort Berol. Tropical America.
1256 C. „ Sweedii. Tropical America.
1257 C. „ telophorus, Pfeiff. Tropical America.
1258 C. „ spachianus, Lem. Tropical America.
1259 C. (Echinopsis) Decaisneana, Lem. Tropical America.
1260 C. „ hybriesii. Tropical America.
1261 C. „ Zuccariniana, Pfeiff. Tropical America.
1262 C. „ Rolandii, Forst. Tropical America.
1263 C. „ oxygona, Zucc. Tropical America.
1264 C. „ hybrida. Tropical America.
1265 C. „ Eyriesii, Zucc. glaucescens. Tropical America.
1266 C. „ fl. rosea. Tropical America.

1267 C. (Echinopsis) Forbesii. Tropical America
1268 C. Cereus (Echinopsis) Famescaria. Tropical America.
1269 C. „ Lecana. Tropical America
1270 C. „ multiplex, Zucc. cristata, Salms. Dyck. Tropical America.
1271 C. „ picta. Tropical America.
1272 C. „ Fischeri. Tropical America.
1273 C. „ turbinata, Zucc. Tropical America.
1274 S. (Echinocereus) pentalophus, D.C. Tropical America.
1275 S. „ cinerascens, D.C. Tropical America.
1276 S. „ Poselgeri Berlandini. Tropical America.
1277 S. „ flavescens, Otto. Tropical America.
1278 S. „ cirrhifera. Tropical America.
1279 S. (Pilocerens) flexuosus. Tropical America.
1280 S. „ glaucescens. Tropical America.
1281 S. „ sublanatus. Tropical America.
1282 S. Phyllocactus Hookeri, Lk. Brazil.
1283 S. „ Weippermannii.
1284 S. „ crenatus lateralis.
1285 S. „ crenatus, Salm. Dyck.
1286 S. „ sublanatus.
1287 C. Epiphyllum Hookerii, Haw. Brazil.
1288 C. „ truncatum, Haw. Brazil.
1289 C. „ Russellianum, Hook. Tropical America.
1290 C. „ Bridgesii.
1291 C. „ Alternsteinus, Pfeiff. Tropical America.
1292 C. Rhipsalis salicornoides, Haw. West Indies.
1293 C. Opuntia (Nopala) dejecta, Pfeiff. West Indies.
1294 C. „ lanceolata Haw. Tropical America.
1295 C. „ glaucophylla, Wendl. Tropical America.
1296 C. „ Engelmannii, Salm Dyck. Tropical America.
1297 C. „ inermis, D.C. Tropical America.
1298 C. „ lasiacantha, Hort. Pfr. Tropical America.
1299 C. „ Piccolominiana. Tropical America.
1300 C. „ triacantha, Haw. Tropical America.
1301 C. „ Todaroana. Tropical America.
1302 C. „ fulvispina, Salm Dyck. Tropical America.
1303 C. „ prostrata, Monv. Tropical America.
1304 C. „ humilis, Haw. Tropical America.
1305 C. „ aurantiaca, Gill. C. tenuior. Tropical America.
1306 C. „ Braziliensis, Haw. Tropical America.
1307 C. „ pseudo-tuna, Salm Dyck. Tropical America.
1308 C. „ vulgaris, Mill. Tropical America.
1309 C. „ Ficus Indica, Mill. fruct. sanguineis. Tropical America.
1310 C. „ „ Mill. albus. Tropical America.
1311 C. „ elata, Pfeiff. Tropical America.
1312 C. „ klenae, D.C. Tropical America.
1313 C. „ Labouretiana. Tropical America.
1314 C. „ polyantha, D.C. Tropical America.
1315 C. „ comanchia. Tropical America.
1316 C. „ megacantha, Salm Dyck. Tropical America.
1317 C. „ plicata. Tropical America.
1318 C. „ decumana, Haw. Tropical America.
1319 C. „ stenopetala.
1320 C. „ amyclaea. Tenore. Tropical America.
1321 C. „ candelabriformis, Pfeiff. Tropical America.
1322 C. „ ferox, Haw. Tropical America.
1323 C. „ Dillenii, Haw. Tropical America.

1324 C. Opuntia Rafinesqui. Tropical America.
1325 C. „ tricta, Haw. Tropical America.
1326 C. „ Curtisii. Tropical America.
1327 C. „ intermedia, Salm Dyck. Tropical America.
1328 C. „ albicans, Salm Dyck. Tropical America.
1329 C. „ sp. Tropical America.
1330 C. „ Karwinskiana, Salm Dyck. Tropical America.
1331 C. „ monacantha, Haw. Tropical America.
1332 C. „ leucotricha, D. C. Tropical America.
1333 C. „ horrida, Salm Dyck. Tropical America.
1334 C. „ crassa, Haw. Tropical America.
1335 C. „ streptacantha, Lem. Tropical America.
1336 C. „ leucacantha, Pfeiff. Tropical America.
1337 C. „ decumbens, Salm Dyck. Tropical America.
1338 C. „ elongata, Salm Dyck. Tropical America.
1339 C. „ sericea, Donn. Tropical America.
1340 C. „ arborea, Tropical America.
1341 C. „ nigricans, Haw. Tropical America.
1342 C. „ tunicata, Lehm. rosea. Tropical America.
1343 C „ gracilior. Tropical America.
1344 C. „ cylindrica, Juss. Tropical America.
1345 C. „ platyacantha, Pfeiff. Monvillei. Tropical America.
1346 C. „ glomerata, Haw. Tropical America.
1347 C. „ imbricata, Haw. Tropical America.
1348 C. „ Turpinii, Lem. Tropical America.
1349 C. „ andicola, Hort. Tropical America.
1350 C. „ curassavica, Mill. Curacao. St. Thomas.
1351 C. „ spinosissima, Mill. West Indies.
1352 S. „ Tuna, Mill. South America.
1353 S. „ elatior, Mill. South America.
1354 C. „ coccinellifera, Mill. South America.
1355 C. „ vulgaris, Mill. Southern Europe.
1356 C. „ leucotricha D. C. Mexico.
1357 C. „ Braziliensis, Haw. Brazil.
1358 C. „ leucocephalis. America.
1359 C. „ Chiliensis. Chili.
1360 C. „ sp. America.
1361 C. „ senilis, Parmt.
1362 C. Pereskia sp.
1363 C. „ Bleo, H. B. K. New Granada.
1364 C. „ aculeata, Mill. Caribean Islands.
1365 C. „ subulata, Muhlff. America.

Ficoideæ.

1366 S. Mesembryanthemum cordifolium, L. fil. Cape of Good Hope.
1367 S. Trianthema pentandra, L. India.

Umbelliferæ.

1368 S. Hydrocotyle asiatica, L. Tropical Asia.
1369 S. „ sp.
1370 S. Smyrnium olucastrum, L. Southern Europe.
1371 S. Ammi majus, L. Southern Europe, Orient.
1372 S. Ptychotis Ajovan Roxb. India.
1373 S. Sium siculum. Italy.
1374 S. Cachrys tomentosa, Desf. Southern Europe.
1375 S. Oenanthe stolonifera, D. C. Eastern Bengal.

1376 S. Ferula sulcata, Desf. Southern Europe.
1377 S. „ communis, L. Orient.
1378 S. Coriandrum sativum, L. Europe.
1379 S. Daucus Carota, L. Europe, &c.
1380 S. Laserpitium thapsoides, Desf. North Africa.

Araliaceæ.

1381 Aralia Duncanii.
1382 C. „ Helferiana, Wall. Burma.
1383 C. Heptapleurum venulosum, Seem. India and Archipelago.
1384 C. Panax fruticosum, L. Malayan Islands.
1385 C. „ nodiflorum. Hab. ignot.
1386 C. „ cochleatum, D. C. Java, Banda, Amboyna.
1387 C. „ aculeatum, Ait. China.
1388 R. Fatsia papyrifera, Miq. China.
1389 G. Sciadophyllum pulchellum. Hort. India.
1390 C. Arthrophyllum, sp. Sikkim.
1391 C. Hedera Helix, L. Europe, Himalaya, Khasia Hills.
1392 C. „ venulosa, T. Anders. Neilgherries, Sikkim, Khasia Hills.
1393 C. „ umbraculifera, T. Anders. Mergui.
1394 C. Tupidanthus, sp.

Corneæ.

1395 S. Alangium decapetalum, Lam. India, Malayan Peninsula, and Islands.
1396 C. Marlea begoniæfolia, Roxb. India and Archipelago.

Caprifoliaceæ.

1397 C. Sambucus Rubra.
1398 C. Viburnum punctatum, Ham. Himalaya, Canara, Malabar, Java.
1399 C. „ odoratissimum, Ker. China.
1400 C. Lonicera brachypoda, D. C. Japan.
1401 C. „ Japonica, Thunb. Himalaya, Khasia Hills, China, Japan.
1402 C. „ aureo-reticulata.
1403 C. „ Periclymenum, L. Europe.
1404 C. „ implexa, Ait. Southern Europe.

Loranthaceæ.

1405 S. Loranthus longiflorus, Desr. India, Ceylon.
1406 S. „ globosus, Roxb. India.

Rubiaceæ.

1407 S. Nauclea Cadamba, Roxb. Bengal, Southern India, Ceylon.
1408 L. „ macrophylla, Roxb. Amboyna.
1409 S. „ parvifolia, Roxb. Southern India, Java.
1410 L. „ cordifolia, Roxb. India, Ceylon.
1411 C. „ fagifolia, Teysm. mss. Java.
1412 L. Uncaria sessilifructus, Roxb. Sylhet, Chittagong.
1413 C. Cinchona succirubra, R. et P. Andes of Peru.
1414 C. „ calycina.
1415 S. Hymenodictyon thyrsiflorum, Wall. Bengal.
1416 C. Exostemma amabilis. Tropical America.

1417 C. Manettia cordifolia, Mart. Brazil.
1418 C. Mussænda frondosa, L. India, Ceylon, Java.
1419 C. „ macrophylla, Wall. Nepal.
1420 L. Stylocoryne Webera, A. Rich. India, Ceylon, Malayan Archipelago, China
1421 L. „ coriacea, Wall. Khasia Hills.
1422 C. Gardenia florida, L. China, Japan.
1423 C. „ lucida, Roxb. Circars, Chittagong.
1424 L. „ enneandra, Roxb. Coromandel Coast.
1425 C. „ erecta. Trinidad.
1426 S. „ Madagascariensis, D. C. Madagascar.
1427 S. „ ferox, D. C. Mexico.
1428 C. „ Stanleyana, Hook. Tropical Asia, Africa.
1429 C. „ chartisia
1430 C. „ Blumeana, D. C. Java?
1431 C. „ sp. Queensland.
1432 S. Randia decussata, Wall. Chittagong.
1433 C. „ fragrans, Benth. Southern India.
1434 S. „ uliginosa, D. C. India, Ceylon.
1435 S. „ longispina, D. C. India.
1436 C. „ cuneata, Wall. Ava
1437 C. „ acuminata, Wall. North-East Bengal.
1438 C. Petunga Roxburghii, D. C. Bengal.
1439 C. Catesbæa spinosa, L. Bahama Islands.
1440 C. Portlandia grandiflora, L. West Indies.
1441 S. Rondeletia speciosa, Lodd. West Indies.
1442 L. Wendlandia paniculata, D. C. Malayan Islands.
1443 L. „ tinctoria, D. C. Bengal.
1444 S. Hamelia patens, Swartz. West Indies, South America.
1445 S. „ sphaerocarpa, R. P. Peru.
1446 L. Alibertia edulis, Rich. Guiana.
1447 S. Morinda bracteata, Roxb. India, Ceylon, Malayan Islands.
1448 S. „ exserta, Roxb. India, Ceylon, Malayan Islands.
1449 S. „ tinctoria, Roxb. India.
1450 C. Vangueria edulis. Vahl. Madagascar.
1451 C. „ spinosa, Roxb. Bengal, Behar, Sikkim.
1452 C. „ velutina, Hook. Madagascar.
1453 C. Hamiltonia suaveoleus, Roxb. India.
1454 C. „ azureum, Ldl. Nepal.
1455 C. Leptodermis lanceolata, Wall. Nepal.
1456 C. Myonima ovata, Lam. Bourbon.
1457 C. Lemtia Bojeriana, A Rich. Madagascar, Bourbon.
1458 - C. Pæderia fœtida, L. Tropical Asia.
1459 C. Canthium floribundum, Wall. Khasia Hills.
1460 C. Chiococca racemosa, Jacq. West Indies, Mexico.
1461 L. Baconia, sp.
1462 C. Ixora coccinea, L. India, Ceylon, China.
1463 C. „ stricta, Roxb. Malayan Archipelago, Philippines, China.
1464 C. „ bandhuca, Roxb. Central and Western India.
1465 C. „ rosea, Wall Khasia Hills.
1466 C. „ barbata, Roxb. Hab. ignot.
1467 S. „ undulata, Roxb. Bengal, Behar.
1468 C. „ acuminata, Roxb. India, Ceylon.
1469 S. „ brachiata, Roxb. Bengal.
1470 S. „ parviflora, Vahl. Western India, Bengal, Ceylon.
1471 C. „ cuneifolia, Roxb. Eastern Bengal, Khasia Hills.
1472 C. „ villosa, Roxb. Sylhet, Malayan Peninsula.
1473 C. „ opaca, R. Br. Penang.

1471 C. Ixora javanica, D. C. Java.
1475 C. „ superba, T. Anders. Assam.
1476 C. „ sp. Java.
1477 C. Pavetta Ackeringæ. J. et B. Banca.
1478 C. „ Richardiana, Wall. Madagascar.
1479 C. Grumilea Reevesii, Wall. Eastern Himalaya.
1480 C. „ cymosa.
1481 S. Coffea Arabica, L. Mountains of Arabia.
1482 S. „ Bengalensis, Roxb. Bengal Khasia Hills, Tropical Sikkim.
1483 S. Psychotria undata, Jacq. Bahamas.
1484 C. „ sarmentosa, Bl. Indian Archipelago.
1485 C. „ cuneura, Miq. Java.
1486 C. Chasalia, sp.
1487 C. Cephaelis ipecacuana, Rich. Brazil.
1488 C. Spermacoce, sp.
1489 C. Serissa fœtida, Comm. China, Japan.
1490 C. Rubia tinctorum, L. Europe.

Valerineæ.

1491 C. Fedia cornucopiæ, Vahl. Southern Europe.

Dipsaceæ.

1492 C. Morina odorata.

Compositæ.

1493 C. Vernonia vagans, D. C. Khasia Hills.
1494 C. „ cinerea, D. C. India.
1495 C. Decaneuron grande, D. C. Madagascar.
1496 S. Ageratum conyzoides, L. Tropical countries.
1497 S. „ cordifolium, D. C. Tropical India.
1498 C. Eupatorium Ayapana, Vent. South America, West Indian Islands.
1499 C. „ repandum, Willd. West Indian Islands.
1500 C. „ asperum, Roxb. India.
1501 S. Aster annuus, L. North America, Europe.
1502 C. Rhynchospermum jasminoides.
1503 C. Gymnosperma frutescens. Tropical America.
1504 C. Psiadia dentata, D. C. Bourbon.
1505 C. „ glutinosa, Jacq. Mauritius.
1506 C. Solidago canadensis, L. North America.
1507 C. Conyza corymbosa. Tropical Asia, West Africa, North Australia.
1508 S. Blumea lacera, D. C.
1509 S. „ carthamoides.
1510 S. „ bifoliata, Less. India.
1511 S. Inula odora, L. Southern Europe.
1512 S. Hymenantherum tenuifolium, D. C. Mexico.
1513 S. Cæsulia axillaris, Roxb. India.
1514 S. Blainvillea latifolia, D. C. India.
1515 R. Dahlia variabilis, Desf. Mexico.
1516 S. Melampodium simplicifolium.
1517 S. Zinnia elegans, Jacq. Mexico.
1518 S. „ Haágiana.
1519 S. Calliopsis tinctoria, D. C. Arkansas.
1520 S. Coreopsis Drummondii.
1521 S. „ lanceolata, L. Central United States.

1522 S. Helianthus annuus, L. South America.
1523 S. Bidens Wallichii, D. C. India.
1524 S. Cosmus parviflorus, H. B. K. Mexico.
1525 S. Verbesina elongata.
1526 S. Wedelia calendulacea, Less. India.
1527 S. Spilanthes oleracea, Jacq South America.
1528 S. Sanvitalia procumbens, Lamk. Mexico.
1529 S. Enhydra Hingcha, D. C. India.
1530 S. Tagetes erectus, L. Mexico.
1531 S. „ patula, L. Mexico.
1532 C. Achillæa nobilis, L. Southern Europe.
1533 C. Chrysanthemum Indicum, L. China, Japan.
1534 C. „ Sinense, D. C. Japan.
1535 C. Artemisia Chinensis, L. China, Siberia.
1536 C. „ abrotanum, L. South Europe.
1537 C. Crossostephium artimisioides, Less. China Philippines.
1538 S. Helichrysum chrysocephalum apiculatum.
1539 S. Gnaphalium Indicum, L. India.
1540 S. Emilia sonchifolia, Cass. India.
1541 S. Gynura aurantiaca, D. C. Java.
1542 C. Cacalia carnosa, Ait.
1543 C. „ peraclacoides.
1544 C. Kleinia fulgens.
1545 C. Notonia grandiflora, D. C. India, Ceylon.
1546 C. Calendula sp.
1547 S. Venidium calendulaceum, Less. Cape of Good Hope.
1548 S. Echinops sphaerocephalus, L. Southern Europe, Siberia.
1549 S. Atractylis cancellata, L. Southern Europe.
1550 S. Microlonchus aspleuifolius, Less. India.
1551 S. Centaurea moschata. L. Orient.
1552 S. „ cyanus, L. Europe.
1553 S. Carthamus tinctorius L. India.
1554 S. „ pinnatifida.
1555 S. Silybum maryanum Gaertn. Europe.
1556 S. Onopordon coriaceum.
1557 S. Cirsium ferox, D.C. Southern Europe.
1558 S. Carduus elongata, L. Europe.
1559 C. Barnadesia grandiflora.
1560 L. Leucomeris spectabilis, Don. Sub-tropical Himalaya.
1561 L. „ sp. Cape of Good Hope.
1562 S. Sonchus Orixensis, Roxb. India.

Campanulaceæ.

1563 S. Campanula lychnitis, Hornem. Eastern Europe, Asia.
1564 S. Lobelia Paxtoniana.
1565 S. „ Careyana.
1566 S. „ Erinus, L. Cape of Good Hope.
1567 S. „ radiatus.
1568 S. Isotoma longiflora.

Goodenoviaceæ.

1569 C. Scævola Taccada, Roxb. India.

Plumbagineæ.

1570 C. Statice Gangetiana.
1571 C. Plumbago scandens, L. New Granada.

1572 C. Plumbago zeylanica, L. India, New Holland.
1573 C. „ coccinea, L. India.
1574 C. „ capensis, Thbg. Cape of Good Hope.
1575 C. „ aphylla.

Myrsinaceæ.

1576 L. Myrsine capitellata, Wall. India, Ceylon, Java, China, Japan, Fiji Islands.
1577 L. Embelia robusta, Roxb. Himalaya, Behar, Neilgherries, Ceylon.
1578 L. Choripetalum aurantiacum, A. D. C. Southern India.
1579 C. Maesa nemoralis, D. C. India.
1580 C. „ Indica, A. D. C. Mountains of India, Ceylon, Java, China, Fiji Islands.
1581 S. Ardisia neriifolia, Wall. Khasia Hills.
1582 S. „ crispa, A. D. C. Islands of Malayan Archipelago, China.
1583 S. „ var B. solanacea. Cultivated in Gardens only.
1584 S. „ Wallichii, D. C. Pegu.
1585 S. „ sp. Andaman Islands.
1586 S. „ sp. Ceylon.
1587 S. „ umbellata, Roxb.
1588 C. Jacquinia ruscifolia, Jacq. Cuba, Mexico.
1589 S. „ armillaris, L. West Indies.
1590 S. Clavija aurantiaca.
1591 S. Ægiceras majus, Gaertn. Sea shores of Tropical Asia and Australia.
1592 S. Climacandra obovata, Miq. angustifolia. India and Archipelago.
1593 C. Corynocarpus lævigata, Forst. New Zealand.

Sapotaceæ.

1594 S. Chrysophyllum Cainito, L. West Indian Islands.
1595 S. „ sylvestre.
1596 L. „ acuminatum, Roxb. India.
1597 L. „ Roxburghii, G. Don. West Indian Islands.
1598 S. Sapota Achras, Mill. West Indian Islands.
1599 C. Sideroxylon attenuatum, A. D. C. Burmah, Singapore, Philippines.
1600 L. „ inerme, L. Cape of Good Hope.
1601 S. Bassia longifolia, L. India, Ceylon.
1602 S. „ latifolia, Roxb. Bengal, Behar.
1603 G. „ butyracea, Roxb. Tropical Himalaya.
1604 S. Imbricaria coriacea, A. D. C. Madagascar.
1605 S. Mimusops Elengi, L. India, Ceylon, Java.
1606 S. „ hexandra, Roxb. Northern Circars.
1607 S. „ Kauki, L. India.
1608 S. „ caffra, E. Mey. Cape of Good Hope.
1609 S. „ glabra.
1610 Sapotaceæ sp.

Ebenaceæ.

1611 L. Royena pubescens, Willd. Cape of Good Hope.
1612 L. Rospidios vaccinioides, D. C. Malacca.
1613 S. Diospyros Melanoxylon, Roxb. Malabar, Concan.
1614 S. „ Sapota, Roxb. Mauritius.
1615 S. „ montana, Roxb. India.
1616 S. „ heterophylla, Wall. Ava.
1617 S. „ lanceæfolia, Roxb. Sylhet.
1618 S. „ grata, Wall. Nepal.

1619 S. Diospyros ebenum, Retz. Sumatra, Moluccas.
1620 S. „ embryopteris, Pers. India, Ceylon, Java.
1621 S. „ discolor, Willd. Philippines.
1622 L. „ nigricans, Wall. Sylhet.
1623 S. „ sp. Andaman Islands.
1624 S. „ sp. Malacca.
1625 sylvatica, Roxb. Sylhet.
1626 S. „ ramiflora, Roxb. Sylhet.
1627 L. Maba buxifolia, Pers. India, Ceylon, Burmah.
1628 S. „ angustifolia, Miq. Malabar, Ceylon, Java.

Jasmineæ.

1629 C. Chondrospermum decitatum, Wall. Hab. ignot.
1630 C. „ smilacifolia, Wall. Chittagong, Sylhet.
1631 C. Jasminum Sambac, Ait. India, Ceylon, Malayan Islands.
1632 C. „ pubescens, Willd. India, Java, China.
1633 C. „ angustifolia, Vahl. Southern India, Ceylon.
1634 C. „ trinerve, Vahl. Khasia Hills, Chittagong, Java.
1635 C. „ ligustrifolium, Wall. Malabar, Concan.
1636 C. „ syringæfolium, Wall. Amherst.
1637 C. „ laurifolium, Wall. Burmah.
1638 C. „ latifolium, Roxb. Central India, Concan.
1639 C. „ culycinum, Wall. Khasia Hills.
1640 C. „ auriculatum, Vahl. India, Ceylon, Java.
1641 C. „ azoricum, L. Azores, Madeira.
1642 C. „ fruticans, L. Southern Europe, Africa, Syria.
1643 C. „ grandiflorum, L. Malabar, Nepal.
1644 S. Nyctanthes Arbor tristis, L. Central India, Ceylon.
1645 L. Fraxinus floribunda, Wall. Sikkim, Nepal.
1646 L. „ ornus.
1647 L. Olea europaea, L. Northern India, Persia, Levant.
1648 L. „ myrtifolia, Wall. Sylhet.
1649 L. „ grata.
1650 S. Visiania robusta, D. C. Sylhet.
1651 S. „ paniculata, D. C. China.
1652 C. Osmanthus fragrans, Lour. China, Japan, Sikkim.
1653 L. Linociera dichotoma, Wall. Coromandel.
1654 S. „ macrophylla, Wall. Eastern Bengal.
1655 S. Noronhia emarginata, Poir. Madagascar.

Salvadoraceæ.

1656 C. Salvadora oleioides. India.

Apocynaceæ.

1657 C. Allamanda cathartica, L. Tropical America.
1658 C. „ Aubletii, Pohl. Brazil.
1659 C. „ Schottii, Pohl. Rio de Janeiro.
1660 S. „ neriifolia, Hort. Tropical America.
1661 C. „ sp.
1662 C. „ violacea.
1663 C. Willughbeia edulis, Roxb. India.
1664 C. Melodinus monogynus, Carey. Sylhet.
1665 S. Carissa Carandas, L. India, Ceylon, Java, China.
1666 S. „ Ch. Chinensis.
1667 S. Carissa Arduina, Lam. Cape of Good Hope.

1668 S. Rauwolfia canescens, L. West India Islands.
1669 S. Ophiocylon serpentinum, Willd. India, Ceylon, Burmah, Java.
1670 S. Thevetia neriifolia, Juss. West Indian Islands.
1671 C. Hunteria corymbosa, Roxb. Penang.
1672 C. Kopsia fruticosa, A. D. C. Burmah, Tavoy.
1673 S. Cerbera Odallum, Gaertn. Sea Coasts of Asia, from India to China. Islands of the Pacific.
1674 L. Tanghinia venenifera, Poir. Madagascar.
1675 S. Ochrosia platysperma.
1676 S. Orchipeda sp.
1677 S. Urceolaria aurea.
1678 S. Tabernæmontana dichotoma, Roxb. Southern India, Ceylon.
1679 L. „ crispa, Roxb. Hab. ignot.
1680 S. „ Wallichiana, Steud. Sumatra.
1681 C. „ coronaria, R. Br. Cultivated in Tropical Asia.
1682 C. „ jasminoides, H. B. Southern America.
1683 S. Vinca rosea, L. West Indian Island, Tropical America. Cultivated in tropical Asia.
1684 S. „ var. albiflora.
1685 C. Plumeria hypoleuca, Gasparr. West Indian Islands.
1686 „ alba.
1687 C. „ acutifolia, Poir. Cultivated in Tropical Asia.
1688 C. Vallaris dichotoma, Wall. Eastern Bengal, Sylhet, Central India.
1689 C. Forsteronia corymbosa, Mey. West Indies.
1690 C. Beaumontia grandiflora, Wall. Khasia Hills, Nepal.
1691 S. Wrightia tinctoria, R. Br. Southern India.
1692 S. „ mollissima, Wall. Tropical Himalayas.
1693 S. „ coccinea, Sims. Bengal. Sylhet.
1694 S. Alstonia scholaris, B. Br. India, Ceylon, Burmah, Islands of Malayan Archipelago.
1695 S. „ neriifolia, D. Don. Nepal.
1696 S. „ macrophylla, Wall. Penang, Philippines.
1697 S. „ villosa, Miq. Java.
1698 S. Blaberopus sericeus, D. C. Java.
1699 S. Adenium obesum, R. et S. Arabia, Felix, Aden.
1700 S. Holarrhena antidysenterica, Wall. Chittagong, Sylhet, Tropical Himalaya, Malabar, Burmah.
1701 S. Strophanthus longicaudatus, Wight. Malacca.
1702 S. „ aurantiaca, Horb. Mauritius.
1703 C. Nerium odorum, Poland. Tropical Himalaya.
1704 L. Neriandra suberecta, A. D. C. West Indian Islands.
1705 C. Rhyncospermum jasminoides, D. C ?
1706 S. Aganosma caryophyllata, G. Don. Behar.
1707 C. „ cymosa, G. Don. India.
1708 C. „ acuminata, G. Don. India.
1709 C. Ichnocarpus frutescens, R. Br. India, Burmah, Ceylon.
1710 S. Anodendron paniculatum, A. D. C. Bengal, Martaban, Java.
1711 C. Echites picta, Hort.
1712 C. „ rubro-nerva.
1713 C. Roupellia grata, Wall et Hook. Sierra Leone.
1714 S. Pootia grandiflora, Miq. Java.
1715 S. Cyrtosiphonia spectabilis.

Asclepiadaceæ.

1716 S, Cryptostegia grandiflora, R. Br. Behar.
1117 C. Hemidesmus Indicus, R. Br. India, Ceylon, Burmah, Java.

1718 C. Rhaphistemma Hookerianum.
1719 C. Periploca græca, L. Southern Europe.
1720 C. Holostemma Rheedii, Spreng. Malabar, Mysore, Circars.
1721 C. Calotropis gigantea, R. Br. Bengal, Central and Southern India, Ceylon, Malayan Peninsula, and Islands.
1722 C. Oxystelma esculentum, R. Br. India, Ceylon, Java.
1723 S. Asclepias curassavica, L. West Indies. Naturalized in all tropical countries.
1724 C. „ paniculata. Hab. ignot.
1725 S. Tylophora asthmatica, W. and A. India.
1726 C. Marsdenia tinctoria, R. Br. Bengal, Assam, Burmah, Java, China, Formosa.
1727 C. Pergularia odoratissima, R. Br. India, Java, Timor.
1728 C. Stephanotis floribunda, Ait, Brought. Madagascar.
1729 C. „ Thouarsii.
1730 C. Gymnema pubigerum, Wall. Khasia Hills.
1731 C. Dischidia Bengalensis, Colebr. Bengal, Assam, Sikkim.
1732 C. Hoya parasitica, Wall. Bengal.
1733 C. „ viridiflora, R. Br. India, Ceylon, Malayan Archipelago, Timor.
1734 C. „ imperialis, Ldl. Borneo.
1735 C. „ parviflora, Wight. Moulmein.
1736 C. „ bella Hook. Moulmein.
1737 C. „ carnosa, R. Br. China.
1738 C. „ macrophylla, Bl. Java.
1739 C. „ Cunninghamii.
1740 C. „ sp.
1741 C. „ sp.
1742 C. Ceropegia Gardneri, Thw. Ceylon.
1743 C. Caralluma crenulata, Wall. Ava.
1744 C. Boucerosia umbellata W. A. Pondicherry.
1745 C. Stapelia glauca, Jacq. Cape of Good Hope.
1746 C. „ mixta, Mass. Cape of Good Hope.
1747 C. „ variegata, L. Cape of Good Hope.
1748 C. „ Bedfordiana.
1749 C. „ patula, Willd. Cape of Good Hope.

Loganiaceæ.

1750 S. Strychnos Nux-vomica, L. Southern India, Ceylon.
1751 S. „ potatorum, L. Southern India, Ceylon.
1752 L. Brehmia spinosa, Harv. Madagascar.
1753 L. Gardneria ovata, Wall. Khasia Hills.
1754 S. Fagraea obovata, Wall. India, Ceylon, Malayan Peninsula, Java.
1755 S. „ Zeylanica, Thunb. Ceylon.
1756 S. „ lanceolata, Bl. Java.
1757 C. Buddleia paniculata, Wall. Nepal.
1758 C. „ diversifolia, Vahl. Mauritius, Madagascar.
1759 C. „ Lindleyana, Fortune. China.
1760 S. „ Neemda, Hamilt. Tropical Himalaya, Philippines.
1761 C. „ Madagascariensis, Lam. Madagascar.

Gentianaceæ.

1762 S. Exacum tetragonum, Roxb. Bengal, Nepal, Sikkim, Assam China.
1763 S. Canscora decussata, R. et S. India, Ceylon Malayan Archipelago.

1764 S. Canscora diffusa, R. Br. India, Ceylon, Burmah, Abyssinia
1765 S. „ minor.
1766 R. Limnanthemum cristatum, Grisb. Tropical Asia, Madagascar, Bourbon.
1767 R. Indicum, Grisch. India, Ceylon, Java.
1768 R. „ nymphæoides, L. Europe.

Bignoniaceæ.

1769 C. Bignonia capreolata, L. Southern United States.
1770 C. „ incarnata, Aubl. Guiana.
1771 C. „ Chamberlaynii, Sim. Brazil.
1772 C. „ venusta, Ker. Minas, Gœres, Brazil.
1773 S. „ chloroxylon.
1774 C. „ gracilis.
1775 C. „ argyraea violacea.
1776 C. „ Carolinae, Ldl.
1777 C. „ Roezliana.
1778 C. „ sp.
1779 S. Calosanthes Indica, Blume. India, Ceylon, Java, Cochin China.
1780 C. Macfadyena uncinata, A. D. C. Guiana.
1781 S. Millingtonia hortense, L. Burmah.
1782 C. Amphilophium Mutisii, H. B. K. New Granada.
1783 C. „ pruinosum.
1784 C. Pithecoctenium muricatum, Moc. Mexico.
1785 C. „ squallus, D. C.
1786 L. Adenocalymna grandifolium, Mart. Brazil.
1787 L. „ sp. Brazil.
1788 S. Spathodea stipulata, Wall. Burmah.
1789 S. „ Rheedii, Wall. Southern India, Ceylon.
1790 S. „ adenophylla, A. D. C. Burmah, Segain.
1791 C. „ xylocarpa, T. Anders. Coromandel.
1792 S. „ crispa, Wall. Mysore.
1793 S. „ serrulata, A. D. C. Burmah.
1794 C. „ amœna, A. D. C. Madagascar.
1795 C. „ campanulata, Beauv. Tropical Western Africa.
1796 C. Simonsia scandens, T. Anders. Assam.
1797 C. Nyctocallus brunfelsiaeflorus, Teys. Java.
1798 S. Stereospermum chelonoides, D C. Southern India, Ceylon.
1799 S. „ fimbriatum, A. D. C. Burmah.
1800 S. „ suaveolens, A. D. C. Bengal, Oudh, Orissa.
1801 S. „ serratifolia, Don. Trinidad.
1802 R. „ undulata, Don. North-West India, Afghanistan, Beloochistan.
1803 C. „ capensis, Lindl. Cape of Good Hope, Port Natal.
1804 L. „ grandiflora, Delaun. Japan, China.
1805 C. Tecoma jasminoides, Lindl. Moreton Bay.
1806 C. „ ceramensis, T. et B. Moluccas.
1807 C. „ lurida.
1808 C. „ Stans, Juss. West Indian Islands, Mexico.
1809 S. „ var. velutina.
1810 S. „ spectabilis.
1811 S. Pajanelia multijuga, A. D. C. Sylhet, Malabar.
1812 S. Jacaranda mimosifolia, Don. Brazil.
1813 S. „ Paulistana, Silv. Brazil.
1814 C. Cola cauliflora, A. D. C. Madagascar.
1815 C. Phyllarthron comorense, Bojer. Coronæ Islands.

1816 S. Parmentiera cerifera. Mexico.
1817 S. Kigelia pinnata D. C. Africa.
1818 S. Crescentia Cujete, L. Caribean Islands.
1819 S. „ cuneifolia, Gard. Brazil.
1820 S. „ alata, H. B. K. Mexico.

Hydrophyllaceæ.

1821 S. Hydrolea Zeylanica, Vahl. India, Ceylon, Java, Philippines.
1822 S. Nemophila maculata, Benth. North America.
1823 S. „ insignis, Benth. California.
1824 S. „ „ superba.

Polemoniaceæ.

1825 S. Phlox Drummondii, Hork. Texas.
1826 C. „ herbaceus.
1827 S. Gilia capitata, Dougl. North America.
1828 S. Leptosiphon rosaceum.

Convolvulaceæ.

1829 S. Rivea Bona nox, Chois. Bengal.
1830 S. „ tiliæfolia, Chois. India.
1831 C. Argyreia argentea. India, Ceylon, Cultivated in tropical Asia Africa, and America.
1832 „ hirsuta.
1833 C. „ cuneata, Lindl. Southern India.
1834 „ splendens. India.
1835 S. Quamoclit coccinea, Mœnch. Tropical America.
1836 S. „ vulgaris, Chois. Tropical America.
1837 S. Butatas paniculata, Chois. Sea shores of India, Ceylon, Java.
1838 S. „ quinquefolia, Chois. Tropical America.
1839 C. Exogonium purga, Bth. Mexico.
1840 S. Jpomœa reptans, Poir. Tropical Asia from Arabia to China Senegal.
1841 S. „ turpethum, R. Br. India, Ceylon, Malayan Archipelago.
1842 S. „ latifolia elegantissima.
1843 S. „ tuberosa, L. Tropical America. Cultivated in tropica Asia.
1844 S. „ obscura, Jacq. Abyssinia, India, Malayan Archipelago, China.
1845 C. „ staphylina, R. et S. Mysore, Penang.
1846 C. „ rubro-cœrulea, Hook. Mexico.
1847 C. „ Jalapa, Pursh.
1848 S. „ dasyspermum, Jacq. China.
1849 C. „ semperflorens, Hort. Hab. ignot.
1850 S. „ polyanthes, Rœm. et Schulb. Tropical America.
1851 S. „ limbata.
1852 S. „ speciosa.
1853 S. „ Hubsri.
1854 S. „ Horsfieldii.
1855 C. „ macrorhiza, Roem. et Schult. West Indies.
1856 S. Jacquemontia hastigera, Boj. Madagascar.
1857 Convolvulus.
1858 C. Porana volubilis, Burm. India, Java, Moluccas, Philippines.
1859 C. „ paniculata, Roxb. Southern India, Bengal, Assam, Java.

1860 C. Breweria Roxburghii, Chois. India, Ceylon, Malayan Peninsula.
1861 Cuscuta reflexa, Roxb. India, Ceylon, Malayan Archipelago Timor.

Borragineæ.

1862 L. Cordia speciosa, Willd. West Indian Islands.
1863 S. „ lævis, Jacq. Caraccas.
1864 S. „ myxa, L. Southern India, Ceylon. Cultivated in Egypt.
1865 L. „ Rothii, R. et S. Mysore.
1866 L. „ polygama, Roxb. Carnatic.
1867 S. „ grandis. Chittagong.
1868 L. „ Bantamensis, Blume. Java.
1869 L. „ serrata, Juss India.
1870 S. Ehretia serrata, Roxb. Sylhet,
1871 S. „ lævis, Roxb. Southern India, Ceylon.
1872 C. „ graveolens, Wall. Khasia Hills.
1873 C. „ buxifolia, Roxb. Southern India, Ceylon.
1874 C. Tournefortia viridiflora, Wall. Chittagong.
1875 S. „ Horsfieldii, Miq. Java.
1876 Heliotropium curassavicum L. Tropical America, West Indian Islands.
1877 „ Peruvianum, L. Andes of Peru.
1878 C. „ volterianum.
„ procumbens.
1879 C. „ Indicum, L. Tropical Asia and America.
1880 S. Cerinthe major, L. Southern Europe.
1881 S. Trichodesma Indica, L. India.
1882 S. Anchusa lanata, L. Orient.

Solanaceæ.

1883 S. Solanum nigrum, L. All tropical and temperate countries.
1884 R. „ argenteum, Dun. Brazil.
1885 S. „ spirale, Roxb. Assam, Sylhet.
1886 S. „ Indicum, Nees. ab. Esen. Tropical Asia.
1887 S. „ esculentum, Dun. India. Cultivated in the Tropics.
1888 S. „ coriaceum, Dun. Cayenne.
1889 S. „ Balbisii, Boj. Mauritius.
1890 S. „ pubescens, Willd. India and Archipelaga.
1891 R. „ tuberosum, L. Peru.
1892 S. „ rubrum, Roxb. India.
1893 S. „ macranthum, Dun. Brazil.
1894 S, „ Jacquinii, Willd. India.
1895 S. „ Melongena, L. Cultivated in India.
1896 S. Lycopersicum esculentum, Mill. Tropical America.
1897 S. Capsicum frutescens, L. India. Tropical America.
1898 S. „ monstrosum.
1899 S. „ baccatum, L. Cultivated in India.
1900 S. „ purpureum Dun. Hab. ignot.
1901 S. „ minimum, Blanco. Philippines, India.
1902 S. „ gratum.
1903 S. Nicandra physaloides, Gaertn. Peru.

1904 S. Physalis peruviana, D. Brazil. Cultivated in India, Ceylon Java, Cape of Good Hope.
1905 S. „ flexuosa, L. India.
1906 S. „ minima, L. India.
1907 S. Solandra grandiflora, Sw. Jamaica.
1908 C. „ viridiflora, Ker. Brazil.
1909 C. Datura fastuosa, L. India, Ceylon, Java, Moluccas.
1910 S. Metel, L. India.
1911 S. „ intermedia.
1912 S. „ stramonium, L. Europe, Asia, America.
1913 C. „ suaveoleus, Willd. Mexico, Peru.
1914 S. Hyoscyamus niger, L. Europe.
1915 S. Nicotiana plumbaginifolia, Viv. Mexico, West Indies. Naturalized near Calcutta.
1916 S. „ tabacum, L. Southern America.
1917 S. „ glauca, Grah. Brazil.
1918 S. Petunia violacea, L. Buenos Ayres.
1919 S. „ nyctaginiflora, Juss. South America.
1920 C. Cestrum fœtidissimum, Jacq. West Indies.
1921 C. „ fasciculatum, Mass. Mexico.
1922 C. „ elegans, Schlecht. Mexico.

Scrophularineæ.

1923 S. Browallia elata, Hort. Southern America.
1924 S. Brunsfelsia Americana, Swartz. West Indies.
1925 C. „ undulata, Swartz. Jamaica.
1926 C. „ montana. Tropical America.
1927 C. „ cubense. West Indies.
1928 C. „ uniflora, Don. Brazil.
1929 C. „ latifolia, Benth. Brazil, Peru.
1930 S. Salpiglossis, sp.
1931 S. Calceolaria pinnata, L. Peru, Chili.
1932 S. Verbascum sinuatum, L. Southern Europe.
1933 S. Celsia Coromandeliana, Vahl. North India, Burmah.
1934 C. Angelonia salicariæfolia, H. B. West Indies, Tropical South America.
1935 S. Linaria ramosissima, Wall. Northern India.
1936 S. „ vulgaris, Moench. Europe, North America.
1937 S. Antirrhinum majus, L. Europe.
1938 S. Maurandia Barclayana, Lindl. Mexico.
1939 S. Lophospermum scandens, Don. Mexico.
1940 S. Scrophularia sambucifolia, L. Southern Europe, Orient.
1941 S. Collinsia violacea, Nuttal. Arkansas.
1942 S. Tetranema Mexicanum, Benth. Mexico.
1943 S. Russellia juncea, Zuccar. Mexico.
1944 S. „ rotundifolia, Cav. Mexico.
1945 C. Lindenbergia, sp.
1946 S. Stemodia polyantha, Hort. India.
1947 S. Limnophylla hirsuta, Benth. India.
1948 S. Lafœnsia Vandelliana, D. C. Brazil.
1949 S. Herpestis Monniera, H. B. K. India and Archipelago.
1950 S. Gratiola grandiflora, W. A. India.
1951 S. „ lucida, Vahl. India.
1952 S. „ juncea, Roxb. India.
1953 S. „ serrata, Roxb. India.
1954 S. Torenia, sp.
1955 S. Limosella aquatica, L. Europe, North America.

1956 S. Scoparia dulcis, L. Tropical Asia, Africa, America, and Australia.
1957 C. Sanchezia nobilis. Peru.

Gesneriaceæ.

1958 R. Gesneria tuberosa, Mart. Brazil.
1959 R. „ refulgens.
1960 R. „ caracasana, Otto et Dietr. pallida. Tropical America.
1961 R. „ Merckii, Wendl. Brazil.
1962 R. „ Leopoldii, Scheidw. Brazil.
1963 R. „ caracasana, Otto et Dietr. Tropical America.
1964 R. „ barbata, N. E. Tropical America.
1965 R. „ longiflora, Miq. Tropical America.
1966 R. „ aurantiaca, Hnst. Columbia.
1967 R. „ macrantha, Spreng. Brazil.
1968 R. „ allagophylla, Mart. Brazil.
1969 R. „ Bethmanni.
1970 R. Gloxinia maculata, L'Her. Central America.
1971 R. „ Wilsonii.
1972 R. „ sp.
1973 R. „ hybrid grandiflora.
1974 R. „ crassifolia.
1975 R. „ montrosa.
1976 R. „ Panthea.
1977 R. „ Jussieu.
1978 R. „ Sara.
1979 R. „ Julie.
1980 R. „ quadricolor.
1981 R. „ erecta auricule.
1982 R. Achimenes grandiflora, D. C. Mexico.
1983 R. „ metallica.
1984 R. „ Ambroise Verschaffeltii.
1985 R. „ vivicans.
1986 R. „ longiflora, D. C. Guatemala.
1987 R. „ Hendersoni.
1988 R. „ aurora.
1989 R. „ coccinea, Pers. formosa. Jamaica.
1990 R. „ coccinea, Pers. Jamaica.
1991 R. „ autumnalis, Kl. et Hanst. Guatemala ?
1992 R. „ Georgiana.
1993 R. „ amabilis.
1994 R. „ Biatonii.
1995 R. „ pygmaea.
1996 R. „ Leighii.
1997 R. „ cordata, Hort.
1998 R. „ carminata.
1999 R. „ patens, Bth. Mexico.
2000 R. „ Leopardii.
2001 R. Episcea pulchella, Roxb. Trinidad.
2002 R. Æschynanthes grandiflora, G. Don. Eastern Bengal.
2003 C. „ sp.

Acanthaceæ.

2004 C. Thunbergia grandiflora, Roxb. Tropical Himalaya. Assam, Neilgherries, Burmah, Singapore, China.
2005 C. „ laurifolia, Lindl. Burmah.
2006 C. „ Hawtaynii, Wall. Neilgherries, Canara, Coorg, Ceylon.

2007 C. Thunbergia erecta, T. Anders. Western Africa.
2008 C. „ coccinea, Wall. Tropical Himalaya, Assam, Khasia Hills.
2009 C. „ fragrans, Roxb. Eastern Tropical Himalaya, Neilgherries, Ceylon, Java.
2010 C. „ alata, Roger. Mozambique. Cultivated in India, Ceylon, Java,
2011 S. „ Vogeliana, Benth. Fernando Po.
2012 C. „ erecta, T. Anders. Western Africa.
2013 C. Nelsonia campestris, R. Br. Tropical countries.
2014 S. Adenosma triflora, N. ab. E. E. Bengal. Behar, Singapore, Fiji Islands,
2015 S. Hygrophila salicifolia, N. ab E. Tropics of Asia, Africa, America, and Australia.
2016 S. „ polysperma, T. Anders. India.
2017 S. „ spinosa, T. Anders. Tropical Asia and Africa.
2018 S. Gymnostachyum Ceylonicum. North East Ceylon.
2019 S. „ hirsutum, T. Anders. Ceylon.
2020 C. „ argenteum.
2021 C. Petalidium barleroides, N. ab E. Central India, Tropical Himalaya.
2022 C. Ruellia ciliata, Hornem. Pegu.
2023 C. „ mutabilis.
2024 C. „ procumbens.
2025 C. „ prostrata, Poir. India, Ceylon, Burmah.
2026 C. „ hirta, Vahl. India.
2027 C. „ affinis, T. Anders. Brazil.
2028 C. „ tuberosa, L. West Indies.
2029 C. Asystasia nemorum, N. E. Hindostan.
2030 C. „ chelonoides, N. E. Hindostan.
2031 C. „ Blumei, N. E. Java.
2032 C. „ scandens, Hook.
2033 C. „ Javanica.
2034 C. „ Gangetica, T. Anders. Tropical Asia and Africa.
2035 C. „ Africana, Hort, Boj. Hab?
2036 C. Strobilanthes coloratus, T. Anders. Assam.
2037 C. „ Sabinianus, N. ab E. Khasia Hills.
2038 C. „ auriculatus, N. ab. E. Tropical Himalaya, Khasia Hills.
2039 C. „ maculatus, N. ab. E. Sikkim, Bhotan, Mishmi Hills.
2040 C. „ glomeratus, T. Anders. Sylhet.
2041 C. „ anisophyllus, T. Anders. Khasia Hills.
2042 C. „ isophyllus, T. Anders. Assam, Khasia Hills.
2043 C. „ capitatus, T. Anders. India.
2044 C. „ scabridus.
2045 C. „ crispa, Bl. Java.
2046 C. „ tomentosus.
2047 C. „ sp. Ceylon.
2048 C. Stephanophysum Baikei.
2049 C. „ repens, T. Anders. Brazil.
2050 C. „ Herbstii, T. Anders. Brazil.
2051 C. Stemonacanthus formosus, T. Anders. Brazil.
2052 C. Whitfieldia lateritia, Hook. Sierra Leone.
2053 C. Barleria cristata, L. Ceylon to the Himalaya, Java, Philippines China.
2054 C. „ Prionitis, L. India, Ceylon, Abyssinia.
2055 S. „ Arnottiana, N. ab. E. Ceylon.

2056 C. Barleria cœrulea. Roxb. Orissa, Nepal, Sikkim, Assam, Burmah.
2057 S. „ Gibsonii, Dalz. Western Ghauts.
2058 C. „ dichotoma, Roxb. India.
2059 C. „ ciliata, Roxb. Bengal.
2060 C. „ sp. Madras.
2061 C. „ lupulina. Ldl. Madagascar.
2062 C. „ involucrata, N. E. Hindostan.
2063 C. „ flava.
2064 C. „ rosea.
2065 C. Neuracanthus parviflorus, T. Anders. Mauritius.
2066 C. Lepidagathis linearis, T. Anders. Burmah.
2067 C. „ sp.
2068 S. Acanthus ilicifolia, L. Estuaries in tropical Asia and South Africa.
2069 S. „ montanous, T. Anders. Western Africa.
2070 C. Crossandra infundibuliformis, N. ab. E. Southern India, Ceylon.
2071 C. Geissomeria aurantiaca, Lindl. Brazil.
2072 C. Aphelandra fulgens, Hort. Tropical America.
2073 C. „ pectinata, Willd. Tropical North and South America.
2074 C. Pachystachys coccinea, N. E. South America.
2075 C. Phlogacanthus thyrsiflorus, N. E. Himalaya.
2076 C. „ sp. Madras.
2077 C. Thyrsacanthus strictus, N. E. Honduras.
2078 C. „ sessilis, N. E. Columbia.
2079 C. „ rutinans.
2080 C. Graptophyllum hortense, N. ab. E. Islands of the Pacific Ocean.
2081 C. „ pictum, N. E. Cultivated in gardens.
2082 C. „ multiflorum.
2083 C. Cyrtanthera, sp. Hab. ignot.
2084 C. „ crysostephana.
2085 C. Rhytiglossa androsæmifolia, N. E. West Indies.
2086 C. „ Giesbrechtiana, N. E. Mexico.
2087 C. Justicia Adhatoda, L. India and Archipelago.
2088 C. „ cydoniæfolia, N. E. Brazil.
2089 C. „ ventricosa, Wall. Burmah.
2090 C. „ decussata, Roxb. Burmah.
2091 C. „ Betonica, L. Hindostan.
2092 C. „ Neesiana, Wall. Khasia Hills.
2093 C. „ Gendarussa, L. India and Archipelago.
2094 C. „ bilineata, Hort. Bot Calc. Hab. ignot.
2095 C. „ procumbens, L. India, Ceylon, Java, China, Abyssinia, New Holland.
2096 C. „ grandifolia, T. Anders. Burmah.
2097 C. „ Tasmannii.
2098 C. „ ramosissima, Roxb. Coromandel Coast.
2099 C. „ asperata. India.
2100 C. „ paniculata.
2101 C. „ Ecbolium. India.
2102 C. Beloperone plumbaginifolia, N. E. Bengal.
2103 C. „ nervosa.
2104 S. Rungia pectinata, N. E. India.
2105 C. „ sp. Java.
2106 C. Rhinacanthus communis, N. ab. E. Neilgherries, Ceylon, Java.
2107 C. Eranthemum cinnabarinum, Wall. Tenasserim.
2108 C. „ grandiflorum.

2109 C. Eranthemum viscidum, Bl. Java.
2110 C. „ bicolor, Schrank. Indian Archipelago.
2111 C. „ Balfourii.
2112 C. „ lapathifolium, N. E. Java.
2113 C. Dicliptera Chinensis, N. ab. E. China.
2114 C. Peristrophe tinctoria, N. ab. E. India, Ceylon, Burmah.
2115 C. „ speciosa, N. ab. E. Tropical Himalaya.
2116 C. „ angustifolia.
2117 C. Hypoestes populifolia, Miq. Java.
2118 C. „ Decaisneana, N. E. Java, Timor.
2119 C. „ longifolia, Hort. Bog. Java?
2120 C. „ laxiflora, N. E. albiflora. Java.
2121 C. „ polythyrsa.
2122 S. Andrographis paniculata, N. ab. E. Tropical Asia and America.
2123 S. „ echioides, N. ab. E. Ceylon to the Himalaya.
2124 C. Lankesteria elegans, T. Anders. Western Africa.
2125 C. Daedalacanthus purpurascens, T. Anders. Hindostan.
2126 C. „ suffruticosus, T. Anders. Andaman Islands.
2127 C. „ splendens, T. Anders. Sikkim.
2128 C. „ Salaccensis, T. Anders. Java.
2129 C. „ macrophyllus, T. Anders. Tenasserim Andaman Islands.
2130 C. „ strictus, T. Anders. Sylhet.

Verbenaceæ.

2131 C. Verbena venosa, Gill. et Hook. Brazil.
2132 C. „ Bonariensis, L. Brazil, Buenos Ayres, Cape of Good Hope.
2133 C. „ Aubletia, L. Southern United States, Texas.
2134 C. „ Jamaicensis, Vahl. Tropical America, West Indian Islands.
2135 S. Stachytarpha orubica, Vahl. New Granada, Guiana.
2136 S. „ mutabilis, Vahl. Tropical America, West Indian Islands.
2137 C. Lippia citriodora, H. B. K. Uruquay, Argentine Republic, Chili.
2138 S. „ nodiflora, Roxb. All tropical countries.
2139 S. Lantana nivea, Vent. Brazil.
2140 C. „ Camara, L. Brazil.
2141 C. „ Sellowiana, Link and Otto. Brazil, Monte Video.
2142 S. „ trifolia, L. West Indian Islands, Tropical South America.
2143 C. „ canescens, H. B. K. Tropical South America.
2144 C. „ sp.
2145 S. „ aculeata, Mill. Brazil.
2146 S. Citharexylon subserratum. Swartz. America.
2147 S. Duranta Plumieri, Jacq. Mexico, West Indian Islands, Brazil.
2148 S. „ Ellisia, Jacq. West Indian Islands.
2149 C. Petrea macrostachya, Benth. Tropical America.
2150 L. Symphorema polyandrum, Wight. Central India, Carnatic.
2151 L. Sphaenodesma Wullichiana, Schauer. Sylhet.
2152 C. Congea tomentosa, Roxb. Carnatic.
2153 S. Hymenopyramis brachiata, Wall. Banks of the Irrawaddy.
2154 S. Tectona grandis, L. Southern and Central India, Burmah, Java.
2155 L. „ Hamiltonianus, Wall. Burmah, Philippine Islands.

2156 L. Premna cordifolia, Roxb. Penang, Southern India, Ceylon.
2157 C. „ scandens, Roxb. Sylhet.
2158 C. „ procumbens, Wall. Ceylon.
2159 C. „ esculenta, Roxb. Chittagong.
2160 S. „ spinosa, Roxb. Bengal.
2161 S. „ quadrifolia.
2162 C. Callicarpa macrophylla, Vahl. China, Assam, Tropical Himalaya.
2163 L. „ Reevesii, Wall. China.
2164 S. „ cana, L. Southern India, Penang, Malayan Islands.
2165 L. „ purpurea, Juss. Cochin China, China, Japan.
2166 S. „ incana, Roxb. Bengal.
2167 L. „ acuminata, Kth. Tropical America.
2168 S. Volkameria aculeata, L. West Indian Islands, Tropical South America.
2169 S. Clerodendron ligustrinum, R. Br. Mexico.
2170 S. „ inerme, R. Br. India, Ceylon, Malayan Archipelago, China.
2171 C. „ splendens, G. Don. Sierra Leone.
2172 C. „ phlomoides, L. India, Ceylon, Java.
2173 C. „ nutans, Wall. Bengal, Sylhet.
2174 C. „ serratum, Spr. India, Ceylon, Malayan Islands.
2175 S. „ infortunatum, L. India, Ceylon, Malayan Islands.
2176 C. „ urticæfolium, Wall. Penang.
2177 C. „ fragrans, Vent. China.
2178 C. „ Thomsoni, Hf. Sikkim.
2179 C. „ volubile.
2180 C. „ fallax Lindl. alba. Java.
2181 C. „ odoratum, Wall. India.
2182 C. „ glabrum, F. Mey. Southern Africa.
2183 S. „ glanduliferum.
2184 C. „ squamatum, Vahl. Japan.
2185 S. Gmelina parvifolia, Roxb. Carnatic.
2186 S. „ Asiatica, L. India, Ceylon, Philippines.
2187 S. „ villosa, Roxb. Penang, Moluccas, Sumatra, Java.
2188 S. Vitex trifolia, L. Sea shores of Tropical Asia and Australia.
2189 S. „ incisa, Lam. China.
2190 S. „ Negundo, L. Tropical Asia.
2191 S. „ alata, Heyne. Burmah.
2192 S. „ heterophylla, Roxb. Burmah, Malayan Peninsula, Java, Philippines.
2193 S. „ leucoxylon, L. fil. India, Ceylon, Java.
2194 S. „ saligna, Roxb. Southern India.
2195 S. „ arborea, Roxb. India.
2196 C. Holmskioldia sanguinea, Retz. Tropical Himalaya, Sylhet.

Myoporineæ.

2197 C. Myoporum congestum.

Labiatæ.

2198 S. Ocimum Basilicum var. pilosum. India, Burmah, Java, Central Africa.
2199 S. „ gratissimum, L. India, Ceylon, Java, Madagascar, Brazil.
2200 S. „ sanctum, L. India, Ceylon, Java, Arabia.
2201 S. „ thyrsiflorum, L. Java.
2202 S. „ villosum.

2203 S. Ocimum caryophyllata, Roxb. Bengal.
2204 C. Orthosiphon incurvus. Benth. Sylhet, Assam.
2205 C. Plectranthes rugosus, Wall. Western Himalaya, Cashmere.
2206 C. „ parviflorus, Willd. , New Holland.
2207 C. Coleus scutellarioides, Benth. Amboyna, Tropical Asia.
2208 C. „ Blumei, Benth. Java.
2209 C. „ Verschaffeltii.
2210 C. „ aromaticus, Benth. Cultivated in India.
2211 C. Anisochilus carnosus, Wall. Central and Northern India, Himalaya, Burmah.
2212 C. Lavendula sphærica.
2213 C. Pogostemon plectranthoides, Desf. India.
2214 C. Colebrookia oppositifolia, Smith. Tropical Himalaya, Parasnath.
2215 C. „ ternifolia, Roxb. Carnatic.
2216 C. Mentha sativa, L. Europe, Asia.
2217 C. „ Piperita, L. Northern Europe. Cultivated in Asia, Europe, and America.
2218 C. Dysophylla auricularia, Hap. India and Archipelago.
2219 C. Origanum Mayorana, L. Orient.
2220 C. Hyssopus officinalis, L. Western Himalaya, Cashmere, Central and Western Asia, Europe.
2221 L. Meriandra Bengalensis, Benth. Abyssinia. Cultivated in India.
2222 C. Salvia splendens, Sellao. Rio Janeiro.
2223 S. „ coccinea, L. Tropical America.
2224 C. „ angustifolia, Cav. Mexico.
2225 S. „ filamentosa.
2226 C. Nepeta ciliaris, Benth. Himalaya.
2227 C. „ Algeriensis.
2228 C. Scutellaria
2229 C. „ discolor. Nepal, Khasia Hills, Assam, Java.
2230 C. „ cana, Wall. Hab. ignot.
2231 S. Anisochilus disticha, Heyne. Hindostan.
2232 S. Leonurus Sibiricus, L. Tropical Asia, Africa, and America.
2233 S. Leucas biflora, R. Br. India, Ceylon.
2234 S. „ nepetifolia, Benth. India.
2235 S. Eremostachys superba, Doyle. Dehra Dhoon in Western Himalaya.
2236 C. Gomphostema melissæfolium, Wall. Sylhet, Assam.
2237 S. „ phlomoides, Benth. Java.
2238 C. Prasium majus, L. Orient.
2239 C. Teucrium flavum, L. Orient.
2240 C. Labiata "Pucha-pat."

Plantagineæ.

2241 S. Plantago major, L. Europe and temperate regions of Asia to China.

Phytolacaceæ.

2242 S. Phytolaca. sp.
2243 S. „ (Pircurnia,) dioica, L. South America.

Chenopodiaceæ.

2244 S. Beta Bengalensis, Roxb. India.
2245 S. Basella lucida, L. India.
2246 S. „ rubra, L. Tropical Asia.
2247 S. „ alba, L. Tropical Asia.

Amaranthaceæ.

2248 S. Deeringia Indica, Zoll. Java. Moluccas, Philippines.
2249 S. Celosia cristata, Moq. India, Java.
2250 S. „ var. margaritacea. Mauritius, Bourbon, Japan.
2251 S. „ cernua, Andr. India.
2252 S. Amaranthus oleracea, Roxb. Cultivated in tropical gardens.
2253 S. „ var. tricolor. Cultivated in tropical gardens.
2254 S. „ lividus, L. Virginia.
2255 S. „ gangeticus, L. India.
2256 S. „ lanceifolius, Roxb. India.
2257 S. „ atropurpureus, Roxb. India.
2258 S. „ fasciatus, Roxb. India.
2259 S. „ Spinosus, L. India.
2260 S. „ Sarritia.
2261 C. Ærva sanguinolenta, Blume. Java, Amboyna, Timor.
2262 S. „ lanata, Juss. India, Java.
2263 S. Achyranthes aspera, L. India.
2264 S. „ argentea, Lamk. Egypt, Sicilia.
2265 S. Iresine, Herbstii.
2266 S. Gomphrena globosa, L. India.

Nyctagineæ.

2267 S. Mirabilis Jalapa, L. South America. Cultivated in gardens.
2268 L. Bougainvillea spectabilis. Willd. Brazil.
3269 C. „ glabra, Chois.
2270 C. „ Brasiliensis, Nems. Peru.
2271 C. Pisonia alba, Spanh. Timor.
2272 C. „ aculata, L. Tropical Asia and America.
2273 L. „ grandis, R. Br. New Holland.
2274 L. „ inermis, Jacq.. West Indies.
2275 S. Boerhaavia procumbens, Roxb. India.

Polygoneæ.

2276 C. Ceratogonum atriplicifolium, Meisn. Shores of South Eastern Africa.
2277 S. Rumex vesicarius, L. Tropical Asia, Egypt, shores of the Mediterranean, Canaries.
2278 S. „ acutus, Roxb. India.
2279 S. Polygonum tomentosum, Willd. India, Ceylon.
2280 S. „ adenotrichum. Griff. Himalaya.
2281 S. „ plebejium, R. Brown. India.
2282 S. „ lanatum, Roxb. India.
2283 L. „ longifolium.
2284 S. Hernandia sonora, L. Moluccas, Amboyna, Java, Ceylon, Fiji Islands.
2285 L. „ ovigera, L. Amboyna.
2286 L. Coccoloba uvifera, Jacq. Antilles, Florida, Brazil, Surinam.
2287 S. „ coronata, Jacq. Carthagena in Columbia.
2288 L. „ excoriata, L. West Indian Islands.
2289 C. „ platyclada, Hook. Solomon's Islands.
2290 L. „ acuminata, Kunth. Columbia, Isthmus of Darien.
2291 „ fuscescens, L. West Indies.
2292 L. „ Barbadensis, L. South America, West Indies.
2293 L. Triplaris Americana, L. Central America.
2294 L. Rupprechtia, sp.
2295 S. Antigonon leptopus. Hook and Arn. Mexico

Laurineæ.

2296 S. Cinnamomum Malabathrum, Batk. Penang, Java, Sumatra.
2297 S. „ nitidum, N. ab. E. Sumatra.
2298 S. „ zeylanicum, Breyn. Ceylon.
2299 S. Camphora officinarum, Benth. Japan, China.
2300 L. „ glandulifera. Khasia, Burmah.
2301 S. Phoebe lanceolata, N. ab. E. Tropical America.
2302 S. Persea gratissima, Gaertn. Tropical America.
2303 S. Beilschmiedia Roxburghiana, N. ab. E. Tipperah.
2304 S. Cryptocarya floribunda, N. ab. E. Sylhet.
2305 S. Tetranthera Roxburghii, N. ab. E. Circars, Behar.
2306 S. „ quadriflora, Roxb. Garrow Hills.
2307 S. „ apetala, Roxb. India.
2308 S. „ sp. Sikkim.
2309 L. Litsaea foliosa, N. E. Himalaya, Assam.
2310 Cassytha fillirormis, L. India.

Myristiceæ.

2311 S. Myristica fragrans, Houtt. Malayan Archipelago.
2312 S. „ nitida.
2313 „ glauca, Bl. Java.
2314 S. „ moschata, Thbg. Indian Archipelago.

Protiaceæ.

2315 S. Grevillea robusta, et. Cunningh. Moreton Bay.
2316 Hakea nodosa, R. Br. Australia.
2317 Helicia Amboinensis, Bl. Moluccas.
2318 Stenocarpus Sinensis.
2319 Macadamia ternifolia, F. Muell. Australia.

Thymelieæ.

2320 S. Wickstrœmia viridiflora, Meisn. Singapore, Cochin China, China.
2321 L. Linostoma decandrum, Roxb. Sylhet.
2322 S. Drymispermum Blumei, Dene.
2323 S. „ Phaleria, Hook. Java.
2324 S. „ ambiguum.
2325 C. Gonystylis Miquelianus, T. et B. Java.

Elæagneaæ.

2326 S. Elæagnus conferta, Roxb. India.
2327 S. arborea. Roxb. Nepaul, Garrow Hills.

Santalaceæ.

2328 S. Santalum album, L. Malabar, Canara, Coorg, Islands of Malayan Archipelago.

Aristolochieæ.

2329 S. Aristolochia Indica, L. India.
2330 C. „ Brasiliensis, Mart. Brazil.
2331 C. „ labiosa, Ker. Brazil.
2332 C. „ caudata, L. West Indies.
2333 C. „ Jangonas.

2334 C. Aristolochia repens, Mill. Vera Cruz.
2335 C. „ speciosa.
2336 C. „ reticulata.
2337 C. „ Fontanesii, Boiss. et Reut. Algiers.

Euphorbiaceæ.

2338 C. Pedilanthus tithymaloides, Poir. West Indian Islands.
2339 C. Euphorbia pulcherrima, Willd. Mexico, Guatimala
2340 C. „ pyrifolia, Lam. Mauritius.
2341 C. „ splendens, Bojer. Madagascar.
2342 C. „ Bojeri, Hook. Madagascar.
2343 C. „ neriifolia, L. India.
2344 C. „ antiquorum, L. India.
2345 C. „ trigona. Haw. Southern India.
2346 C. „ arborescens, Roxb. Bengal.
2347 C. „ Cattimandoo, Elliott. Vizagapatam.
2348 C. „ Tirucalli, L. Zanzibar. Cultivated in India.
2349 C. „ ligularia, Roxb. India.
2350 C. „ hirta, L. India.
2351 C. „ Chamaesyce L. India.
2352 C. „ Jacquiniflora, Hook. Mexico.
2353 C. „ integerrima.
2354 C. „ sp.
2355 C. Synadenium Grantii.
2356 S. Amanoa collina, Baill. Sylhet, Southern India, Ceylon.
2357 L. „ attenuata, T. Anders. Assam.
2358 L. „ oblongifolia, Buill. Sylhet.
2359 S. Antidesma Bunius, Spreng. India, Ceylon, Java, Moluccas, Philippines Islands.
2360 S. „ diandra, Spreng. India, Java.
2361 L. „ Roxburghii, Wall. Assam.
2362 S. „ paniculata, Roxb. India.
2363 C. Phylanthus angustifolius, S. W. Jamaica, Cuba.
2364 C. „ elongatus, Jacq. Jamaica.
2365 C. „ montanus, Pers. West Indies.
2366 S. „ cordatus.
2367 S. „ strictus, Roxb. India.
2368 C. Epistylium Simsianus.
2369 S. Glochidion nitidum, Wright. Northern Circars.
2370 L. Kirganellia phyllanthoides, Juss. Mauritius.
2371 L. „ multicaule.
2372 L. Kirganellia sp.
2373 S. Putranjiva Roxburghii, Wall. Bengal, Tropical Western Himalaya, South India, Ceylon.
2374 S. Aporosa integrifolia, T. Anders. Sylhet.
2375 S. Bischofia Javanica, Blume. Bengal, Tropical Eastern and Central Himalaya, Burmah, Java.
2376 S. Hemicyclia sepiaria. W. et A. Southern India, Ceylon.
2377 L. „ sp. Queensland.
2378 L. Briedelia amœna, Wall. Burmah.
2379 S. „ spinosa, Willd. Bengal, Assam, Orissa.
2380 L. „ glauca, Wall. India.
2381 S. „ scandens, Willd. Northern Circars.
2382 L. „ Beryana. India.
2383 S. Croton oblongifolium, Roxb. India, Ceylon.
2384 L. „ urophyllum, Wall. Assam.
2385 S. „ drupaceum, Roxb. Eastern Bengal,
2386 S. „ Joufra, Roxb. Sylhet.
2387 S. „ Tiglium, L. Moluccas, Amboyna.

2388 L. Croton bineurosum. India.
2389 S. Aleurites triloba, Forst. Moluccas, Timor. Cultivated in the Tropics.
2390 S. Symphyllia Siletiana, Baill. Sylhet.
2391 C. Acalypha colorata, Spreng. Mauritius.
2392 C. „ densiflora, Blume. Moluccas.
2393 C. „ bicolor.
2394 C. „ marginata, Spreng. Madagascar.
2395 C. „ tricolor.
2396 S. „ Indica, L. India.
2397 S. Tragia involucrata, Willd. India, Ceylon.
2398 Trewia nudiflora, Willd. Bengal, Assam, Tropical Himalaya, South India, Ceylon.
2399 S. Ricinus communis, L. Cultivated in the warm regions of the Old and New World.
2400 C. Manihot Janipha, Pohl. Tropical South America.
2401 C. Jatropha pandurifolia, Andr. America.
2402 S. „ multifida, L. West Indian Islands.
2403 „ angulata. Ceylon.
2404 C. „ integerriema, Jacq. Cuba.
2405 S. „ gossypifolia, L. West Indies, Tropical America. Naturalized in India.
2406 S. „ sp. Aden.
2407 S. Givotia nivea, Griff. Hindostan.
2408 Ostodes paniculate, Blume. Tropical Eastern Himalaya. Assam, Khasia Hills, Java.
2409 C. Codiæum Moluccanum crispum, Blume.
2410 C. „ variegatum.
2411 C. „ latifolium.
2412 C. „ longifolium.
2413 C. „ medium.
} Amboyna. Timor, Philippine Islands.
2414 S. Baliospermum polyandrum, Wight. Bengal, Assam, Tropical Himalaya.
2415 S. Gelonium fasciculatum, Roxb. Bengal.
2416 L. Omalanthus sp. (Carumbium.)
2417 L. Sapium baccatum, Roxb. Assam.
2418 L. „ macrophyllum.
2419 S. Stillingia sebifera, Juss. China.
2420 S. „ illicifolia, Willd ? Tropical America.
2421 C. Excœcaria bicolor, Zoll. Java.
2422 C. „ Agalocha, L. Sea Coasts of India, Ceylon, and Malayan Islands.
2423 S. Hura crepitans, L. Tropical America.
2424 S. Dalechampia Madagascariensis, Bojer. Madagascar.
2425 S. „ Roezliana, rosea.
2426 S. „ carnea.
2427 L. Oldfieldia Africana, Hook. et B. Central Africa.
2428 C. Buxus, sp.
2429 S. „ occulatus. Australia.
2430 C. Pachysandra Nepalense. Nepal.
2431 L. Sarcococca prunifolius, Lindl. Tropical Himalaya, Neilgherries Ceylon.
2432 C. Malotus (Rottlera) Philipinensis, Mull. India.
2433 C. Trigonostemon Lampongum. Sumatra.

Cupuliferæ.

2434 L. Quercus Suber, L. Southern Europe.
2435 S. „ spicata glaberrima. India.

2436 S. Castanea Indica, Roxb. Tropical Himalaya, Khasia Hills, Chittagong, Java.
2437 S. „ argentea, Blume. Java.

Ulmaceæ.

2438 C. Ulmus virgata, Roxb. China.
2439 C. „ dioica.

Juglandaceæ.

2440 S. Juglans rosea.

Salicineæ.

2441 C. Salix Babylonica, L. Southern Europe, Asia Minor.
2442 C. „ tetrasperma, Roxb. Lower Gangetic Plains, Oude, Peninsula of India.

Urticeæ.

2443 C. Conocephalus nauclifolia, Trec. India.
2444 C. Laportea crenulata, Gaud. India, Ceylon, Java, Philippine Islands.
2445 C. Bœhmeria nivea, Gaud. India, Ceylon, Malayan Peninsula.
2446 C. „ scabrella, Gaud. India, Java, Sumatra.
2447 Urtica tuberosa, Roxb. India.

Artocarpeæ.

2448 C. Morus Indica, L. Himalaya, Java, Celebes.
2449 L. „ tatarica, Pall. Europe, Central Asia, North-West Himalaya.
2450 C. „ multicaulis Perott. Philippine Islands, China.
2451 S. „ bifaria, Wall. India.
2452 C. „ alba, L. Himalaya, Persia, Asia Minor.
2453 L. „ scandens, Wall. India.
2454 Batis fruticosus, Roxb. India.
2455 L. Broussonetia papyrifera, Vent. China, Japan.
2456 S. Maclura Calcar Galli. Lodd. North America ?
2457 S. Streblus aspera, Lour. India.
2458 S. Artocarpus incisa, L. fil. Islands of the Pacific Ocean.
2459 S. „ Lakoosha, Roxb. India, Ceylon, Java.
2460 G. „ Chaplasha, Roxb. Assam, Chittagong, Tipperah.
2461 S. „ integrifolia L. Moluccas, Sunda Islands, Islands of the Pacific Ocean.
2462 „ Blumei, Trec. Java.
2463 L. Antiaris toxicaria, Lesch. Sumatra, Borneo, Celebes, Philippine Islands.
2464 S. Ficus Indica, L. India, Ceylon.
2465 L. „ elastica, Roxb. Tropical Sikkim, Assam, Sylhet, Cachar.
2466 S. „ glomerata, Willd. Bengal.
2467 C. „ comosa, Roxb. Northern Circars, Parasnath.
2468 C. „ pilosa, Reinw. Java.
2469 S. „ infectoria, L. India.
2470 S. „ religiosa, L. India, Ceylon, Java.
2471 S. „ excelsa, Vahl. India.
2472 L. „ urophylla, Wall. Penang, Java, Borneo.
2473 S. „ rosea,
2474 C. „ sp. Natal.

2475 S. Ficus cordifolia, Roxb. Bengal, Assam.
2476 L. „ albinervis.
2477 L. „ Roxburghii, Wall. India.
2478 L. „ conglomerata, Roxb. Tropical Eastern Himalaya.
2479 L. „ retusa, Miq. India, Ceylon, Malayan Peninsula, and Islands.
2480 C. „ stipulata, Thunb. China, Japan.
2481 C. „ repens, Willd. Bengal, Assam.
2482 S. „ lucida, Thunb. Tropical Australia ?
2483 S. „ nitida, Thunb. India.
2484 C. „ sp. Australia.
2485 C. „ macrophylla, Roxb. India.
2486 L. „ mangifolia, Wall. Penang.
2487 C. „ Carica, L. Southern Europe, Syria.
2488 „ Australis, Willd. Australia,
2489 S. „ oppositifolia, Willd. India, Ceylon.
2490 C. „ sp. Sikkim.
2491 C. „ sp. Sikkim.
2492 C. „ sp. Andaman Islands.
2493 C. „ aspera, Forst. Hebrides.
2494 C. „ vesca,
2495 S. Dorstenia argentea.
2496 S. „ contrayerva, L. West Indies.

Piperaceæ.

2497 C. Peperomia arifolia, Miq. Brazil.
2498 C. „ magnoliæfolia, Dictr. South America.
2499 C. Piper Longum, L. India.
2500 C. „ nigrum, L. India. Ceylon, Malayan Archipelago, and Islands.
2501 C. „ Roxburghii. India.
2502 C. „ Betel, L. India.
2503 C. Houttoynia cordata, Thunb. Tropical Himalaya, Assam, Khasia Hills, China, Japan.
2504 C. Arthanthe subauriculata, Miq. Brazil.
2505 C. „ ampla.
2506 C. „ unguiculata, Vahl. Mexico.

Chlorantheæ.

2507 C. Chloranthus inconspicuus, Swartz. India.

Cycadeæ.

2508 Cycas media, R. Br. Australia.
2509 S. „ sphærica, Roxb. Amboyna.
2510 „ revoluta, Thunb. China, Japan.
2511 S. „ Rumphii, Miq. Moluccas, Ternate.
2512 S. „ pectinata, Griff. Tropical Eastern Himalaya.
2513 „ sp. Queensland.
2514 „ sp. Melbourne.
2515 Dion edule, Lindl. Mexico.
2516 Zamia cylindrica.
2517 Encephalartos villosus, Lem.
2518 „ Miquelii, F. Muell. Australia.
2519 Macrozamia spectabilis.
2520 „ Preissii, Lehm. Australia.
2521 „ Denisonii, Moore et Muell. Moreton Bay.
2522 „ corallioides.

2523 Ceratozamia Mexicana, Brongn. Mexico.

Casuarineæ.

2524 S. Casuarina equisetifolia, Forst. Chittagong, Malayan Peninsula, and Islands of the Archipelaga, Islands of the Pacific.
2525 S. „ Sumatrana, Jungh. Sumatra, Celebes.
2526 S. „ quadrivalvis, Lob. Australia, Tasmania.
2527 „ tomentosa.
2528 „ stricta, Ait. Australia.

Coniferæ.

2529 L. Juniperus Virginiana, L. Southern United States, Florida.
L. „ Chinensis, L. China, Japan.
L. „ cernua, Roxb. China.
2530 L. Frenela crassivalvis, Miq. Tropical Australia.
2531 L. Callitris cupressioides, Schrad. South Africa.
2532 L. Thuja orientalis, L. China.
2533 S. „ sp. China.
2534 S. Cupressus fastigiata, D. C. Southern Europe, Asia Minor.
2535 L. „ torulosa, D. Don. Nepal, Kumaon.
2536 L. „ funebris, Endl. China. Cultivated in Sikkim.
2537 L. „ globulifera, Parlat. Cultivated in B. A. Gardens, Florence.
2538 L. „ sphærocarpa, Parlat. Cultivated in B. A. Gardens, Florence.
2539 L. „ sempervirens, L. Southern Europe, Asia, Himalaya.
2540 L. Glyptostrobus heterophyllus, Endl. China.
2541 L. Cryptomeria Japonica, Don. China, Japan.
2542 S. Pinus longifolia, Roxb. Tropical Himalaya.
2543 L. „ Halapensis, Ait. South of Europe, Asia Minor, Northern Africa.
2544 C. Araucaria excelsa, Ait. Norfolk Island.
2545 C. „ Cunninghamii, Ait. Moreton Bay.
2546 C. „ var. glauca. Moreton Bay.
2547 C. „ Bidwillii, Hook. Brisbane Mountains, Moreton Bay.
2548 C. „ Cookii, R. Br. Australia.
2549 S. Dammara alba, Rumph. Islands of Malayan Archipelago.
2550 „ Australis, Lamb. New Zealand.
2551 „ ovata, C. Moore. New Caledonia.
2552 „ Brownii.
2553 „ robusta, C. Moore.
2554 L. Podocurpus Nageia, R. B. China, Japan.
2555 L. „ neriifolia, Wall. Tropical Himalaya, Burmah, Singapore, Java, China.
2556 L. „ Macki, S. and Z China, Japan.
2557 L. „ elongata, Herit. Cape of Good Hope.
2558 L. „ sp Java.
2559 L. „ bracteata, Bl. Indian Archipelago.
2560 L. „ Rumphii, Bl. Moluccas.
2561 C. „ Japonica, Sieb. Japan.
2562 Gingko biloba, Kaemp. China.

Palmæ.

2563 Chamædora Brandrethiana.
2564 „ lunata, Liem. Mexico.
2565 „ desmoncoides.

2566 S. Chamœdora Martiana, Wendl. Central America.
2567 „ Warscewiczii.
2568 „ Ehrenbergiana.
2569 Hyophorbe Indica, Gaertn. Mascarhen Islands.
2570 S. Euterpe, sp. Mauritius.
2571 S. Oreodoxia regia, Kunth. Cuba.
2572 S. „ oleracea, Mart. West Indian Islands.
2573 S. „ acuminata.
2574 S. Kentia Madagascariensis, Mart. Madagascar.
2575 S. Areca Catechu, L. Malayan Peninsula and Islands. Cultivated in India and Ceylon.
2576 S. „ triandra, Roxb. Chittagong, Assam, Bengal.
2577 „ Nibung, Mart. Indian Archipelago.
2578 „ Cocoides.
2579 „ concinna.
2580 „ Banerii.
2581 „ disticha.
2582 „ gaudiformis, Lamk. Moluccas.
2583 „ sp. Nicobar Islands.
2584 Ptychosperma sp.
2585 „ rupicola, Thw. Ceylon.
2586 „ gracilis, Lab. India.
2587 „ Kuhlii, Miq. Java.
2588 „ vesca.
2589 S. Wallichia caryotoides, Roxb. Tropical Sikkim, Assam, Chittagong, Arracan.
2590 S. „ densiflora, Wall. Khasia.
2591 S. nana, Griff. Assam.
2592 disticha, T. And. Sikkim.
2593 S. oblongifolia, Wall. Himalaya, Khasia Hills. Burmah.
2594 S. Arenga saccharifera, Labill. Shores of Malayan Peninsula and Islands, Siam, Moluccas.
2595 „ obtusifolia, Mart. Java.
2596 S. Caryota urens, L. Tropical Sikkim, Southern India.
2597 S. „ sobolifera, Wall. Moluccas.
2598 S. „ mitis Lour, Cochin China.
2599 „ sp. Malacca.
2600 „ sp. Andaman Islands.
2601 „ furfuracea, Bl. Java.
2602 Calyptrocalyx spicatus, Bl. Java.
2603 „ Kuhlii.
2604 S. Borassus flabelliformis, L.
2605 Lodoicia sp.
2606 Latania Borbonica, L. Bourbon.
2607 „ glaucophylla. Bourbon.
2608 „ rubra, Jacq. exhort, in Europe.
2609 „ aurea, Hoof. Mauritius.
2610 Hyphæne coriacea, Gaertn. Tropical Eastern Africa.
2611 „ Natalensis.
2612 Geonoma speciosa.
2613 S. Corypha Taliera, Roxb Bengal.
2614 S. „ umbraculifera, L. Malabar, Ceylon.
2615 S. „ elata, Roxb. Bengal.
2616 „ Australia, R. Br.
2617 „ Gebanga, Bl. Java.
2618 S. Licuala spinosa, Warmb. Malayan Peninsula, Java.
2619 S. „ peltata, Roxb. Tropical Sikkim, Assam.
2620 Brahea dulcis, Mart. Mexico.

2621 S. Livistona Chinensis.
2622 „ Jenkinsii, Griff. Assam.
2623 „ altissima, Zoll. Java.
2624 „ Hoogendorfii, Hort. Bog. Java.
2625 „ rotundifolia, Mart. Java.
2626 „ subglobosa, Mart. Java.
2627 „ Australis, R. Br. Port Jackson, in Tropical Australia.
2628 S. „ Mauritiana, Wall. Mauritius.
2629 S. Sabal minor.
2630 S. „ Adansoni, Guerns. South United States.
2631 „ umbraculifera, Mart. West Indian Islands.
2632 „ Palmetto, Lodd. Carolina, Florida.
2633 „ grandis? America.
2634 „ columnaris.
2635 Chamærops Fortunii, Hook. China.
2636 „ humilis, L. South Europe, North Africa.
2637 „ macrophylla.
2638 Pritchardia Pacifica, Seem. Pacific Islands.
2639 Rhapis flabellifornis, Ait. China.
2640 „ Javanica, Blume. Java.
2641 S. Thrinax glauca. West Indian Islands.
2642 S. Phœnix dactylifera, L. North Africa, Syria, Arabia, Persia, Affghanistan.
2643 S. „ sylvestris, Roxb. Bengal.
2644 S. „ Leonensis, Lodd. Sierra Leon.
2645 S. „ farinifera, Roxb. Sea shores of Southern India.
2646 S. „ acaulis, Roxb. Bengal, Behar.
2647 S. „ paludosa, Roxb. Sunderbuns, Martaban.
2648 S. „ spinosa, Thun. Senegambia.
2649 „ sp. Java.
2650 „ Chamærops
2651 „ rubricaule.
2652 „ Sahariense nigropida.
2653 S. Desmoncus major.
2654 Bactris major, Kunth. Carthagena, Guiana.
2655 „ Maraja, Mart. Brazil, Banks of the Amazon.
2656 „ flavispina. Brazil.
2657 „ simplicifrons, Mart. Brazil.
2658 Astrocaryum sp. Trinidad.
2659 S. Elæis Guianeensis, Jacq. Shores of Western Africa.
2660 S. Cocos nucifera, L. Sea shores of South India, Malayan Islands and Islands of Pacific. Cultivated within the Tropics.
2661 „ comosa, Mart. Brazil.
2662 „ Cumanensis, Comana.
2663 „ butyracea, Mart. New Granada, Tropical Andes.
2664 „ flexuosa, Mart. Babia, Minas Geraes.
2665 „ schizophylla, Mart. Bahia.
2666 „ coronata, Mart. Bahia, Pernambuco.
2667 „ Romazoffiana, Cham. Brazil.
2668 Maximilliana regia, Mart. Peru, banks of Upper Amazon.
2669 „ caribæa.
2670 Jubæa spectabilis, H. et. K. Chili.
2671 „ Lepido.
2672 „ sp.
2673 Plectocomia Assamica, Griff. Upper Assam.
2674 „ elongata, Bl. Java.
2675 Zalacca edulis, Reinw. Bali, Java, Moluccas.

2676 Daemonorops periacantha, Miq. Sumatra.
2677 Calamus fasciculatus, Roxb. Bengal, Orissa.
2678 S. „ Roxburghii, Royle. N. W. Himalaya.
2679 „ arborescens, Griff. Pegu.
2680 „ pachystemoneus, Thw. Ceylon.
2681 „ longisetus, Griff. Pegu.
2682 „ accedens, Bl. Sumatra.
2683 „ melanochaetes } Java, Penang.
2684 „ microcarpus, Bl. }
2685 „ trichrous, Miq. Sumatra.
2686 „ argyrites.
2687 „ microcarpus.
2688 „ Lewisianus, Griff. Sumatra, Malacca.
2689 „ Jenkinsianus, Griff. Assam.
2690 „ flagellum, Gniff. Assam.
2691 „ schizospathus, Griff. Sikkim, Khasia Hills.
2692 „ erectus, Roxb. Chittagong.
2693 „ leptospadix, Griff. Khasia Hills.
2694 „ Maritanus.
2695 „ laxus.
2696 „ inermis, T. Anders. Sikkim.
2697 „ fissus, Bl. Borneo.
2698 „ Royleanus, Griff. N. W. Himalaya.
2699 „ latifolius, Roxb. Chittagong.
2700 „ adspersus, Bl. minor. Java.
2701 „ elatior.
2702 „ robustior.
2703 „ depressiusculus, T. et B. Sumatra.
2704 „ Oxleyanus, T. et B. Malacca, Palembang.
2705 „
2706 „ intermedius, Griff. Malacca.
2707 „ collinus, Griff. Malacca.
2708 „ petiolaris, Griff. Sumatra.
2709 „ sp. Ceylon.
2710 „ sp. Assam.
2711 „ sp. Chittagong.
2712 „ sp. Sikkim.
2713 „ sp. Sylhet.
2714 „ sp. Malacca.
2715 „ sp. Java.
2716 „ sp. Sikkim.
2717 Metroxylon filare, Mart. Moluccas.
2718 Raphia ruffia, Mart. Muscarhene Islands, Madagascar.
2719 Stevensonia Seychellarum. Seychelles.
2720 „ grandiflora.
2721 Oncosperma filamentosa, Bl. Indian Archipelago.
2722 Korthalsia debilis, Bl. Sumatra.
2723 „ Junghuhnii, Miq. Indian Archipelago.
2724 „ Wallichiaeformis.
2725 Drymophlœus Rumphii, Bl. Iadian Archipelago.

Pandaneæ.

2726 S. Pandanus odoratissimus, Lf. Shores of India and Arabia.
2727 „ fascicularis, Lam. Shores and Southern India.
2728 S. „ lucidus, Wall. Mauritius.
2729 S. „ furcatus, Roxb. Tropical Sikkim, Chittagong.

2730 S. Pandanus fœtidus, Roxb. Lower Bengal.
2731 C. „ Samak, Hassk. Java.
2732 C. „ variegatus, Miq. Malayan Archipelago.
2733 S. „ Leram, Jones. Nicobar Islands.
2734 S. „ candelabrum, Beauv. Tropical Africa.
2735 C. „ amaryllidifolia, Rumph. Malayan Archipelago.
2736 C. „ Javanicus. Java.
2737 C. „ Ceramensis, Rumph. Moluccas.
2738 C. „ Foresteria.
2739 C. „ sp. Kew.
2740 C. „ sp. Sikkim.
2741 C. Freycinetia radicans, Gaud. Malayan Archipelago.
2742 S. Nipa fruticans, Thunb. Estuaries in Bengal, Burmah, Malayan Peninsula, Java.
2743 Carludovica heliconiaefolia.

Typhaceæ.

2744 R. Typha angustifolia, L. Warmer parts of Europe and Asia.
2745 R. „ elephantina, Roxb. India.

Aroideæ.

2746 C. Monstera deliciosa, Liebm. Mexico.
2747 C. Cryptocoryne angustifolia.
2748 C. „ spiralis, Fisch. Java, India.
2749 C. „ retrospiralis, Wight. Hindostan.
2750 Typhonium trilobatum, Schott. India, Ceylon, Moluccos, Tropical Australia.
2751 C. Amorphophallus campanulatus, Blume. Tropical Asia, Africa New Granada.
2752 R. Colocasia odora, Brongn. Pegu.
2753 R. „ ? fornicatum, Kunth. Bengal, Chittagong.
2754 R. Alocasia Jenningsii.
2755 R. „ macrorrhiza, Schott. India cult.
2756 R. „ albo violacea.
2757 R. „ fornicata, Schott. Burmah, Andamans.
2758 R. „ Veitchii, Schott. Borneo, Java.
2759 R. „ argyroneura.
2760 R. „ marmorata.
2761 R. „ antiquorum, Schott. India.
2762 R. „ Indica, Schott. India and Archipelago.
2763 R. Caladium argyrites, Lem. Brazil.
2764 R. „ pictum, D. C. Hab. ignot.
2765 R. „ Betheren.
2766 R. „ Reine, Victoria.
2767 R. „ President.
2768 R. „ Auber.
2769 R. „ DeCandolle.
2770 R. „ Triomphe de la Exposition.
2771 R. „ bicolor, Vent. Brazil.
2772 R. „ Chantini, Lem. Brazil.
2773 R. „ Verschaffeltii, Lem. Hab. ignot.
2774 R. „ Neumannii, Lem. Hab. ignot.
2775 R. „ Houlletii, Chant et. Lem. Brazil.
2776 R. „ Belleymei.
2777 R. „ hastatum, Lem. Hab. ignot.
2778 R. „ tricolor.
2779 R. „ zebrina.

2780 R. Caladium marmoratum, Mathin. Quayaquil.
2781 R. „ mirabile.
2782 R. „ Schilleri.
2783 R. „ picturatum. Linden. Maynas.
2784 R. „ argyroneura.
2785 R. „ argyrospilum, Lem. Hab. ignot.
2786 R. „ Pœcile, Schott. Brazil.
2787 R. „ Sikkimensis. Sikkim.
2788 R. „ bicolor, Vent, majus. Brazil.
2789 R. „ rubricaule.
2790 R. „ Brogniartii, Lem. Hab. ignot.
2791 R. „ Wightii.
2792 R. „ hœmatostigma. Hort. Hab. ignot.
2793 R. „ amabile.
2794 R. „ discolor. Hort.
2795 R. „ regale.
2796 C. Syngodium Wendlandi, Schott. Costa Rica.
2797 C. Philodendron erubescens, Linden. Hab. ignot.
2798 C. „ radiatum, Schott. Mexico.
2799 C. „ crassinervium, L. D. C. Brazil.
2800 C. „ Rœzlii.
2801 C. Aglaonema marantaefolia, Bl. Moluccos.
2802 C. „ commutatum, Schott. India and Archipelago.
2803 C. „ simplex, Bl. Burmah, Malayan Archipelago.
2804 C. Dieffenbachia lineata, C. Koch. New Granada.
2805 C. „ Baumannii.
2806 C. „ Weirii.
2807 C. Scindapsus bipinnatifidus, Schott, Hab. ignot.
2808 C. „ pinnatus, Schott. India.
2809 R. Lasia Loureirii, Schott. Circars, Cochin China.
2810 R. Anthurium cordifolium. Kunth. South America.
2811 R. „ sp. West Africa.
2812 R. Acorus angustifolius.
2813 R. „ leuconenrum.
2814 C. Chamæcladon lanceolatum, Miq. Indian Archipelago.

Lemnaceæ.

2815 Wolffia arrhiza, Wim. Lower Bengal, Java.
2816 Lemna pancicostata, Hegelm. India.
2817 „ oligorrhiza, Kurz. Bengal.
2818 Spirodela polyrrhiza, Schleid. Europe, Asia.
2819 Pistia stratiotes, L. India, Ceylon, Burmah, Malayan Peninsula, and Islands.

Hydrocharideæ.

2820 S. Hydrilla verticillata, L. Bengal, Northern India, Coromandel.
2821 Vallisneria spiralis, L. Tropical Asia, Southern Europe.
2822 S. Nechamandra alternifolia, Planch. India.
2823 S. Blyxa octandra, Roxb. India.
2824 S. Ottelia alismoides, Pers. India, Ceylon, Malayan Peninsula
2825 and Islands, North Africa.
2826 S. Hydrocharis sp.

Naiadeæ.

2827 R. Aponogeton undulatum, Roxb. India.
2828 R. „ monostachyum, Roxb. India.

Scitamineæ.

2829 S. Globba Careyana, Roxb. Pegu.
2830 S. „ aurantiaca, Miq. Sumatra.
2831 S. „ sp.
2832 R. Zingiber officinalis, Roxb. India, Ceylon, Malayan Islands, Islands of the Pacific.
2833 R. „ Cassumunar, Roxb. Bengal, Southern India, Ceylon, Java.
2834 R. „ squarrosum, Roxb. Burmah.
2835 R. „ odoriferum, Bl. Java.
2836 R. Curcuma Longa, L. India, Java.
2837 R. „ Amada, Roxb. Bengal, Concan.
2838 R. „ elata, Roxb. Burmah.
2839 R. „ plicata, Wall. Burmah.
2840 R. „ comosa, Roxb. Burmah.
2841 R. „ leucorhiza, Roxb. Behar.
2842 R. „ ferruginea, Roxb. Bengal.
2843 R. „ angustifolia, Roxb. Central India.
2844 R. „ zerumbet, Roxb. India and Archipelago.
2845 R. „ glaucophylla, Wall. Burmah.
2846 R. „ cæsia, Roxb. Bengal.
2847 R. „ sp. Burmah.
2848 R. „ sp. Hab. ignot.
2849 R. Kaempferia Galanga, L. Bengal, Java.
2850 R. „ angustifolia Roxb. Bengal.
2851 R. „ ovalifolia, Roxb. Burmah, Malayan Peninsula.
2852 R. Monolophus elegans, Wall. Pegu.
2853 S. Amomum Cardamum, L. India.
2854 S. „ pubescens.
2855 S. „ maximum, Roxb. rubescens. India, Java.
2856 S. „ heteranthum, Bl. Java.
2357 S. „ Cardamomum, L. albescens.
2858 S. „ aculeatum, Roxb. Java, India.
2859 S. „ gracile, Bl. Java.
2860 S. „ angustifolium, Lenn. Madagascar.
2861 R. Elettaria speciosa, Blume, Java.
2862 R. „ Cardamomum, White. Ceylon.
2863 R. „ incarnata, T. et. B. Moluccas.
2864 R. Donacodes elongata, T. et B. var. albescens, Java.
2865 R. Hedychium coronarium, Kœn. Bengal, Southern India, Ceylon.
2866 R. „ flavum, Roxb. Khasia.
2867 R. „ angustifolium, Roxb. Chittageng, Sylhet.
2868 R. „ lingulatum, Hapk. Sumatra.
2869 S. Alpinia nutans, Rosc. India, Ceylon, Malayan Archipelago, Philippines, China.
2870 S. „ Allughas, Roxb. Southern India, Ceylon, Malayan Archipelago.
2871 S. „ Galanga, L. Southern India, Ceylon.
2872 R. „ calcarata, Rosc. China.
2873 R. „ Japonica, T. et B. Japan.
2874 R. „ alba, T. et B. Maluccas.
2875 R. Hellenia melanocarpa var. T. et B. Sumatra.

2876 S. Costus argyrophyllus, Wall. Burmah.
2877 S. „ speciosus, Smith. India, Ceylon, Malayan Islands.
2878 S. „ angustatus.
2879 R. „ Verschaffeltanus, Lem. Brazil.
2880 R. „ hirsutus, Prfl. Mexico.
2881 R. „ zebrinus.
2882 R. Tapeinochilos pungens, Miq. Borneo.

Marantaceæ.

2883 R. Maranta arundinacea, L. South America. Cultivated within the Tropics.
2884 R. „ dichotoma, Wall. Bengal, Sylhet, Assam, Coromandel, Malayan Islands, Moluccas.
2885 R. „ Lindeni.
2886 R. „ Princeps.
2887 R. „ Hecki.
2888 R. „ argyraea, Kke. Hab. ignot.
2889 R. „ illustris.
2890 R. „ majestica.
2891 R. „ setosa, A. Dietr. Brazil.
2892 R. „ sanguinea, Koern. Brazil.
2893 R. „ atrosanguinea.
2894 R. Phrynium Riedelianum, Hort.
2895 R. „ densiflorum, Bl. Java.
2896 R. „ spicatum, Roxb. Pegu.
2897 R. Calanthe zebrina, Lindl. Brazil.
2898 R. „ comosa, Ldl. Surinam.
2899 R. „ Warscewiczii, Kke. Central America.
2900 S. Canna Indica, L. Tropical Mountains of India and Malayan Archipelago.
2901 S. „ discolor, Lindl. Trinidad.
2902 S. „ glauca, L. Africa.
2903 S. „ coccinea, Ait. America.
2904 S. „ flaccida, Roxb. Mississippi.
2905 S. „ edulis, Ker. Brazil.
2906 S. „ Lamberti, Lindl. Trinidad,
2907 S. „ Warscewiczii, Dietr. Costa Rica.

Musaceæ.

2908 R. Heliconia buccinata, Roxb. Sumatra, Moluccos.
2909 R. „ bicolor, Klotzsch. South America.
2910 R. „ latispatha, Benth. Brazil.
2911 R. „ Brasiliensis, Hook. Brazil.
2912 R. „ sp.
2913 R. Musa Rumphiana, Kurz. Malayan Archipelago.
2914 R. „ Chinensis, Sw. Islands of Malayan Archipelago.
2915 R. „ textilis, Colla. Phillippines.
2916 S. „ glauca, Roxb. Pegu, Java.
2917 R. „ rubra, Wall. Burmah.
2918 R. „ ornata, Roxb. Chittagong.
2919 S. „ superba, Roxb. Mountains of Southern India.
2920 R. „ rosea, Wall. Burma.

Stretitziaceæ.

2921 R. Strelitzia angusta, Thunb. Cape of Good Hope.
2922 S. Ravenala Madagascariensis, Sonner. Madagascar.

Bromeliaceæ.

2923 S. Bromelia humilis, L. South America.
2924 S. „ Ananas, Mill. Cultivated.
2925 S. „ karatas, L. Southern America.
2926 S. „ libonica.
2927 S. „ longifolia. Rudge. Guiana.
2928 „ sp.
2929 S. Æchmea fulgens, Mart. Brazil.
2930 S. „ floribunda, Mart. Brazil.
2931 S. „ sp.
2932 R. Bilbergia pyamidalis, Lims. Brazil.
2933 S. „ melanantha, Lindl Brazil.
2934 R. „ tricolor, Hook. South America.
2935 R. „ humilis, Lindl. South America.
2936 R. „ zonata, Hook. South America.
2937 R. „ bicolor.
2938 S. Pitcairnia punicea, Lindl. Tropical South America.
2939 R. „ integrifolia, Gawl. West India Islands.
2940 R „ bromeliaefolia, Ait. West Indies.
2941 R. Dyckia rariflora, Schultes. Brazil.

Orchideæ.

2942 Liparis longipes, Lindl. Tropical Sikkim, Khasia Hills, Ceylon.
2943 „ cylindrostachys. India.
2944 Oberonia iridifolia, Lindl. Tropical Himalaya.
2945 „ sp. Sikkim.
2946 Microstylis Rheedii, L. Java.
2947 „ discolor, Lindl. Ceylon.
2948 Dendrobium longicornu, Lindl. Java.
2949 „ dixanthum, Rchb. f. Moulmein
2950 „ oculatum, Lindl. India.
2951 „ secundum, Wall. Martaban, Tenasserim.
2952 „ formosum, Roxb. Khasia Hills, Martaban, Tenasserim.
2953 „ Cambridgianum, Paxt. Assam.
2954 „ Hillii, Hook. Australia
2955 „ undulatum, R. Br. New Holland.
2956 „ speciosum, Smith. Tropical Australia.
2957 „ ramosissimum. Wight. Central India, Parasnath.
2958 „ crepidatum. Lindl. India.
2959 „ clavatum, Lindl. India.
2960 „ cretaceum, Lindl. Java.
2961 „ Pierardii, Roxb. Tropical Himalaya, Khasia Hills, Assam.
2962 „ multicaule, Lindl. Java.
2963 „ cuspidatum, Wall. Burmah.
2964 „ Gibsonii, Paxt. Khasia Hills, Assam.
2965 „ chrysotoxum, Lindl. Burmah, Khasia Hills.
2966 „ angulatum, Wall. Banks of the Atra, Burmah.
2967 „ crumenatum, Swartz. South India, Ceylon, Malayan, Peninsula, Java.
2968 „ secundum, Wall. Martaban, Tenasserim.
2969 „ sulcatum, Lindl. Hindostan.
2970 „ cærulescens, Lindl. India.
2971 „ macrophyllum, Lindl. Philippine Islands.
2972 „ nodosum, Rchb. f. Moulmein.

2973 Dendrobium nodatum, Rchb. f. Moulmein.
2974 „ aemulum, R. Br. Tropical Asia.
2975 „ nudum, Lindl. Singapore, Java.
2976 „ Farmeri, Paxt. Burmah.
2977 „ vera,
2978 „ Japonicum, Lindl. Japan.
2979 „ aggregatum, Roxb. Arracan.
2980 „ tortile, Lindl. Australia.
2981 „ Primulinum, Lindl, Tropical Sikkim, Assam.
2982 „ nobile, Lindl. Tropical Sikkim, Khasia Hills Assam.
2983 „ Jenkinsii, Wall. Assam.
2984 „ Wallichii.
2985 „ Ruckerii, Lindl. Philippines.
2986 „ barbatulum, Lindl. Bombay.
2987 „ moschatum, Lindl. Sikkim, Khasia Hills.
2988 „ macrostachyum, Wight. Ceylon.
2989 „ densiflorum, Wall. Sikkim, Nepal, Khasia Hills.
2990 „ albo-sanguineum, Lindl. India.
2991 „ Dayanum.
2992 „ villosum.
2993 „ heterocarpum, Lindl. Ceylon.
2994 „ Maccarthiae, Hook. Ceylon.
2995 „ thyrsiflorum.
2996 „ album, Wight. Bombay.
2997 „ chrysanthum, Wall. Tropical Sikkim, Khasia Hills.
2998 „ senile, Parish. Moulmein.
2999 „ fimbriatum, Hook. Sikkim, Nepal.
3000 „ oculatum, Lindl. India.
3001 „ triadenium, Lindl. India.
3002 „ Parishii, Rchb. f. Moulmein.
3003 „ lituiflorum. Rchb. f. Moulmein.
3004 „ Dalhousianum, Paxt. Mergui, Moulmein.
3005 „ sp. Sikkim.
3006 „ sp. Sikkim.
3007 „ sp. Sikkim.
3008 „ sp. Sikkim.
3009 „ sp. Sikkim.
3010 „ sp. Sikkim.
3011 „ sp. Moulmein.
3012 „ sp. Moulmein.
3013 „ sp. Moulmein.
3014 „ sp. Jamaica.
3015 „ sp. Khasia Hills.
3016 „ sp. Khasia Hills.
3017 „ sp. Khasia Hills.
3018 „ sp. Malacca.
3019 „ sp. Andaman Islands.
3020 „ ochreatum, Swartz. Khasia Hills.
3021 „ transparens, Wall. Tropical Eastern Himalaya, Assam.
3022 Bolbophyllum radiatum, Lindl. Hongkong,
3023 „ elegans, Gard. Ceylon.
3024 „ auricomum, Lindl. India.
3025 „ sp. Sikkim.
3026 „ sp. Sikkim
3027 „ sp. Andaman Islands.

3028 Bolbophyllum sp Andaman Islands.
3029 „ sp. Ootacamund.
3030 Sarcopodium multicaule, T. Anders. Khasia Hills.
3031 „ sp. Sikkim.
3032 Cirrhopetalum caudatum, Wight. Malacca.
3033 „ sp. Sikkim.
3034 „ sp Sikkim.
3035 „ sp. Sikkim.
3036 „ sp. Andaman Islands.
3037 „ sp. Andaman Islands.
3038 Eria convallarioides, Lindl. Tropical Himalaya, Khasia Hills.
3039 „ stellata, Lindl. Java.
3040 „ planicaulis, Wall. India.
3041 „ flava, Lindl. Tropical Sikkim, Khasia Hills.
3042 „ Jenkinsii.
3043 „ Kurzii, T. Anders. Andaman Islands.
3044 „ excavata, Lindl. Tropical Himalaya.
3045 „ lanata.
3046 „ claviculata.
3047 „ paniculata, Lindl.
3048 „ sp. Moulmein.
3049 „ sp. Burmah.
3050 „ sp. Sikkim.
3051 Cælogyne longipes, Lindl. Khasia Hills.
3052 „ flava.
3053 „ speciosa, Lindl. Java.
3054 „ flaccida, Lindl. Nepal, Kumaon.
3055 „ angustifolia, Wight. Neilgherries.
3056 „ nitida, Lindl. Nepal, Sikkim.
3057 „ walis, Lindl, Nepal, Kumaon.
3058 „ cinnamomea, T. et B. Java.
3059 „ Parishii, Hook. Moulmein.
3060 „ Falconerii, T. Anders. Moulmein.
3061 „ prolifera, Lindl. Nepal, Khasia Hills.
3062 „ Rochussenii, T. et B. Java.
3063 „ Rhodiana.
3064 „ breviscapa, Lindl. Ceylon, Neilgherries.
3065 „ Schilleriana, Roxb. f. Moulmein.
3066 „ critata, Lindl. Java.
3067 „ sp. Sikkim.
3068 „ sp. Sikkim.
3069 „ sp. Sikkim.
3070 „ sp. Sikkim.
3071 „ sp. Assam.
3072 „ sp. Assam.
3073 „ sp. Moulmein.
3074 „ sp. Malacca.
3075 Pholidota imbricata, Lindl. Sikkim, Khasia Hills.
3076 „ undulata, Wall. Sikkim.
3077 „ articulata, Lindl.
3078 „ sp. Sikkim.
3079 Phajus Wallichii, Lindl. Bombay.
3080 „ albescens.
3081 Limatodes rosea, Lindl. Moulmein.
3082 Spathoglottis plicata, Blume. Singapore.
3083 Arundina pulchella, T. et B. Indian Archipelago.
3084 „ bambusæoides India.
3085 Vanda cristata, Lindl. Nepal, Sikkim, Bhotan.

3086 Vanda Lowei, Lindl. Borneo.
3087 „ Batemannii, Lindl. Moluccas.
3088 „ gigantea, Lindl. Tenasserim Provinces.
3089 „ violacea, Lindl. Manilla.
3090 „ cœrulea, Griff. Khasia Hills.
3091 „ suavis, Lindl. Indian Archipelago.
3092 „ spathulata, Spreng. Mysore, Malabar.
3093 „ furva, Lindl. Moluccas.
3094 „ Roxburghii, R. Br. Bengal, Southern India, Ceylon.
3095 „ tessellata.
3096 „ tricolor, Lindl. Java.
3097 „ Hookeriana, Rchb. f. India.
3098 „ sp.
3099 „ teres, Lindl.
3100 „ Cathcartii, Lindl. Sikkim.
3101 Polychilus communis.
3102 Cleisostoma armigera.
3103 Luisia trichorhiza, Blume. Khasia Hills, Sikkim.
3104 „ brachystachys, Blume, Bengal, Khasia Hills, Himalaya, Borneo, Java.
3105 „ purpurea.
3106 „ sp. Nynee Tal.
3107 Cyrtopera flava, Lindl. Sikkim and Nepal Terai.
3108 Phalænopsis Lowei, Rchb. f. Moulmein.
3109 „ grandiflora, Lindl. Java, Singapore.
3110 „ Porteri.
3111 „ Parishii, Rchb. f. Moulmein.
3112 „ Schilleriana, Rchb. f. Philippines.
3113 „ Mannii
3114 „ Wightii.
3115 „ Cornu Cervi, Bl. Burmah and Malayan Islands.
3116 „ sp.
3117 „ n. sp.
3118 „ sp.
3119 „ amabilis, Blume. Islands of Malayan Archipelago, Philippine Islands.
3120 Eulophia bicolor, Bl. Java.
3121 „ macrostachya, Lindl. Java, Ceylon.
3122 „ virens, R. Br. Southern India, Ceylon,
3123 „ Andamanica, Rchb. f. Andaman Islands.
3124 Saccolabium Blumei, Lindl. Java.
3125 „ majus.
3126 „ denticulatum, Paxt. Khasia.
3127 „ ampullaceum, Lindl. Sikkim.
3128 „ micranthum, Lindl. Bhotan, Sikkim, Nepal, Mergui.
3129 „ spicatum.
3130 „ Parishii. Tenasserim.
3131 „ Harrisonianum, Low. Pulo Copang.
3132 „ Platycentrum.
3133 „ guttatum, Lindl. India, Ceylon, Burmah, Java, Cochin China.
3134 „ dasycarpum.
3135 „ paniculatum, Wight. Neilgherries.
3136 „ curvifolium.
3137 „ carinatum.
3138 „ miniatum, Lindl. Java.
3139 „ giganteum, Lindl. Burmah
3140 „ guttatum, Lindl. Burmah.

3141 Saccolabium calceolare, Lindl. Java.
3142 „ papillosum.
3143 Acrides Lobbii.
3144 „ rubra.
3145 „ Fieldingii.
3146 „ odoratum, Lour. Khasia Hills, Sikkim.
3147 „ affine, Wall. Bengal, Eastern Himalaya, Assam, Burmah.
3148 „ rosea, Lodd. India.
3149 „ testaceum, Lindl. Bombay.
3150 „ suavissimum, Lobb. Borneo.
3151 „ Warneri.
3152 „ Wightianum, Lindl Neilgherries.
3153 „ quinquivulnerum, Lindl. Philippines.
3154 „ sp. Sikkim.
3155 Renanthera coccinea, Lour. Cochin, China.
3156 „ sp.
3157 Sarcanthus platycentrum.
3158 „ Parishii, Hook. Moulmein.
3159 „ gracilis.
3160 „ teretifolius, Lindl. China.
3161 „ sp. Sikkim.
3162 „ sp. Burmah.
3163 „ sp. Burmah.
3164 „ sp. Andaman Islands.
3165 Glomera Blumei, Lindl.
3166 Cymbidium lanceaefolium.
3167 „ Chinensis, Willd. China.
3168 „ giganteum, Willd. China.
3169 „ Mastersii, Griff. India.
3170 „ bicolor, Lindl. Java.
3171 „ eburneum, Lindl. India.
3172 „ cuspidatum, Bl. Java.
3173 „ Wallichii.
3174 „ aloifolium, Swartz. Southern India, Ceylon, Bengal, Sikkim.
3175 „ ensifolium, Swartz. Southern India, Ceylon, Singapore, Java.
3176 „ elegans, Lindl. Sikkim, Khasia Hills.
3177 Bromheadia Finlaysonianum, Roxb. Malaya.
3178 Calanthe vestita, Wall. Malaya.
3179 „ luteo oculata.
3180 „ tricarinata, Lindl. India.
3181 „ odorum Javanicum, Lindl. Java.
3182 „ sp. Sikkim.
3183 Habenaria commelynifolia, Wall. Bengal, Southern India, Burmah.
3184 Platanthera Susannae, Lindl. Malaya.
3185 Pogonia discolor, Bl. Java.
3186 „ carinata, Lindl. Bengal.
3187 „ grandiflora.
3188 „ Scottiana, Reichb. f. Sikkim.
3189 „ Juliana, Lindl. India.
3190 „ plicata, Lindl. Lower Bengal.
3191 „ sp.
3192 C. Vanilla planifolia, Anders. West Indian Islands.
3193 C. „ albida, Blume. Java.
3194 C. „ aphylla, Blume, Java.
3195 C. „ corniculata.

3196 Zeuxine sulcata, Lindl. Lower Bengal.
3197 Cypripedium barbatum, Lindl. Java.
3198 „ venustum, Wall. Khasia Hills.
3199 „ pendulum.
3200 „ concolor, Batem. Moulmein.
3201 „ insigne, Wall. Khasia Hills.
3202 Aporum anceps, Roxb. Sikkim.
3203 „ indivisum, Blume. Singapore, Java.
3204 „ serra, Lindl. Singapore, Java.
3205 „ sp. Malacca.
3206 Maxillaria densa, Lindl. Xalappa.
3207 „ Aromatica. Grab. Brazil.
3208 „ variabilis, Batem. Mexico.
3209 „ tenuifolia, Lindl. Mexico.
3210 Oncidium luridum, Lindl. West Indian Islands.
3211 „ altissimum, Sw. Jamaica.
3212 „ Ceballeta, Sw. Brazil.
3213 „ ampliatum, Lindl, Central America.
3214 „ Cavendishianum, Batem. Guatemala.
3215 „ ? sp. Sikkim.
3216 „ sp. Kew.
3217 „ sp. Kew.
3218 „ papillosum.
3219 „ lanceanum, Lindl. Guiana.
3220 Bletia hyacinthina, R. Br. China, Japan.
3221 „ acutipetala, Hook. South Carolina.
3222 „ verricunda, R. Br. West Indies.
3223 Brassavola cucullata, R. Br. West Indian Islands.
3224 Peristeria elata, Hook. Panama.
3225 Epidendrum ellipticum, Grahm. Ogan Mountains, Brazil.
3226 „ fragrans, Sw. Jamaica.
3227 „ dichromum, Lindl. amabile. Pernambuco.
3228 „ Parishii.
3229 „ macrochilum, Hook. Guatemala.
3230 „ cochleatum, L. West Indian Islands, Mexico.
3231 „ falcatum, Lindl. Mexico.
3232 „ ciliare, L. West Indies, Tropical America.
3233 „ ? sp. Sikkim.
3234 „ sp. Kew.
3235 „ ? sp. Andaman Islands.
3236 „ sp. Honduras.
3237 „ sp. Jamaica.
3238 Catasetum tridentatum, Hook. Central America, Trinidad.
3239 „ luridum, Lindl. Brazil.
3240 „ sp.
3241 „ sp.
3242 „ sp.
3243 „ sp.
3244 Lycaste Skinnerii, Lindl. Mexico.
3245 „ aromatica, Lindl. Mexico.
3246 „ sp.
3247 „ lanipes, Lindl. Guayaquil.
3248 Broughtonia sanguinea, R. Br. Jamaica.
3249 Miltonia Moulteana.
3250 Josephia lanceolata, Wight. Neilgherries.
3251 Cyrtochilum leucochilum, Planch. Mexico.
3252 Lælia peduncularis, Lindl. Mexico.
3253 „ acuminata, Lindl. Guatemala.

3254 Schomburgkia superbiens.
3255 „ sp.
3256 Cattleya superba, Lindl. Guiana.
3257 „ marginata.
3258 „ Skinnerii, Ratem. Costa Rica.
3259 „ intermedia, Grah. Brazil.
3260 „ Warscewiczii, Rchb. f.
3261 „ pallida Lindl. ?
3262 „ candida.
3263 „ amethystoglossa, Lindl. Brazil.
3264 „ Forbesii, Lindl. Brazil.
3265 „ Mossiae, Park. South America.
3266 „ Aclandiæ. Lindl. Brazil.
3267 „ Trianæi, Rchb. f. Brazil.
3268 „ speciosa.
3269 „ labiata, Lindl. Rio Janeiro.
3270 „ sp.
3271 „ sp.
3272 Stanhopea oculata, Lindl. Mexico.
3273 „ Wardii, Lodd. Central America.
3274 „ sp.
3275 Barkeria Skinnerii.
3276 Chysis, sp.
3277 Gongora atropurpurea, Hook. Trinidad.
3278 „ maculata, Lindl. Peru.
3279 Angræcum Richardi, Wall. Madagascar.
3280 „ superbum, Thouars. Madagascar.
3281 „ pertusum, Lindl. Western Africa.
3282 Polystachya luteola, Lindl. Tropical America.
3283 Ornithochilus sp.
3284 Cottonia peduncularis, Rchb. f. Malabar.
3285 Trichofilia longipes.
3286 Odontoglossum Insleayi.
3287 Arachnanthe moschifera, Bl. Java,
3288 Hysteria veratrifolia, Wall. India.

Burmanniaceæ.

3289 S. Tacca lanceaefolia, Hook. Java.
3290 S. „ pinnatifida, Forst. Southern India, Ceylon, Moluccas, Tropical Australia.

Irideæ.

3291 R. Cipura plicata. Tropical South America.
3292 R. „ humilis, H. B. K. Tropical South America.
3293 R. „ Northiana, Endl. Tropical South America.
3294 R. Iris Nepalensis, Don. Sub-tropical Western Himalaya.
3295 R. „ Reichenbachiana.
3296 R. Pardanthus Chinensis, Ker. China.
3297 S. Gladiolus psittacinus, Hook. Cape of Good Hope.
3298 S. „ communis, L. Europe.

Hypoxideæ.

3299 R. Molineria latifolia, Herb. Indian Archipelago.
3300 R. „ recurvata, Herb. India, Java.

Amaryllidæ.

3301 S. Zephyranthes candida, Herb. Peru.
3302 S. „ caudata.
3303 S. „ rosea, Lindl.
3304 S. „ carinata, Hook. Mexico.
3305 R. Sprekelia Dalhousiæ, Wall. Brazil.
3306 S. Hippeastrum equestre, Herb. West Indian Islands.
3307 S. „ reticulatum, Herb. South America.
3308 S. „ fulgidum, Herb. Brazil.
3309 S. „ ambiguum, Hook. Lima.
3310 S. „ stylosum, Herb. Brazil.
3311 S. „ Johnsonii, Herb. South America.
3312 S. „ acuminatum, Herb. South America.
3313 S. „ sp.
3314 S. „ sp.
3315 S. Crinum Americanum, L. West Indian Islands, South America.
3316 S. „ amœnum, Roxb. Sylhet.
3317 S. „ longifolium, Roxb. Bengal.
3318 S. „ toxicarium, Roxb. Ceylon.
3319 S. „ pedunculatum, R. Br. Australia.
3320 S. „ speciosum, Herb. Northern Bengal.
3321 S. „ Wallichii, Herb. Burmah ?
3322 S. „ Asiaticum L. India and Malayan Archipelago.
3323 S. „ ornatum, Herb. India.
3324 S. „ sp. Burmah.
3325 S. Zephyranthes tubispatha, Herb. Jamaica.
3326 S. Habranthus sp.
3327 S. Nerine venusta, Herb. Cape of Good Hope.
3328 S. Eucharis amazonica, P. et L. Brazil.
3329 R. Eurycles flava.
3330 R. „ Amboinensis, Herb. Islands of Malayan Archipelago, Moluccas.
3331 S. Pancratium zeylanicum, L. Ceylon.
3332 S. „ tortuosum, Herb. Shores of Arabia, Felix.
3333 S. „ fragrans, Red. Guiana.
3334 S. „ littorale, Jacq. South America.
3335 S. „ Caribæum, L. West Indies.
3336 S. Hymenocallis speciosa, Salisb. North America.
3337 R. Agave Americana, L. South America.
3338 S. „ Cantula, Roxb. Bengal.
3339 S. „ lurida, Ait. Mexico.
3340 S. „ maculosa, Hook. Texas.
3341 S. „ Jacquiniana, Schultes. Mexico.
3342 S. „ filifera, S. D. Mexico.
3343 S. „ heteracantha, Zucc. Mexico.
3344 S. „ longiflora.
3345 S. „ Verschaffeltii.
3346 S. „ applanata.
3347 S. „ bulbosa
3348 S. Fourcroya gigantea, Vent. South America.
3349 S. „ cantula, Phaw. Tropical America ? Cultivated in Tropical Asia.
3350 S. „ yuccæfolia, Red. Mexico.
3351 S. „ sellon.
3352 Doryanthes excelsa, Correa. Tropical Australia.

Dioscoreæ.

3353 S. Dioscorea globosa, Roxb. India.
3354 S. „ elata, L. Indian and Malayan Archipelago.
3355 S. „ rubella, Roxb. India.
3356 S. „ purpurea, Roxb. India.
3357 S. „ aculeata, L. India and Archipelago.
3358 S. „ fasciculata, Roxb. India.
3359 S. „ nummularia, Lamk. Moluccas.
3360 S. „ pentaphylla, L. Bengal, Tropical West Himalaya Southern India, Malayan Peninsula, Ceylon.
3361 S. Smilax ovalifolia, Roxb. Bengal, Tropical Himalaya, Southern India, Ceylon, Burmah, Java.
3362 S. „ Sarsaparilla, L. Virginia.
3363 S. „ maculata, Roxb. Bengal, Tropical Himalaya, Malayan Peninsula, Ceylon.
3364 L. Roxburghia viridiflora. Lin. Sylhet, Chittagong, Siam, Cochin China, Moluccas.

Liliaceæ.

3365 R. Tulipa, sp.
3366 R. Lilium longifolium.
3367 R. „ grandiflorum.
3368 R. Hemorocallis flava, L. Southern Europe, Siberia.
3369 R. Funkia cordata, Grahm. China, Japan.
3370 R. Agapanthes umbellatus, L'Herit. Cape of Good Hope.
3371 R. Polyanthes tuberosa, L. Tropical America. Cultivated in Tropical Gardens.
3372 R. Phormium tenax, Forst. Australia, New Zealand.
3373 R. Sanseviera latifolia, Bot. Mag. Mauritius.
3374 R. „ macrophylla, Hort. Mauritius, Zanzibar.
3375 S. „ zeylanica, Willd. Ceylon.
3376 R. „ thyrsiflora, Thunb. Cape of Good Hope.
3377 R. Aloë Barbadensis, Mill. Tropical America. Naturalized in countries near the Mediterranean.
3378 R. „ saponaria, Haw. Cape of Good Hope.
3379 R. „ obscura, Mill. Cape of Good Hope.
3380 R. „ arborescens, Mill. Cape of Good Hope.
3381 R. „ vulgaris, D. C. Southern Europe, India.
3382 R. „ (Gasteria) acinacifolia, Jacq Cape of Good Hope.
3383 S. Lomatophyllum macrum, Salm-Dyck. Mauritius.
3384 S. „ Borbonicum, Willd. Bourbon.
3385 S. Yucca gloriosa, L. Virginia, Carolina.
3386 S. Allium triquetrum, L. Europe.
3387 S. „ Cepa, L. Europe.
3388 S. „ tuberosum, Roxb. India.
3389 S. Ornithogalum umbellatum, Ait. Cape of Good Hope.
3390 R. Uropetalum serotinum, Ker. Southern Europe.
3391 C. Cordyline sp.
3392 C. Hyacinthus sp.
3393 C. Dracæna ferrea, L. N. W. India, China.
3394 C. „ atrosanguinea. India.
3395 C. „ terminalis, L. N. W. India, China.
3396 C. „ nigricans.
3397 C. „ Australis, Forst. New Zealand, Norfolk, Island.
3398 C. „ cernua, Planch. Mauritius.
3399 C. „ reflexa, Planch. Mauritius, Madagascar.

3400 C. Dracæna angustifolia, Ham. India.
3401 C. „ ensiformis, Wall. Khasya.
3402 C. „ maculata, Roxb. India.
3403 C. „ albicans.
3404 C. „ Fontanesiana, Planch. Bourbon.
3405 C. „ Draco. Lim. Canaries.
3406 C. Ruscus hypophyllum, L. Southern Europe.
3407 C. „ hypoglossum, L. Southern Europe.
3408 R. Tupistra nutans, Wall. Sylhet, Easteru India.
3409 R. Aspidistra punctata, Lindl. vittata. China.
3410 S. Peliosanthes Teta, Andr. Chittagong, Sylhet.
3411 S. „ sp. Sikkim.
3412 R. Zamioculcus Loddigesii.

Butomeæ.

3413 S. Limnocharis Plumierii, Roxb. West Indies.

Alismaceæ.

3414 R. Sagittaria sagittifolia, L. Europe, Asia, North America.
3415 R. „ hirundinacea, Bl. Java.
3416 R. Alisma plantago, L. Europe, Asia, America.
3417 R. „ lanceolata, With. Europe.
3418 R. „ ranunculoides, L. Europe, N. America.

Pontederiaceæ.

3419 R. Monochoria vaginalis, Presl. India, Malayan Archipelago, China.
3420 R. „ plantaginea, Roxb. India.

Commelyneæ.

3421 R. Commelyna Bengulensis, L. Tropical Asia, Africa, and America.
3422 S. „ communis, L. India, Ceylon, Malayan Archipelago, China.
3423 R. Ancilema nudiflorum, R. Br. India and Malayan Archipelago.
3424 R. „ scapiflorum, R. Br. India.
2425 R. Tradescantia discolor, L'Herit.
3426 R. „ zebrina.
3427 R. Spironema fragrans, Lindl. Mexico.
3428 R. Flagellaria Indica, L. India, Ceylon, Malayan Peninsula, and Islands, Moluccas, Tropical Australia, Islands of Pacific.

Juncaceæ.

3429 Juncus acutus, L. Europe.

Cyperaceæ.

3430 S. Scirpus supinus, L. India.
3431 S. Cyperus rotundus, L. India, Malayan Archipelago, China, temperate Europe, and America.
3432 S. „ umbellatus, Benth. India, Malayan Archipelago, China.
3433 S. „ Roxburghii, N. ab. E. Bengal, Ceylon.
3434 S. „ tegetiflorus, Roxb. Bengal, Burmah.
3435 S. „ dubius, Roxb. India.
3436 S. „ difformis, L. India.

3437 S. Cyperus tenuiflorum, L. India.
3438 S. „ elongatus.
3439 S. Kyllingia monocephala Wall. India.

Gramineæ.

3440 S. Leersia oryzoides, L. Europe.
3441 S. Zea Mays, L. India, cult. America.
3442 S. Coix Lachryma, L. India.
3443 S. Setaria glauca, P. B. India.
3444 S. Digitaria, sp.
3445 S. Panicum plicatum, L. India.
3446 S. „ brizoides, Jacq. India, Malayan Archipelago.
3447 S. „ filiforme, Jacq. All tropical regions.
3448 S. „ ciliare, Retz. All tropical regions.
3449 S. „ spicatum, L. India.
3450 S. „ interruptum, P. B. India and Archipelago.
3451 S. „ hirsutum, Sw. West Indies.
3452 S. „ Royleanum, N. E. India.
3453 S. „ uliginosum, L. India.
3454 S. „ pilosum, Sw. South America.
3455 S. „ sp.
3456 S. „ sp.
3457 S. Sporobolus Indicus, P. B. India.
3458 S. Amphidonax bifaria.
3459 S. Gynerium aurantiacum.
3460 S. Eleusine Indica, Gæertn. All tropical countries.
3461 S. „ verticillata, Roxb. North India.
3462 S. Dactyloctenium aegyptiacum, L. India.
3463 S. Lagurus ovatus, L. Southern Europe.
3464 S. Poa, sp.
3465 S. Eragrostis, sp.
3466 S. „ zeylanicus, N. E. India.
3467 S. Arundinaria, sp.
3468 S. Ægilops ovata, L. Europe, N. India.
3469 S. Andropogon muricatum, Retz. India, Ceylon, Malayan Peninsula and Islands, Philippines, China.
3470 S. „ schœnanthus, L. India.
3471 S. „ scandens, Roxb. India.
3472 S. „ aciculatus, L. India.
3473 S. „ Ischæmum, L. India, Malayan Archipelago.
3474 S. Sorghum vulgare, L. India.
3475 S. Ophiurus perforatus, P. B. India.
3476 S. Saccharum "saccaratum."
3477 S. „ spontaneum, L. India.
3478 S. C. Bambusa Tulda, Roxb. Bengal, Burmah, Siam.
3479 C. „ Balcooa, Roxb. Bengal.
3480 S. „ spinosa, Roxb. Bengal.
3481 C. „ arundinacea, Roxb. Bengal, Ceylon, Burmah.
3482 C. „ auriculata, Kurz. Bengal, Burmah.
3483 S. „ Thouarsii, Kunth. var. Malayan Archipelago.
3484 C. „ nana, Roxb. China, Japan.
3485 C. „ gigantea, Wall. Burmah.
3486 C. „ monogyna, Griff. Western Himalaya.
3487 C. „ flavescens, Kurz. Burmah.
3488 C. „ stricta, Roxb. India.
3489 C. „ nigro-ciliata, Rox. Malayan Archipelago.

3490 Bambusa, Rumphiana, Kurz. alba. Moluccas.
3491 C. „ sylvestris.
3492 C. „ vulgaris, Thomson. viridis. Malayan Archipelago.
3493 C. „ sp. Sikkim.
3494 C. „ sp. Sikkim.
3495 R. C. Gigantochloa aspera Kurz. Malayan Archipelago.
3496 R. C. „ robusta, Kurz. Malayan Archipelago.
3497 R. C. „ attér, Kurz. Malayan Archipelago.
3498 R. C. „ nigra
3499 R. C. „ maxima, Kurz. Malayan Archipelago.
3500 R. C. „ major,
3501 R. C. Schizostachyum chilianthum, Kurz. Sumatra.
3502 R. C. „ brachycladum, Kurz. Malayan Archipelago.
3503 R. C. Melocanna bambusaeoides, Trin. Chittagong, Arracan.
3504 R. Melica latifolia, Roxb. India.
3505 S. Rottbœllia exaltata, L. India.
3506 S. „ glabra, Roxb. Bengal.
3507 R. Oryza sativa, L. Cultivated in all warm countries.
3508 R. Briza maxima, L. Southern Europe.

Equisetaceæ.

3509 R. Equisetum debile, Roxb. India and Archipelago.

Marsileaceæ.

3510 S. Marsilea quadrifolia, L. Tropical and temperate Europe and Asia.
3511 S. Salvinia cucullata, Roxb. Bengal.
3512 S. „ verticillata, Roxb. Bengal.

Lycopodiaceæ.

3513 Lycopodium phlegmaria, L. India and Archipelago.
3514 Selaginella intermedia, Spring. Java.
3515 „ atroviridis, Spring. India and Archipelago, China.
3516 „ lævigata, Spring. Malaya and Malayan Archipelago.
3517 „ caudata, Spring. India, Ceylon.
3518 „ serpens.
3519 „ Africana.
3520 „ Martensi var. crispa.
3521 „ „ var. divaricans.
3522 „ Lodoviciana.
3523 „ robusta.
3524 „ „ var. crispa.
3525 „ convoluta.
3526 „ albo-nitens.
3527 „ viticulosa.
3528 „ foatula.
3529 „ phymatodes.
3530 „ patua.
3531 Psilotum triquetrum, Sw. India and Archipelago.

Filices.

3532 Gleichenia dichotoma, Willd. All tropical countries.
3533 Cyathea spinulosa, Wall. Eastern Himalaya, Khasia Hills.
3534 Alsophila, sp.
3535 Cibotium sp.

3536 Davallia solida, Sw. Burmah, Malaya and Malayan Archipelago.
3537 „ Thwaitesii, Baker. Ceylon.
3538 „ adiantifolia, Hook. Malayan Archipelago.
3539 „ (Eudavallia) elegans, Sw. Bidentata, India and Archipelago.
3540 Adiantum macrophyllum, Sw. Tropical America.
3541 „ Capillus veneris, L. All tropical countries, South Europe, &c.
3542 „ intermedium, Swartz. Tropical America.
3543 „ formosum, R. Br. Australia.
3544 „ cuneatum, Langst. et. Fisch. Brazil.
3545 „ cultratum, J. Sm. Tropical America.
3546 „ diaphanum, Bl. Malayan Archipelago.
3547 „ caudatum, L. India and Archipelago.
3548 „ patens, Willd. Tropical America.
3549 „ trapeziforme, L. Tropical America.
3550 „ var. cultratum.
3551 „ var. Catherinæ.
3552 „ Seemannii, Hook. Tropical America.
3553 „ sentum.
3554 „ fulvum, Raowl. Australia, Polynesia.
3555 „ prionophyllum, H. B. K. Tropical America.
3556 „ polyphyllum, Willd. Peru, Columbia.
3557 „ villosum, L. Tropical America.
3558 „ hispidulum, Swz. var. tenellum. Asia, Africa, Australia.
3559 „ Farleyense, Moor. Tropical America.
3560 „ lunulatum, Burm. Tropical Asia, Africa, and America.
3561 Onychium lucidum, Spreng. Tropical Himalaya, Khasia and Mishmi Hills.
3562 „ Japonicum, Kunze. Japan, China, North India, Java.
3563 Pteris biaurita, L. South America, India and Archipelago.
3564 „ cretica L. albo-lineata. Southern Europe, Asia, America.
3565 „ cretica, L. All tropical and temperate countries.
3566 „ semipinnata, L. Eastern India, Malayan Archipelago, China, &c.
3567 „ pedata, L. Tropical America.
3568 „ quadriaurita, Retz. var. aspericaulis. Tropical and subtropical countries.
3569 „ serrulata, L. China, Japan.
3570 „ crenata, Sw. India and Archipelago, China, New Holland.
3571 „ longifolia, L. All tropical and temperate countries.
3572 „ cretica, L. All tropical and temperate countries.
3573 „ laciniata, Willd. var. Gheisbrechtii.
3574 Ceratopteris thalictroides, Brongn. Tropical Asia, Africa, America, Australia.
3575 Lomaria scandens.
3576 Blechnum orientale, L. India and Archipelago, China.
3577 „ occidentale, L. var. glandulosa. Tropical America.
3578 „ Brasiliense, Desv. Brazil.
3579 „ campylotis, Kunze. America.
3580 Asplenium Finlaysonianum, Wall. Himalaya, Malaya.
3581 „ obtusifolium.
3582 „ trifoliatum.
3583 „ macrophyllum, Sw. India and Archipelago, China.
3584 „ Zeylanicum, Hook. Ceylon.

3585 Asplenium Griffithianum, Hook. Himalaya, Khasia Hills.
3586 „ dentatum, L. Tropical America.
3587 „ dimorphum, Kunge. Norfolk Island.
3588 „ dispersum.
3589 „ dilatatum, Hook. India, China, Java.
3590 „ chrysolobum.
3591 „ membranaceum.
3592 „ resectum, Lm. Burmah, Himalaya, Khasia Hills.
3593 „ esculentum, Rfl. India and Archipelago, China.
3594 „ lanceum, Thbg. Himalaya, Khasia Hills, China, Japan.
3595 „ Shepherdi, Spreng. Tropical America.
3596 „ nitidum, Swz. India and Malayan Archipelago.
3597 „ nidus, L. var. phyllitidis, India and Archipelago, China.
3598 „ formosum, Willd. Tropical America.
3599 „ firmum, Kunze. Tropical America.
3600 „ urophyllum.
3601 „ obtusatum, Forst. Polynesia, South America, Australia.
3602 „ obliquum, Forst. Polynesia.
3603 „ Zollingerianum.
3604 „ cordifolium, Mett. var. integrifolium, Philippines Malaya.
3605 „ virens, Prsl. Tropical America.
3606 „ crispatulum.
3607 „ laserpiitifolium, Lamk. India and Malayan Archipelago, New Holland, &c.
3608 „ caudatum, Forst. India and Archipelago, Polynesia, Australia.
3609 „ Grevillei, Wall. Eastern India, Malayan Archipelago.
3610 „ sylvaticum, Prfl. India and Archipelago.
3611 „ furcatum, Thbg. All tropical countries.
3612 Aspidium spectabilis.
3613 „ trifoliatum, Sw. Tropical America.
3614 „ cristatum.
3615 „ aristatum, Sw. India, Malaya, China, &c.
3616 „ caudatum.
3617 „ membranaceum, Hook. Malayan Archipelago, Ceylon, China.
3618 „ (Cyrtomium) caryotideum, Wall. India.
3619 „ falcatum, Sw. var. caryotideum. China, Japan.
3620 „ trifoliatum, Sw. var. plumieri. Tropical America.
3621 „ auriculatum, Sw. var. lentum. India.
3622 „ (Polystichum) capense, Willd. America, Cape of Good Hope, Polynesia.
3623 Nephrodium intermedium, Baker. India, Malacca, Japan.
3624 „ serra, Desv. West Indies.
3625 „ polymorphum, Baker. Tropical America.
3626 „ macrophyllum, Baker. Tropical America.
3627 „ subtriphyllum.
3628 „ crinipes, Hook. Sikkim, Malacca.
3629 „ setigerum, Baker. India and Archipelago, Polynesia, China.
3630 „ effusum, Baker. Tropical America.
3631 „ cuspidatum, Baker. Northern India, Ceylon.
3632 „ Zollingerianum, Baker. Java.
3633 „ decurrens, Baker. India, Malaya, Polynesia.

3634 Nephrodium chrysolobum, Feé. Brazil, Columbia.
3635 „ cicutarium, Baker, var. coaduntatum, India, Malaya, Tropical America.
3636 „ eusorum, Shw. Australia, Polynesia, India, and Malayan countries.
3637 „ obtusifolium.
3638 „ odoratum, Baker. Northern India, Malaya, China, Africa.
3639 „ prolixum, Baker. India, Mascarhen Islands.
3640 „ scolopendroides, Hook. West Indies.
3641 „ syrmaticum, Baker. India and Malaya.
3642 „ truncatum, Prsl. Australia, Polynesia, India, and Malaya.
3643 „ picta.
3644 „ convoluta.
3645 „ hirtipes, Hook. India and Malaya.
3646 „ Leuzeanum, Hook. India, Malaya, China.
3647 „ filix mas, Rich. Mountain of tropical India.
3648 „ „ „ var. cochleatum.
3649 „ molle, Desv. All tropical countries.
3650 „ coadunatum.
3651 „ pubens.
3652 „ pectinatum.
3653 „ villosum, Prsl. West Indies.
3654 „ Thwaitesii, Baker. Ceylon.
3655 „ setosum, Baker. Java.
3656 Nephrolepis tuberosa, Prsl. All tropical countries.
3657 „ exaltata, Schott. Tropical countries.
3658 „ hirsutula, Prsl. India and Archipelago.
3659 „ acuta, Prsl. Tropical America, and Western Africa, Polynesia.
3660 Polypodium nigrescens, Bl. Malayan Archipelago, Polynesia, India.
3661 „ paradisica.
3662 „ acrostichoides, Sw. Eastern India and Archipelago, Polynesia.
3663 „ punctatum, Thbg. India, and Malaya, Polynesia, South America, &c.
3664 „ capensis.
3665 „ conjugatum, Lamp. Northern India, Burmah, China.
3666 „ Linnæi, L. Bory. Malacca to tropical Australia.
3667 „ aureum, L. var. pulvinatum. Tropical America.
3668 „ fraxinifolium, Jacq. Tropical America.
3669 „ tridactylon, Wall. India and Archipelago.
3670 „ diversifolium, Swz. Brazil.
3671 „ lucidum, Beyr. Brazil.
3672 „ irioides, Lamk. India and Archipelago, China, Australia, Africa.
3673 „ leiorrhizon, Wall. Himalaya, Neilgherries.
3674 „ quercifolium, L. Bengal, Behar, Tropical Sikkim.
3675 „ costatum, Wall. India and Archipelago.
3676 „ phymatodes, L. Neilgherries, India, and Malayan Archipelago.
3677 „ multilineatum, Wall. Burmah, Himalaya.
3678 „ loriceum, L. Tropical America.
3679 „ longissimum, Bl. India and Archipelago.
3680 „ tetragonum, Sw. var. megalodes, Tropical America.

3681 Polypodium lineatum, Coleb. India and Malaya.
3682 „ adnascens, Sw. India and Archipelago.
3683 „ proliferum, Roxb. India and Archipelago, China, South Africa.
3684 „ angustatum, Sw. India and Archipelago, Polynesia, Australia.
3685 Gymnogramme peruviana, Desv. Tropical America.
3686 „ Javanica, Bl. var. integrifolia. India and Archipelago, Japan, Africa, &c.
3687 Meniscium Thwaitesii, Hook. Ceylon.
3688 Hemionitis cordata, Roxb. Bengal, Burmah, Java.
3689 Acrostichum cervinum, Sw. Tropical America.
3690 „ decurrens, Desv. pinnatifido. Philippines.
3691 „ alienum, Sw. Tropical America.
3692 „ Zollingerianum, Scott. Java.
3693 „ virens var. crispatulum. India and Archipelago, Africa.
3694 „ virens var. proliferum.
3695 „ virens var. costatum.
3696 „ appendiculatum, Willd. India.
3697 „ „ var. ludens.
3698 „ „ var. Hamiltonianum.
3699 „ appendiculatum, Willd. var. asphuiifolium. India.
3700 „ flagelliferum, Wall. India and Archipelago.
3701 „ heteroneuron.
„ „ var. rubicundum.
3702 „ costatum, Wall. India and Archipelago.
3703 „ scandens, J. Sm. India and Archipelago.
3704 Lygodium circinatum, Sw. India and Archipelago.
3705 „ scandens, Sw. India, Ceylon, Malayan Peninsula, and Islands, China, North Australia, Bengal, Southern India.
3706 „ flexuosum, Sw. Bengal, Southern India.
3707 Angiopteris evecta, Hoffm. Tropical Asia, Madagascar, Islands of the Pacific.
3708 „ var. microphylla.
3709 „ solida.
3710 Doodia lunulata.
3711 „ caudata, R. Br. Australia.
3712 „ aspera, R. Br. Australia.
3713 Stangeria paradoxa.
3714 Hypolepis tenuifolia, Bernh. Java, Australia.
3715 Acmia collina, Raddi. Brazil.

Ophioglossæ.

3716 Ophioglossum vulgatum, L. Tropical and temperate countries of Europe, Asia and America, indigenous in Botanic gardens.
3717 „ reticulatum.

T. Black & Co., Calcutta.